

Volvo Original Tillbehör **Genuine Volvo Accessories**

Accessories

Volvo accessories are selected by Volvo to fit your vehicle's unique needs. They are designed to complement your vehicle's original equipment and enhance its performance. A choice collection of the most advanced products available.

Volvo accessories are available at your local Volvo dealer. The Volvo Group offers a complete range of accessories. A number of over 200 items are included such as door locks, keys, and more. To learn more about our products, call 1-800-444-2000.

Other MAINT Volvo accessories need to be used in conjunction with certain other products. Other products may not fit. The original parts and parts manufactured by other companies may not fit. Volvo vehicles are unique, so it is important to make sure you are getting the right parts. The OEM parts are made to fit your vehicle's specific needs. They are designed to work with your vehicle's existing components. They are also made to last longer than other parts. The OEM parts are made to fit your vehicle's specific needs. They are designed to work with your vehicle's existing components. They are also made to last longer than other parts.

Other MAINT Volvo accessories need to be used in conjunction with certain other products. Other products may not fit. The original parts and parts manufactured by other companies may not fit. Volvo vehicles are unique, so it is important to make sure you are getting the right parts. The OEM parts are made to fit your vehicle's specific needs. They are designed to work with your vehicle's existing components. They are also made to last longer than other parts.

Accessories are selected by Volvo to fit your vehicle's unique needs. They are designed to complement your vehicle's original equipment and enhance its performance. A choice collection of the most advanced products available.

Accessories are selected by Volvo to fit your vehicle's unique needs. They are designed to complement your vehicle's original equipment and enhance its performance. A choice collection of the most advanced products available.

Grupp 5 Radio

Accessories

Accessories are selected by Volvo to fit your vehicle's unique needs. They are designed to complement your vehicle's original equipment and enhance its performance. A choice collection of the most advanced products available.

Group 5 Radio

Accessories are selected by Volvo to fit your vehicle's unique needs. They are designed to complement your vehicle's original equipment and enhance its performance. A choice collection of the most advanced products available.

**Volvo 8 stereo**

Volvo 8 Stereo är en kombinerad bandspelare/radio med en uteffekt av 2x7 W. 12 månaders garanti som omfattar fabrikationsfel och monteringsarbete. Komplett med 2 högtalare och all monteringsdetaljer samt demonstrationskassett. Automatisk frekvenskontroll. Högtalarna monteras en i varje dörr. Passar på Amazon, 140 och 164.

Tekniska data

Antal spår: 8. Bandhastighet: 9,5 cm/sek. Antal transistorer: 19. Antal termistorer: 4. Utimpedans: 4 Ohm. Utteffekt per kanal: 7 Watt. Frekvensomfång: 50–12.000 Hz. Distorision: max 0,3 %.

Volvo FM/AM radio

Den här nya bilradion är special gjord för Volvo i samarbete med en av världens största radiotillverkare. Och den är gjord helt efter Volvos önskemål. Den är ett original tillbehör — grundligt kontrollerad och testad av Volvo. Den har 12 månaders garanti som omfattar fabrikationsfel och monteringsarbete. Panelen får du speciellt anpassad till 140-seriens eller 164:ans instrumentbräda och inredning. Volvo Bilradio har tryckknappssystem för snabbinställning av t.ex. P1, P2, P3 på FM-AM-bandet. Genom kombinationen FM—AM ger Volvo Bilradio god mottagning även under svåra förhållanden. Den har automatisk frekvens- och volymkontroll. I priset ingår högtalare samt monteringssats. Som vanligt gäller Volvos säkerhetskrav, radion har inga utskjutande delar som man kan skada sig på.

Tekniska data


Antal transistorer: 14. Antal dioder: 7. Antal termistorer: 2. Utimpedans: 4 Ohm. Uteffekt: mer än 5 Watt.

281462-2 (FM-radio)
281465-5 (AM-radio)**Volvo 8 stereo**

The Volvo 8 Stereo is a combined radio/tape player, complete with two loudspeakers, all installation parts and a demonstration cassette. 12 month's guarantee covering manufacturing faults and installation work. Automatic frequency control. Loudspeakers fitted in front doors.

Technical data

No. of tracks 8: Tape speed 9.5 cm/sec.: No. of thermistors 4: Output impedance 4 Ohms: Output per channel 7 W: Frequency range 50–12,000 Hz: Distortion max 0.3 %.



282340-9

Volvo FM/AM Radio

This new car radio has been specially designed for Volvo in cooperation with one of the world's leading radio manufacturers. And has been designed exactly after Volvo's requirements. It is a genuine Volvo accessory — stringently controlled and tested by Volvo.

It is covered by a 12 month's warranty regarding manufacturing faults and installation work.

The panel has been specially adapted to suit the instrument panels and interior trim for the 140 and 164.

The Volvo car radio has a push button system with three stations on the FM and two on the AM. The FM—AM combination guarantees good reception under all conditions. Automatic frequency and volume control. Supplied complete with loudspeaker and installation kit. In accordance with the radio has no projecting parts which can cause injury.

Technical data

No. of transistors 14: No. of diodes 7: No. of thermistors 2: Output impedance 4 Ohms: Output over 5W.




Mars 1971

Tillbehör till Volvo 8 Stereo och Volvo FM/AM radio

Högtalare komplett med galler
281464-8

Galler, sep. 282166-8



Extra högtalare för montering bak
(säljes i par)



282165-0

Omkopplare för 4 högtalare 281452-3

Denna omkopplare som kvalitativt är mycket hög klass, levereras komplett med samtliga kablar förmonterade och med kabelslutningar, som passar direkt till kontakterna på Volvo 8 Stereo med tillhörande högtalare samt bakre, extra högtalare 282165-0.

Monteringsanvisning medföljer.

Upplev den förfärliga stereobalansen i Er Volvo med 4 högtalare och denna omkopplare, som tillåter 3 olika högtalarfunktioner:

Läge 1: endast främre högtalare


Läge 2: alla 4 högtalare

Läge 3: endast bakre högtalare

Hållare för Volvo radio eller stereo i Volvo 1800

För montering på växellådstunnel i kombination med där befintligt tunnelfack (tunnelfacket är standard fr.o.m. 1970 års modell). Hållaren är tillverkad av svart ABS-plast med präglad yta, m.a.o. i samma material som tunnelfacket

Monteringsanvisning medföljer.



282022-3

Accessories for Volvo 8 Stereo and Volvo FM/AM radio

Speaker complete with grille
281464-8

Grille, sep. 282166-0

Extra loudspeakers for installation in the rear shelf (sold in pairs)

Switch for 4 loudspeakers 281452-3

This high-quality switch is supplied complete with pre-assembled leads and terminals. All ready for direct connection to your Volvo 8 Stereo unit, the front speakers and the rear speakers. Full fitting instructions accompany the switch. By fitting this switch you have the choice of three "sounds".

1. Front two speakers
2. All four speakers
3. Rear two speakers

Retainer for Volvo radio or stereo units in Volvo 1800 coupés

Fits onto gearbox tunnel together with the standard tunnel console (this console has been standard since the 1970 model). The radio/stereo is made of exactly the same high-quality material as the console itself. Fitting instructions accompany the retainer.

**Panel med monteringsdetaljer**

För den bil där demonteringen har ägt rum krävs 2 olika arrangemang för täckande av det större urtaget efter stereo.

- Möjlighet att montera en "vanlig" radio (t.ex. VOLVO FM/AM RADIO) efter VOLVO 8 STEREO.
- Möjlighet att helt täcka hålet efter stereon (helt tyst i bilen).

För fallet "a" behövs 1 st fäste 684417-9 passande såväl Volvo 140 som 164.

För fallet "b" behövs följande detaljer:

Volvo 140	1 st radiopanel	688359-9
	2 st fästbyglar	665791-0
	1 st fäste	684417-9
Volvo 164	1 st radiopanel	682190-4
	2 st fästbyglar	665791-0
	1 st fäste	684417-9


Tonhuvudrensare för Volvo 8 Stereo

Under normala förhållanden bör tonhuvudet rengöras efter 40 speltimmar med Volvo tonhuvudrensare 282057-9

**Antenn**

Torpedantenn, 4-delad, längd 95 cm speciellt avpassad och samtestad med Volvo 8 Stereo och Volvo FM/AM Radio. Låsbar.

OBS! Det är viktigt att monteringsanvisningen följs noggrant. Om antennen monteras i hjulhuset, vilket ofta förekommer, blir denna på kort tid förstörd med dålig mottagning som följd. Kontrollera därför alltid antennen och antennanslutningar före felsökning eller demontering av radion.



281463-0

Panel with installation parts

If a stereo unit has been removed from a car one of two arrangements is necessary to cover the hole.

- A conventional radio (a VOLVO FM/AM RADIO for example) can be installed.
- Or the hole can be closed up altogether (a horrible silence in the car).

In case "a" you require 1 anchorage 684417-9 for either the Volvo 140 or 164.

In case "b" you require for		
Volvo 140	1 Radio panel	688359-9
	2 Anchorages	665791-0
	1 Anchorages	684417-9
Volvo 164	1 Radio panel	682190-4
	2 Anchorages	665791-0
	1 Anchorages	684417-9

Pick-up cleaner for Volvo 8 Stereo

Under normal conditions the pick-up should be cleaned with Volvo Pick-up Cleaner 282057-9 after each 40 hours of playing.

Aerial (Antenna)

Cowl aerial, 4-piece length 95 cm (35"). Specially prepared and tested for Volvo FM/AM radio. Lockable.

It is important that the installation instructions are followed carefully. If the aerial is fitted in the wheel housing it will quickly get spoilt resulting in poor reception. Always check the aerial and aerial connection before commencing fault tracing on the radio.



Övriga radiotillbehör

Antenner

277331-0 sidoantenn, 4-delad, längd 200 cm, speciellt för lastvagnar

277250-7 sidoantenn, 4-delad, längd 165 cm, utbytbart spröt

279713-2 torpedantenn, 4-delad, längd 165 cm

282444-9 Fjäderantenn, rostfri, längd 108 cm

282307-8 toppantenn, 3-delad, längd 155 cm

För bästa mottagning bör antennen monteras så nära mottagaren som möjligt och därför rekommenderas torped- eller toppantenn.

Radiopaneler

Volvo 140-serien. Det. nr. 281136-2
Volvo 164. det. nr. 281411-9

Tape för radiopanel det. nr 682529-3

Vår reservdelsavd. lagerför i rullar om 5,5 m datumkontrollerad tape, som är lämplig att användas vid montering av radiopanel (2 st bitar om 0,02 m åtgår).

Omformare 24 V–12 V Det.nr. 277420-6

Other radio accessories

Aerials (Antennas)

277331-0 side aerial, 4-piece, 200 cm (79"), for trucks

277250-7 side aerial, 4-piece, 165 cm (66"), replaceable rod

279713-2, cowl aerial, 4-piece, 165 cm (66")

282444-9 Stainless whip aerial, 108 cm (43")

282307-8 semi-retractable aerial, 3-piece, 155 cm (61")

If you want good reception you should fit the aerial as near as possible to the radio set. Consequently we recommend a side or cowl aerial.

Radio panels

281136-2 for Volvo 140 series
281411-9 for Volvo 164 series

Radio panel tape 682529-3

We also stock 5.5 metre (220 ft) rolls of date-coded adhesive tape for the fitting of radio panels (Requirement 2 pieces 0.02 metres 2") per panel.

Converter 24 V–12 V Part No. 277420-6

Radio Suppressors Loudspeakers Installations kits

Group 5

June 1963



Loudspeakers:

- 279122 round, diam. 167 mm (6.58")
- 279129 round, diam. 130 mm (5.12")
- 279134 oval, size 103×155 mm (4.06×6.10")

Installation kits:

- 277221 544, 210
- 277222 121, 122S
- 277223 P 1800
- 279703 Trucks 24 V

Suppression:

- 79109 Resistance for high-tension cable, 5000 ohms
- 79729 Resistance for spark plugs, 10000 ohms
- 279346 Capacitor, 3 for charging relay and ignition coil
- 279347 Capacitor, 0.5 for microfarad for charging relay

Loudspeaker parts:

- 279588 Grille for loudspeaker 279134
- 279751 Casing and grille for loudspeaker 279129
- 279704 Potentiometer for two loudspeakers

Remember that

all risk of disturbance is eliminated if the radio is correctly installed.

It is imperative that the radio is correctly installed if reception is to be good and free from disturbance. Volvo installation and suppression kits have been specially selected to suit Volvo vehicles.

Superior sound quality is obtained if two loudspeakers are installed — one in the front and one at the back. The amplification of the two speakers is balanced by a potentiometer which can easily be fitted under the instrument panel.