

Supersports Ignition Lead Kits
Motorsport Ignition Lead Kits
Ignition Lead Components



Ignition Leads - Australia

2010 | 2011



BOSCH

Invented for Life



From the very beginning, Bosch's history has been characterised by a drive for innovation and social commitment. Environmental and social responsibilities are core values at Bosch. Our slogan "Invented for life" conveys the ambitious standards we have set ourselves and the values that we have long stood for. "Invented for life" stands for reliable technology designed and built to last. At the same time it embodies innovations and technology that contribute to the conservation of resources, sustainable development, and helping people improve their quality of life.

The Robert Bosch Stiftung (Robert Bosch Foundation) was established in 1964 to keep alive the philanthropic and social endeavours of its founder Robert Bosch. Through its programs and institutes, the foundation has since issued 840 million euros in project funds. In 2007, it made available 58.9 million euros for non-profit projects. Education, international understanding, and public welfare are the top priorities stated in Robert Bosch's will and are the pillars of our work today.

Responsibility for the environment is a core value at Bosch and is firmly anchored in our principles for safety and environmental

protection. Our environmental focuses are on renewable energies, energy efficiency, and emissions reduction. At Bosch we believe we have an obligation to develop innovative and beneficial technology and in order to meet such demands, considerable amounts of money are spent each year on research and development. We employ more than 25,000 research and development associates worldwide, all working towards the creation of technology that is innovative, beneficial and environmentally friendly.

© COPYRIGHT 2009 – Robert Bosch (Australia) Pty Ltd

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or otherwise including, without limitation, photocopying or recording without permission in writing from the copyright owner. All details, illustrations and specifications contained in this publication are based on the latest information available at the time of printing. Whilst every precaution is taken to ensure the accuracy of the content, Robert Bosch (Australia) Pty Ltd accepts no responsibility for any errors or omissions.

Ignition Leads

Product Range

- A2** The Bosch Story
- A4** Ignition Lead Overview
- A5** Bosch Super Sports Ignition Leads
- A6** Bosch Super Sports Single Lead Merchandiser
- A7** Bosch Motorsport Ignition Leads
- A8** Technical Publications
- A9** Diagnostics and Common Ignition Lead Faults
- A10** General Warranty Information

Application

- B1** How to Use This Catalogue
- B2** Vehicle Applications

Universal HT Lead Kits and Single Replacement Leads

- C2** Coil Leads
- C3** Spark Plug Leads
- C4** Ford and Holden 6 cyl. Single Lead Applications

Kit Structure

- D2** Kit Structure - Lead lengths
- D11** Product Identification Images

Cross Reference

- E2** Cross Reference Guide

An explanation of the special cases in the applications section (section B) can be found on the inside back cover.

The Bosch Automotive Story



The Bosch Group is a leading global supplier of technology and services, with more than 300 subsidiaries and regional companies in over 50 countries.

The beginnings were humble. In 1898 Robert Bosch developed a magneto ignition device and adapted it to suit a vehicle engine. In doing this he developed the first reliable ignition system, solving one of the greatest technical problems faced by the automotive industry at that time. This key innovation was the first chapter in the success story of Bosch as an automotive supplier.

From 1902 Bosch developed a high voltage magneto ignition system incorporating spark plugs. While the magneto ignition has long since been replaced by battery ignition systems, Bosch today manufactures more than 300 million spark plugs per year, using the very latest precious metal technology.

As cars became a product for the masses, Bosch recognised the prospects for developing motor vehicle lighting. Research in this area resulted in the launch of the Bosch automotive lighting system, comprising of headlights, a generator, a regulator and a battery. This was a significant milestone for both Bosch and the industry, being the first all-in-one system available to consumers, and also the basis for components such as starters, horns, windshield wipers, indicators and car heating systems to be developed and added to the business.

From about 1920, the growth of diesel engines in trucks was a concern at Bosch, because diesel engines did not need an ignition system, the company's main sales driver. To capitalise on this technological advance, Bosch began developing diesel injection pumps and in 1936 launched the first diesel injection pump for passenger cars. Today, Bosch is the global leader in diesel technology, whether it be for passenger cars, trucks or injection systems for ships.

In the years that followed, Bosch made numerous developments with other automotive products. Gasoline injection systems were developed from

1935 and by 1967 had all but displaced the carburettor. Braking systems have also been part of the Bosch offering since 1927. The introduction of the Bosch ABS antilock braking system in 1978 was a significant development in vehicle safety, laying a foundation for the development of further systems, such as Traction Control and the Electronic Stability Program (ESP®).

In today's market, vehicle manufacturers and service organisations face the worldwide challenge of efficient service for highly evolved vehicle systems. This includes not only mastering the electronic systems in today's automobiles, but also utilising the latest state-of-the-art diagnostics technologies to improve servicing efficiencies. The growing range of Bosch diagnostic and service equipment delivers a sophisticated solution for today's workshops to meet these challenges.

Bosch spends billions of dollars annually in research and development to preserve its position as a technological leader. The company's technological competence is evident in the fact that Bosch is world leader in the number of automotive technology patent applications it submits each year. Every hour Bosch research teams create new patents to make Bosch products safer, more efficient and more environmentally friendly.

As one of the world's largest independent manufacturers of automotive parts and systems, Bosch products and technology, supplied through a global network of factories, can be found on virtually every make of car currently produced throughout the world. This strong link to original equipment development and innovation means Bosch is able to deliver a superior aftermarket offering to its customers.

With most vehicles on the road incorporating many Bosch manufactured components, it made sense for Bosch to support these products with local service centres. Bosch Authorised Service Dealers are a group of over 14,000 independent workshops worldwide, offering the latest technical expertise, tools and equipment to motorists.



In just over a hundred years, Bosch successfully transformed from a small automotive supplier into a modern, multinational group, which today has a workforce of more than 270,000 people worldwide.

Bosch employs over 2,300 associates in Australia and New Zealand with activities spanning three business sectors: Automotive Technology, Consumer Goods and Building Materials, and Industrial Technology.

During the past five decades Bosch has grown into a major force in the Australian automotive industry. Today, Robert Bosch Australia is no longer a local company manufacturing automotive components only for Australian customers. It is truly an integrated member of the Bosch global network supplying overseas customers in Europe, Asia and America.

In the automotive industry the name Bosch is now synonymous with leading technology, sophisticated service solutions and high quality replacement parts.



Ignition Lead Overview



Reliable ignition is absolutely imperative if today's electronically controlled spark ignition engines are to operate efficiently and without trouble. Ignition malfunction leads to misfiring and therefore not only to loss of power and increased fuel consumption, but also to a worsening of the exhaust-emission figures. In the most unfavourable cases, the catalytic converter can also be destroyed.

Reliable connections between the high-voltage ignition coil and the spark plug are critical if the ignition energy is to be transferred reliably. Bosch ignition leads are manufactured to Original Equipment specifications to deliver the following requirements:

- ▶ Contact stability
- ▶ High-voltage strength
- ▶ Resistance to chemical attack
- ▶ Immunity to electromagnetic interference

Bosch ignition leads provide outstanding contact stability. Even though the spark plug terminal studs are standardised according to ISO, the push-on and pull-off forces are specifically matched to each vehicle model to ensure that each lead is easy to install without compromising performance. By using appropriate design, selecting only the best possible materials and applying controlled processes during manufacture, Bosch ignition leads avoid the issue of arcing at the plug-in interfaces.

With an extensive range of vehicle applications and market leading performance, Bosch ignition leads are the first choice for engine management specialists.

When removing ignition leads, we recommend that the lead is always gripped by the boot, not the cable. The ignition should always be off and the engine should be cold.

Bosch Super Sports Ignition Leads



Bosch Super Sports ignition leads incorporate the latest inductive core technology.

The specialised construction of stainless steel wire winding wrapped around a Kevlar® reinforced aramid core, filters the RF interference by restricting the AC component. This allows DC energy to flow easily through the resistance of the spiral winding which has a lower resistance than normal resistive leads. The overall construction of the cable core, spark plug boots and outer jacket make Bosch Super Sports ignition leads suitable for use with gasoline, LPG or alternative fuel engines.

1. High-strength Kevlar® reinforced aramid core.
2. RFI absorbent Ferrite material.
3. Durable stainless steel winding.
4. Silicone secondary insulation for longer performance life.
5. Heavy duty EPDM primary insulation. Withstands high voltage in excess of 50,000 volts and stops power robbing voltage leaks.
6. Premium high-strength polyester fibre braiding for flexibility and support.
7. High temperature silicone jacket. Rated in excess of 260°C and protection from chemical substances.

Super Sports Ignition Leads

Product Benefits	▶ Increased fuel efficiency ▶ Lower emissions ▶ Highly suitable for LPG or gasoline vehicle applications ▶ Better performance and responsiveness ▶ Able to withstand high under-bonnet temperatures
Warranty	▶ 5 Years or 100,000 km
Recommended Usage	▶ General Driving - suburban, freeway and country

8. Original Equipment style boots seal at wire and spark plug to protect connection from heat, dirt and moisture.
9. Terminals are factory crimped with extra pull-strength for reliable connection, even after several spark plug changes.
10. Corrosion resistant spark plug, coil and distributor terminals provide maximum conductivity.

Bosch Super Sports Single Lead Merchandiser



Part Number: BLM50i

The sturdy Bosch Super Sports merchandiser has a 150 single lead capacity. A larger 400 lead capacity merchandiser (BLM400-E) is also available.

Refer to section C of this catalogue for information on single replacement leads.

Spark Plug Leads - Straight		Spark Plug Leads - Right Angle		Spark Plug Leads - High Energy Boots		Coil Leads - Straight		Coil Leads - Right Angle boots at both ends		Coil Leads - Right Angle		Coil Leads - High Energy Boots - Right Angle at both ends	
Part No.	Qty	Part No.	Qty	Part No.	Qty	Part No.	Qty	Part No.	Qty	Part No.	Qty	Part No.	Qty
B25Si	3	B28Ri	3	B30Hi	3	B25CSi	3	B25CDi	3	B30CRi	3	B25CHi	3
B30Si	3	B35Ri	3	B35Hi	3	B35CSi	3	B43CDi	3	B40CRi	3	B35CHi	3
B35Si	3	B45Ri	3	B58Hi	3	B45CSi	3	B53CDi	3	B50CRi	3		
B40Si	3	B51Ri	3	B66Hi	3	B55CSi	3	B61CDi	3	B60CRi	3		
B51Si	3	B58Ri	3	B76Hi	3	B61CSi	3			B66CRi	3		
B58Si	3	B63Ri	3	B86Hi	3	B66CSi	3						
B63Si	3	B72Ri	3	B100Hi	3								
B71Si	3	B84Ri	3	B107Hi	3								
B76Si	3	B94Ri	3	B122Hi	3								
B84Si	3	B104Ri	3										
B91Si	3	B114Ri	3										
B96Si	3												
B106Si	3												

Bosch Motorsport Ignition Leads




Globally, Bosch has a keen interest in high performance vehicles by supporting them with targeted research and technological development.

It is only natural that Bosch includes in our extensive range, high performance ignition leads which can be offered as “off the shelf” products.

As a result of this, Bosch has developed the motorsport range of high performance ignition leads suitable for more demanding driving.

Motorsport Ignition Leads	
Product Benefits	- Increased engine performance - Greater engine responsiveness - Superior EMI / RFI suppression - High reliability - Highly suitable for LPG or gasoline vehicle applications - Able to withstand high under-bonnet temperatures - Distinctive Appearance
Warranty	5 Years or 100,000 km
Recommended Usage	Performance Driving - Motorsport events, high speed touring

Bosch Technical Publications




1 987 722 130



1 987 722 102




1 987 722 136



1 987 722 139



1 987 722 131



Considered to be the bible to all workshops, the Automotive Handbook is an indispensable reference for mechanics and engineers.

1 987 723 101



Bosch presents the complete spectrum of gasoline engine closed and open-loop control, together with the systems and components concerned.

1 987 723 604

Bosch technical publications offer a detailed introduction to systems and components across a wide range of automotive topics. They feature a wide array of diagrams, illustrations and tables to help you with your day to day understanding of systems.


For more information please contact our customer service hotline on 1300 30 70 40 (Australia) or 0800 452 896 (NZ).

Diagnostics and Common Ignition Lead Faults



FSA 450

The FSA 450 system tester incorporates a 4 channel oscilloscope, ignition analyser and engine analyser with a digital multimeter. This hand-held tester is highly portable, lightweight and can be powered from the vehicles 12V electrical system or via the supplied mains power unit. Incorporating a robust touch screen this unit is perfect for test drive evaluation.



Inductive Core Difference

Fig. 4 Simulation of typical diagnostic equipment.

Common Fault 1

Cables exhibit an arcing effect, especially when wet or humid. Corona vs. Dielectric Leak.

DIELECTRIC LEAK - Evident by intense shock and noise
Action - Replace leads.
Refer to Fig. 1.

CORONA - In damp humid conditions a faint glow may be observed at night along leads or on spark plug insulators. The colour is usually faint purple. This is a normal condition known as corona discharge and is harmless to the lead and the vehicle. Refer to Fig. 2.



Fig. 1 Dielectric Leak



Fig. 2 Corona Discharge

Common Fault 2

Engine misfires or stalls after recent lead installation.
Action - Check if spark plugs are fitted correctly. Loose spark plugs dissipate less heat and burn terminal.
Or replace terminal connector.
Refer to Fig. 3.



Fig. 3 Loose Fitment

Common Fault 3

Engine analysers generate different data from Bosch inductive core leads vs. other carbon core leads.
Reason: Increased coupling between cable and the tester pick up.

Note: Coil output is reduced compared to high resistance lead. Refer to Fig. 4.

Robert Bosch Australia General Warranty Information



Introduction

All products manufactured and/or sold by Bosch Australia carry a statutory and voluntary warranty. Consumer's rights to such warranty are limited to failures and defects caused by a material or manufacturing fault within the specified warranty period.

This warranty information describes very broadly the general procedure for the settlement of warranty claims. Detailed information relating to the most commonly submitted non-warranty cases should also be reviewed prior to any warranty submission. Only genuine warranty cases are accepted.

What is a Warranty Case?

A warranty case exists when a Bosch product or spare part fails within the specified warranty period as a result of a manufacturing or material fault.

What are Non-warranty Cases?

A warranty case does not exist if the fault is caused by a violation of the operating, maintenance or installation instructions, inappropriate or improper use, incorrect handling or unauthorised repairs and modifications performed by third parties. Other examples of non-warranty cases are failures caused by foreign contamination and water entry.

Natural Wear and Tear

Damage caused by natural wear and tear does not constitute a warranty case even if it occurs within the warranty period.

Wrong Deliveries and Transit Damage

Wrong deliveries, incorrect or damaged packing and transit damage claims are not warranty cases and will not be processed as a warranty claim. Such cases should be directed to Bosch Customer Service on 1300 30 70 40.

Warranty Responsibility and Evaluation

All warranty claims are to be resolved in the most economical and efficient way, either by repair or replacement. In the case of Bosch Oxygen Sensors, these must be sent to a Bosch Authorised Service Dealer for warranty evaluation and/or repair.

For details of your nearest Bosch Authorised Service Dealer please call our hotline on 1300 060 060 or visit www.bosch.com.au

Initiating a Claim

If a Bosch product fails within the specified warranty period as a result of a manufacturing or material fault, consumers should:

- ▶ Stop using the goods
- ▶ Let the seller know as soon as possible
- ▶ Look after the goods until they are returned
- ▶ Return the goods, including proof of purchase (while there are no time limits, this should be done as soon as possible).

Packaging

Goods do not have to be returned with the original packaging to obtain a refund.

Warranty Periods and Proof of Purchase

The warranty period begins from the date of sale to the customer (generally the consumer). The warranty period is not renewed nor extended as a result of a warranty repair or with the supply of a replacement part. The seller is entitled to ask for proof of purchase when goods are claimed under warranty and consumers are obligated to provide proof of purchase when claiming goods under warranty. Proof of purchase will generally indicate if the purchased product is covered under warranty.

All Bosch Ignition Leads are covered by a 5 year or 100,000km warranty period within Australia and New Zealand.

Deadlines for submitting Warranty Claims

Bosch Australia aims to rectify genuine quality problems as a priority. This is generally achieved by investigating why defective products have failed and by introducing immediate corrective action measures to prevent re-occurring warranty failures. It is therefore critical that all warranty cases are promptly reported to Bosch Australia. Bosch reserves the right to request the prompt return of all defective parts.

Product Liability and Product Safety

Bosch Australia should be informed immediately about potential product safety concerns within and outside the warranty period. Bosch Australia is well aware of its product liability and product safety obligations and responsibilities. It is our aim to ensure appropriate product safety standards are met in order to avoid injury, loss and damage caused by defects in Bosch products.

Vehicle Application Listing

	4	5	6	7	8	9	10	11	12	13
	1	2	3	4	5	6	7	8	9	10
B2 ALFA ROMEO										
ALFA ROMEO										
Alfa 33										
905	06.83 - 10.84	4	1.5	AR30504				B4239i		
	06.83 - 03.88	4	1.3	AR30168 <M3>				B4022i		
	06.84 - 08.86	4	1.5	AR30146				B4239i		
	10.87 - 12.89	4	1.7	AR30558 <M8>				B4486i		
	03.88 - 12.89	4	1.7	AR30550 <M7>				B4486i		
907	01.90 - 03.92	4	1.7	AR30737 <M6>				B4486i		
Alfa 75										
	01.87 - 02.92	4	2.0	AR06224 <M10>				B4154i		
	09.87 - 02.92	4	2.0	AR06166 KAT <M11>				B4154i		
Alfa 164										
164	04.88 - 09.92	6	3.0	AR06412 <M4>				B6113i	B40Si B91Si	B51Si B91Si
	09.90 - 09.92	6	3.0	AR64301 <M5>				B6113i	B40Si B91Si	B51Si B91Si
Alfasud										
	05.78 - 06.83	4	1.5	301.24				B4022i		
	03.80 - 12.84	4	1.3	301.68				B4022i		
			1.5	301.28				B4022i		
	01.83 - 12.84	4	1.5	301.46				B4022i		
Alfetta										
	07.78 - 12.84	4	2.0	016.55				B4022i		
	04.83 - 12.84	4	2.0	017.13				B4022i		
Berlina										
	01.68 - 03.72	4	1.8	00.548				B4022i		
Giulia										
	06.64 - 08.71	4	1.6	005.02/A				B4022i		
	03.65 - 10.78	4	1.6	005.26				B4022i		
Giulietta										
	10.77 - 04.85	4	1.6	016.00				B4022i		
	04.79 - 04.85	4	1.8	016.78				B4022i		
GT Junior										
	08.66 - 12.77	4	1.3	005.30s				B4022i		
GTV										
	01.68 - 03.72	4	1.8	00.548				B4022i		
	07.78 - 01.86	4	2.0	016.55				B4022i		
916	04.95 - 04.98	4	2.0	AR16201 <M1>				B4022i		
Spider										
105	05.68 - 10.78	4	1.3	005.36				B4022i		
	04.71 - 12.89	4	2.0	005.15				B4022i		
	06.71 - 10.79	4	1.6	005.26				B4022i		
916	04.95 - 04.98	4	2.0	AR16201 <M1>				B4022i		
Spider Duetto										
	12.69 - 12.72	4	1.8	00.548				B4022i		

Bosch Automotive Aftermarket

2009 | 2010

- Vehicle manufacturer
- Vehicle model
- Model series
- Vehicle production date
- Engine (number of cylinders)
- Engine capacity (litres)
- Engine type code
- Specific fitment date
- Special case (refer to list inside back cover)
- Motorsport Lead set part number
- Supersport Lead set part number
- Single Lead replacement part no.s - Cyl. 1 to Cyl. 8
- Single Lead replacement part no - Coil lead

This catalogue contains data from the vehicles, engines and equipment for the Australian market from the year of manufacture 1960 up to and including 2009. This data has been assembled from information provided by manufacturers and importers, Bosch documentation as well as from investigations made on vehicles as at the date of publication. It reflects the status as at March 2009.

Whilst every care has been taken in the preparation of this catalogue, it is not possible for Bosch to guarantee its sources or to avoid discrepancies caused by technical changes to vehicles, engines and equipment due to the conditions and regulations applying in Australia. Except in respect of any implied warranties which cannot be excluded by law, Bosch does not make any representation or warranty as to the

accuracy, completeness or suitability of the information in this catalogue. Bosch reserves the right to alter specifications and its product range without notice.

To the extent permitted by law, Bosch is not liable for any loss or damage whatsoever (including special, direct, consequential or incidental damages for loss of profits or loss of revenue) arising out of or relating to this catalogue whether arising in tort, contract, under statute, at law or otherwise.

Before relying on this catalogue, users may wish to carefully evaluate the information for their purpose and obtain further advice relevant to their circumstances. From time to time, Bosch may (at its discretion) issue bulletins containing updates to this information to which users of this catalogue should have regard.

							SET											
					Motor Sport		Super Sport		1 5		2 6		3 7		4 8		Coil Lead	
ALFA ROMEO																		
Alfa 33																		
905	06.83 - 10.84	4	1.5	AR30504			B4239i											
	06.83 - 03.88	4	1.3	AR30168 <M3>			B4021i											
	06.84 - 08.86	4	1.5	AR30146			B4239i											
	10.87 - 12.89	4	1.7	AR30558 <M8>			B4486i											
	03.88 - 12.89	4	1.7	AR30550 <M7>			B4486i											
907	01.90 - 03.92	4	1.7	AR30737 <M6>			B4486i											
Alfa 75																		
							B4154i											
							B4154i											
Alfa 164																		
164	04.88 - 09.92	6	3.0	AR 06412 <M4>			B6113i		B40Si B91Si	B51Si B91Si	B63Si	B71Si	B66CRi					
	09.90 - 09.92	6	3.0	AR 64301 <M5>			B6113i		B40Si B91Si	B51Si B91Si	B63Si	B71Si	B66CRi					
Alfasud																		
							B4021i											
							B4021i											
							B4021i											
							B4021i											
Alfetta																		
							B4022i											
							B4022i											
Berlina																		
							B4022i											
Giulia																		
							B4022i											
							B4022i											
Giulietta																		
							B4022i											
							B4022i											
GT Junior																		
							B4022i											
GTV																		
							B4022i											
							B4022i											
916	04.95 - 04.98	4	2.0	AR 16201 <M1>			B4022i											
Spider																		
105	05.68 - 10.78	4	1.3	005.36			B4022i											
	04.71 - 12.89	4	2.0	005.15			B4022i											
	06.71 - 10.79	4	1.6	005.26			B4022i											
916	04.95 - 04.98	4	2.0	AR 16201 <M1>			B4022i											
Spider Duetto																		
							B4022i											

															
									Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
Sprint															
	05.78 - 02.80	4	1.5	301.24					B4021i						
	07.79 - 12.82	4	1.5	301.28					B4021i						
	10.87 - 12.89	4	1.7	305.58 Kat.					B4239i						
															AUD
A3															
8L1	09.96 - 06.01	4	1.6	AEH					B4750i						
			1.8	AGN					B4752i						
	08.98 - 04.03	4	1.8	APG					B4752i						
A3 Quattro															
8L1	08.98 - 06.99	4	1.8	AGN					B4752i						
A4															
8D2, B5	11.94 - 07.98	6	2.6	ABC					B6045i						
	11.94 - 04.99	4	1.8	ADR					B4754i						
	03.96 - 12.98	6	2.8	ACK					B6216i						
	08.97 - 07.98	6	2.4	AGA					B6216i						
				ALF					B6216i						
	08.98 - 07.99	6	2.4	APS					B6216i						
	08.98 - 06.00	6	2.8	APR					B6216i						
A4 Avant															
8D5, B5	11.94 - 07.98	6	2.6	ABC					B6045i						
	03.96 - 07.98	6	2.8	ACK					B6216i						
	08.97 - 07.98	6	2.4	AGA					B6216i						
A4 Quattro															
8D2, B5	11.94 - 04.99	4	1.8	ADR					B4754i						
	03.96 - 07.98	6	2.8	ACK					B6216i						
	08.97 - 07.98	6	2.4	AGA					B6216i						
	02.99 - 06.00	6	2.8	APR					B6216i						
	02.99 - 10.00	6	2.4	APS					B6216i						
A4 Quattro Avant															
8D5, B5	11.94 - 07.98	6	2.6	ABC					B6045i						
	11.94 - 04.99	4	1.8	ADR					B4754i						
	03.96 - 07.98	6	2.8	ACK					B6216i						
	08.98 - 09.01	6	2.4	APS					B6216i						
A6															
4A2, C4	06.94 - 10.97	6	2.6	ABC					B6045i						
			2.8	AAH					B6045i						
4B2, C5	04.97 - 07.98	6	2.8	ACK					B6216i						
	04.97 - 01.99	6	2.4	AGA					B6216i						
	11.98 - 04.01	6	2.4	APS					B6216i						
			2.8	APR					B6216i						
	06.01 - 05.04	6	2.4	BDV					B6216i						
A6 Avant															
4A5, C4	06.94 - 06.96	6	2.6	ABC					B6045i						
4B5, C5	04.97 - 01.99	6	2.4	AGA					B6216i						
	02.98 - 07.98	6	2.8	ACK					B6216i						
	11.98 - 06.00	6	2.4	APS					B6216i						
A6 Quattro															
4A2, C4	06.94 - 10.97	6	2.6	ABC					B6045i						

														
			Cyl.	//ccm	Type	Fitment Date		Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
◀ AUDI														
4A2, C4	06.94 - 10.97	6	2.8	AAH					B6045i					
4B2, C5	04.97 - 12.98	6	2.8	ACK					B6216i					
	11.98 - 06.99	6	2.4	APS					B6216i					
	01.99 - 05.01	6	2.8	APR					B6216i					
	06.01 - 06.02	6	2.7	ARE					B6216i					
A6 Quattro Avant														
4B5, C5	11.98 - 06.99	6	2.4	APS					B6216i					
A8														
4D2, D2	06.94 - 03.96	6	2.8	AAH					B6045i					
Cabriolet														
8G7, B4	01.93 - 09.98	4	2.0	ABK					B4606i					
	01.94 - 08.00	6	2.6	ABC					B6045i					
Fox														
	11.73 - 08.74	4	1.5	XV, XW					B4023i	B35Si	B35Si	B40Si	B58Si	B61CSi
	08.78 - 07.80	4	1.6	YG, YH					B4023i	B35Si	B35Si	B40Si	B58Si	B61CSi
80														
81, 85, B2	08.83 - 03.87	4	1.8	JN					B4606i					
89, 8A2, B3	09.86 - 12.91	4	1.8	JN					B4606i					
	09.87 - 07.88	4	1.9	SD					B4606i					
	08.88 - 10.90	4	2.0	3A					B4606i					
8C2, B4	09.91 - 11.94	5	2.3	NG					B5003i					
	09.91 - 05.95	4	2.0	ABK					B4606i					
		6	2.8	AAH					B6045i					
	07.92 - 05.95	6	2.6	ABC					B6045i					
80 Quattro														
89, 8A2, B3	09.86 - 07.88	4	1.9	SD					B4606i					
8C2, B4	09.91 - 11.94	5	2.3	NG					B5003i					
	09.91 - 12.94	4	2.0	ABK					B4606i					
	09.91 - 05.95	6	2.8	AAH					B6045i					
	07.92 - 05.95	6	2.6	ABC					B6045i					
	02.93 - 05.95	5	2.2	ABY					B5003i					
90														
89, 8A2, B3	04.87 - 12.91	5	2.3	NG					B5003i					
	08.88 - 12.91	5	2.3	7A					B5003i					
90 Quattro														
89, 8A2, B3	04.87 - 09.91	5	2.3	NG					B5003i					
	07.88 - 09.91	5	2.3	7A					B5003i					
100														
43, 80, C1	09.71 - 07.76	4	1.9	ZJ					B4122i	B84Ri	B84Ri	B84Ri	B94Ri	B50CRi
44, 44Q, C3	08.82 - 07.84	5	1.9	WH					B5003i					
			2.2	KF					B5003i					
	08.84 - 12.88	5	2.2	HX					B5003i					
	09.84 - 12.90	5	2.2	KU					B5003i					
	08.86 - 12.90	5	2.3	NF					B5003i					
4A2, C4	12.90 - 07.94	6	2.8	AAH					B6045i					
	04.92 - 07.94	6	2.6	ABC					B6045i					
100 Quattro														
44, 44Q, C3	08.84 - 11.90	5	2.2	KU					B5003i					
4A2, C4	03.92 - 07.94	6	2.6	ABC					B6045i					



B

													
◀ BLMC							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
Austin Westminster													
A99	01.60 - 04.62	6	2.9	C Series			B6066i						
A110	05.62 - 09.64	6	2.9	C Series			B6066i						
Austin 1800													
Series I	10.65 - 09.68	4	1.8	E Series			B4044i						
Series II	10.68 - 11.70	4	1.8	E Series			B4044i						
Leyland Marina													
	04.72 - 03.73	4	1.5	E Series			B4044i						
	04.72 - 08.75	4	1.7	E Series			B4044i						
		6	2.6	2620-21			B6066i						
Leyland Mini													
	04.73 - 08.75	4	1.1	A Series			B4044i						
	09.75 - 10.78	4	1.0	A Series			B4044i						
LS	03.77 - 08.77	4	1.0	A Series			B4044i						
1275 LS	08.77 - 10.78	4	1.3	A Series			B4655i						
Leyland Mini Clubman													
	04.72 - 03.73	4	1.1	A Series			B4044i						
			1.3	A Series			B4044i						
Leyland Mini Moke													
	04.72 - 08.75	4	1.1	A Series			B4044i						
	09.72 - 11.81	4	1.0	A Series			B4001i	B40Si	B40Si	B51Si	B51Si	B45CSi	
California	01.80 - 11.81	4	1.3	A Series			B4044i						
Leyland P76													
	06.73 - 11.74	6	2.6	2620-21			B6066i						
		8	4.4	4400-14,4420-34			B8005i						
Morris Major													
Series I	04.58 - 09.59	4	1.5	B Series			B4044i						
Series II	10.59 - 03.62	4	1.5	B Series			B4044i						
Morris Major Elite													
	04.62 - 02.64	4	1.6	16AMW, 16AA			B4044i						
Morris Marshall													
	12.57 - 06.60	6	2.6	C Series			B6066i						
Morris Mini													
Mini 850	03.65 - 01.66	4	0.8	A Series			B4044i						
Deluxe 1000	03.65 - 03.69	4	1.0	A Series			B4044i						
Mini 1000	03.65 - 03.69	4	1.0	A Series			B4044i						
Mini 1100	04.69 - 08.71	4	1.1	A Series			B4044i						
Mini 1100K	04.69 - 08.71	4	1.1	A Series			B4044i						
Clubman	09.71 - 04.72	4	1.1	A Series			B4044i						
Clubman GT	09.71 - 04.72	4	1.3	A Series			B4044i						
Morris Mini Cooper													
	10.62 - 08.65	4	1.0	A Series			B4044i						
Morris Mini Cooper S													
Mk I	08.65 - 04.69	4	1.3	A Series			B4044i						
Mk II	05.69 - 08.71	4	1.3	A Series			B4044i						
Morris Mini Moke													
Mini Moke 1.0	03.66 - 03.69	4	1.0	A Series			B4007i	B30Si	B35Si	B40Si	B51Si	B45CSi	



B

																			
◀ BMW												Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead	
318iS																			
E 30	09.89 - 12.91	4	1.8	18 4S 1 <M 42 B 18>									B4786i						
E 36	03.92 - 12.96	4	1.8	18 4S 1 <M 42 B 18>									B4667i						
	03.95 - 08.99	4	1.9	19 4S 1 <M 44 B 19>									B4667i						
320i																			
E 21	06.75 - 12.78	4	2.0	<M 10 B 20>									B4024i						
E 30	09.82 - 09.87	6	2.0	20 6E B/Z <M 20 B 20>									B6051i						
	12.85 - 12.91	6	2.0	20 6E E/K A <M 20 B 20>									B6051i						
323i																			
E 21	01.78 - 09.82	6	2.3	23 6E A <M 20 B 23>									B6051i						
E 30	09.82 - 12.86	6	2.3	23 6E B/C/W <M 20 B 23>									B6051i						
325e																			
E 30	01.85 - 12.87	6	2.7	27 6K A/B <M 20 B 27>									B6231i						
325i																			
E 30	12.86 - 12.91	6	2.5	25 6K 1 <M 20 B 25 Kat.>									B6231i						
520i																			
E 12	09.72 - 12.79	4	2.0	<M 10 B 20>									B4024i						
E 28	04.80 - 12.88	6	2.0	20 6E B									B6051i						
525e																			
E 28	12.84 - 12.87	6	2.7	27 6K A/B <M 20 B 27 Kat.>									B6231i						
525i																			
E 34	01.88 - 12.90	6	2.5	25 6K 1 <M 20 B 25>									B9007i						
535i																			
E 34	01.88 - 04.93	6	3.5	34 6K B <M 30 B 35>									B6232i						
635CSi																			
E 24	01.86 - 04.89	6	3.4	<M 30 B 35 Kat.>									B6230i						
730i, 730iL																			
E 32	09.86 - 06.94	6	3.0	30 6K A <M 30 B 30>									B6232i						
735i, 735iL																			
E 32	09.86 - 12.92	6	3.4	34 6E C/K B <M 30 B 35>									B6232i						
750i, 750iL																			
E 32	09.87 - 10.94	12	5.0	50 12 A <M 70 B 50>									B9004i						
E 38	06.94 - 06.01	12	5.4	54 12 1/2 <M 73 B 54>									B9006i						
850i, 850Ci																			
E 31	07.89 - 12.94	12	5.0	50 12 A <M 70 B 50>									B9004i						
1600-2																			
E 10	09.67 - 09.71	4	1.6	<M 10 B 16>									B4024i						
1602																			
E 10	05.71 - 07.75	4	1.6	<M 10 B 16>									B4024i						
1800																			
	09.63 - 09.68	4	1.8	<M 10 B 18>									B4024i						

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
2000 Coupe								B4024i					
	09.66 - 12.70	4	2.0	<M 10 B 20>				B4024i					
2000Ti								B4024i					
	09.68 - 04.71	4	2.0	<M 10 B 20>				B4024i					
2002								B4024i					
E 10	02.68 - 07.75	4	2.0	<M 10 B 20>				B4024i					
2002Tii								B4024i					
E 10	05.71 - 07.75	4	2.0	M 10 B 20 <Kugelfischer-Inj.>				B4024i					
2500								B6066i					
E 3	10.68 - 04.77	6	2.5	<M 30 B 25>				B6066i					
2800								B6066i					
E 3	10.68 - 07.75	6	2.8	<M 30 B 28>				B6066i					
2800CS								B6066i					
E 9	01.69 - 04.71	6	2.8	<M 30 B 28>				B6066i					
BUICK													
Electra 225								B8018i					
	01.60 - 12.66	8	6.6					B8018i					
	01.67 - 12.70	8	7.0					B8018i					
Riviera Hardtop								B8018i					
	01.63 - 12.66	8	6.6					B8018i					
GS	01.65 - 12.71	8	7.0					B8018i					
CHEVROLET													
Bel-Air								B8018i					
	09.56 - 08.67	8	4.6					B8018i					
Camaro								B8018i					
	05.67 - 12.72	8	5.7					B8018i					
Impala								B8018i					
	04.62 - 03.65	8	4.6					B8018i					
	04.65 - 12.71	8	5.4					B8018i					
LUV								B4044i					
KB20	01.73 - 01.75	4	1.6	G161				B4044i					
	02.75 - 05.77	4	1.6	G161Z				B4044i					
Big Block								B8035i					
Leads under	01.58→	8	90° dist, 90° plug					B8034i					
Manifold			Str dist, 90° plug					B8038i					
Leads over	01.58→	8	90° dist, Str plug					B8037i					
Manifold			HEI dist, Str plug					B8042i					
			HEI dist, 90° plug					B8042i					



														
◀CHEVROLET							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead	
Small Block														
Leads under Manifold	01.55→	8	90° dist, 90° plug				B8031i							
			Str dist, 90° plug				B8010i							
			90° HEI dist, 90° plug				B8011i							
			90° dist, Str plug				B8013i							
Leads over Manifold	01.58→	8	90° HEI dist, 90° plug				B8032i							
			90° dist, Str plug				B8007i							
			90° dist, 90° plug				B8008i							
			Str dist, Str plug				B8015i							
CHRYSLER														
Centura														
KB	04.75 - 03.77	6	3.5	Hemi 215 cu.in				B6011i		B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi
			4.0	DF				B6011i		B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi
			04.75 - 03.78	4	2.0	18				B4044i				
KC	04.77 - 12.78	6	4.0	DF				B6011i		B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi
Chrysler by Chrysler														
VH	11.71 - 02.73	6	4.3	Hemi 265 cu.in				B6011i		B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi
		8	5.9	360 cu.in				B8004i		B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi
CJ	03.73 - 10.75	6	4.3	Hemi 265 cu.in				B6011i		B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi
		8	5.9	360 cu.in				B8004i		B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi
Galant														
GA	08.71 - 10.72	4	1.3	4G30				B4018i		B58Ri	B63Ri	B72Ri	B84Ri	B55CSi
			1.5	4G31				B4018i		B58Ri	B63Ri	B72Ri	B84Ri	B55CSi
GB	11.72 - 06.74	4	1.4	4G33				B4018i		B58Ri	B63Ri	B72Ri	B84Ri	B55CSi
			1.6	4G32				B4018i		B58Ri	B63Ri	B72Ri	B84Ri	B55CSi
GC	07.74 - 03.76	4	1.6	4G32				B4018i		B58Ri	B63Ri	B72Ri	B84Ri	B55CSi
GD	04.76 - 12.77	4	1.6	4G32				B4018i		B58Ri	B63Ri	B72Ri	B84Ri	B55CSi
Lancer														
LA	09.74 - 04.77	4	1.4	4G33				B4018i		B58Ri	B63Ri	B72Ri	B84Ri	B55CSi
LB	04.77 - 03.79	4	1.4	4G33				B4018i		B58Ri	B63Ri	B72Ri	B84Ri	B55CSi
	04.77 - 05.79	4	1.6	4G32				B4018i		B58Ri	B63Ri	B72Ri	B84Ri	B55CSi
LC	05.79 - 09.80	4	1.6	4G32				B4018i		B58Ri	B63Ri	B72Ri	B84Ri	B55CSi
Neon														
PL	06.94 - 12.05	4	2.0	ECB <VIN-C>				B4713i						
	09.97 - 12.00	4	1.8	EBD <VIN-A>				B4713i						
PT Cruiser														
PT	06.00 - 12.04	4	2.0	ECC <VIN-9>				B4780i						
	06.00 - 08.08	4	2.4	EDZ <VIN-B>				B4780i						
Valiant														
R Series	01.62 - 02.62	6	3.7	Slant Six 225 cu.in				B6010i						
S Series	03.62 - 04.63	6	3.7	Slant Six 225 cu.in				B6010i						
AP5	05.63 - 02.65	6	3.7	Slant Six 225 cu.in				B6010i						
AP6	03.65 - 02.66	6	3.7	Slant Six 225 cu.in				B6010i						
		8	4.4	273 cu.in				B8004i		B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
VC	03.66 - 02.67	8	4.4	273 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
	03.66 - 09.67	6	3.7	Slant Six 225 cu.in			B6010i						
VE	10.67 - 02.69	6	3.7	Slant Six 225 cu.in			B6010i						
		8	4.4	273 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
VF	03.69 - 04.70	6	3.7	Slant Six 225 cu.in			B6010i						
		8	5.2	318 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
VG	05.70 - 05.71	6	3.5	Hemi 215 cu.in			B6010i						
			4.0	Hemi 245 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
		8	5.2	318 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
VH	06.71 - 03.73	6	4.0	Hemi 245 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
			4.3	Hemi 265 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
		8	5.2	318 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
VJ	04.73 - 10.75	6	3.5	Hemi 215 cu.in			B6010i						
			4.0	Hemi 245 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
			4.3	Hemi 265 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
		8	5.2	318 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
VK	11.75 - 10.76	6	3.5	Hemi 215 cu.in			B6010i						
			4.0	Hemi 245 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
			4.3	Hemi 265 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
		8	5.2	318 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
			5.9	360 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
CL	11.76 - 10.78	6	4.0	Hemi 245 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
			4.3	Hemi 265 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
		8	5.2	318 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
CM	11.78 - 10.80	8	5.2	318 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
	11.78 - 08.81	6	4.0	Hemi 245 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
			4.3	Hemi 265 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
Valiant Charger													
VH	08.71 - 03.73	6	3.5	Hemi 215 cu.in			B6010i						
			4.0	Hemi 245 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
			4.3	Hemi 265 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
VJ	04.73 - 10.75	6	3.5	Hemi 215 cu.in			B6010i						
			4.0	Hemi 245 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
			4.3	Hemi 265 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	

													
◀ CHRYSLER							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
VJ	04.73 - 10.75	8	5.2	318 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
	01.74 - 10.75	8	5.9	360 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
VK	11.75 - 10.76	8	5.2	318 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
			5.9	360 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
CL	11.76 - 10.78	8	5.2	318 cu.in			B8004i	B45Ri B51Si	B45Ri B58Si	B63Ri B71Si	B63Ri B76Si	B35CSi	
Valiant Pacer													
VG	05.70 - 05.71	6	4.0	Hemi 245 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
VH	06.71 - 03.73	6	4.0	Hemi 245 cu.in			B6011i	B30Si B58Si	B30Si B63Si	B35Si	B51Si	B35CSi	
Voyager													
GS	03.97 - 12.99	6	3.3	EGA,EGM			B6246i						
CITROEN													
AX													
	06.88 - 05.90	4	1.4	KDZ Kat. <TU3M>			B4044i						
BX													
X56	07.84 - 06.88	4	1.6	171C,171Z <XU5S>			B4670i						
	10.84 - 06.86	4	1.9	159A,159Z <XU9S>			B4670i						
	03.86 - 12.94	4	1.9	DFZ Kat. <XU9J1/Z>			B4686i						
CX													
	09.74 - 07.76	4	2.2	M22-617			B4044i						
	06.77 - 06.82	4	2.4	M23-622			B4044i						
	06.79 - 06.82	4	2.0	829 A5			B4672i						
	07.80 - 12.81	4	2.4	M23-639			B4672i						
DS													
	09.65 - 08.72	4	2.2				B4044i						
	01.68 - 07.75	4	2.0				B4044i						
	09.72 - 07.75	4	2.3				B4044i						
GS													
	08.70 - 08.77	4	1.0	G10/610,612			B4690i						
	08.74 - 06.79	4	1.2	G12/611,612 <G12/611,/612>			B4690i						
DAEWOO													
Cielo													
	08.94 - 08.97	4	1.5	A15MF <DOHC> G15MF <SOHC>			B4633i B4621i						
Espero													
KLEJ	03.97 - 10.99	4	2.0	C20LE			B4622i						
Kalos													
	05.02→	4	1.5	F15S3 <SOHC Family I>			B4714i						

													
DAIHATSU							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
Rocky													
	04.84 - 12.85	4	2.0	3YC			B4268i						
	01.86 - 12.89	4	2.0	3YE			B4268i						
Scat													
F1	08.74 - 12.78	4	1.0	FE			B4034i	B35Si	B35Si	B35Si	B51Si	B55CSi	
F2	09.76 - 03.84	4	1.6	12R			B4740i	B35Ri	B35Ri	B35Ri	B45Ri	B50CRi	
Sparcar 550													
S60/V/T	03.77 - 06.83	2	0.5	AB20			B2006i	B58Ri	B58Ri			B40CRi	
DAIMLER LTD.													
Daimler													
	10.69 - 12.75	6	2.8				B6013i						
Double Six													
	01.81 - 12.92	12	5.3	V12 H.E			B9002i						
Sovereign													
	01.69 - 12.89	6	4.2				B6013i						
DODGE													
Phoenix													
DD6	04.67 - 08.69	8	5.2				B8018i						
			6.3				B8018i						
DE	09.69 - 09.70	8	5.2				B8018i						
			6.3				B8018i						
DF	10.70 - 09.71	8	5.2				B8018i						
			6.3				B8018i						
DG	10.71 - 09.72	8	5.2				B8018i						
			6.3				B8018i						
FIAT													
Argenta													
81	06.81 - 12.82	4	2.0	132 C 3.000			B4216i	B51Si	B51Si	B63Si	B76Si	B45CSi	
	06.81 - 05.83	4	1.6	132 FB..			B4216i	B51Si	B51Si	B63Si	B76Si	B45CSi	
83	06.83 - 11.85	4	2.0	132 C..			B4044i						
Croma													
154..	03.88 - 12.89	4	2.0	834 B.048			B4156i	B51Si	B51Si	B63Si	B71Si	B60CRi	
Regata													
138..	01.84 - 12.87	4	1.6	149 A.000			B4149i	B30Si	B30Si	B30Si	B30Si	B40CRi	
	12.84 - 05.86	4	1.6	149 A 4..			B4149i	B30Si	B30Si	B30Si	B30Si	B40CRi	
	05.85 - 12.87	4	1.5	149 A 5..			B4031i	B58Si	B63Si	B71Si	B76Si	B55CSi	
X1/9													
	03.73 - 06.78	4	1.3	128 AS.000			B4079i	B30Si	B30Si	B30Si	B30Si	B45CSi	
	08.81 - 12.83	4	1.5	138 AS.000			B4079i	B30Si	B30Si	B30Si	B30Si	B45CSi	
124													
	11.69 - 08.73	4	1.6	132 AC.000			B4044i						
	09.72 - 12.78	4	1.8	132 AC 1.000			B4044i						
	01.73 - 07.75	4	1.8	132 AC 4000			B4044i						

														
								Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
06.79 - 04.85 4 2.0 132 C 3.031									B4044i					
125														
03.67 - 12.72 4 1.6 125 A.000									B4044i					
11.68 - 12.72 4 1.6 125 B.000									B4044i					
127														
111 06.71 - 05.83 4 0.9 100 GL.000/048									B4044i					
12.81 - 05.83 4 1.3 M 201 AA..									B4044i					
128														
03.69 - 12.84 4 1.3 128 A1.000									B4028i	B35Si	B51Si	B51Si	B58Si	B45CSi
09.69 - 12.84 4 1.1 128 A.000									B4028i	B35Si	B51Si	B51Si	B58Si	B45CSi
131														
10.74 - 12.80 4 1.6 131 A1.000									B4044i					
03.78 - 01.84 4 1.6 131..									B4044i					
01.81 - 01.84 4 1.6 131 BD..									B4044i					
132														
05.72 - 05.81 4 1.6 132 C.000									B4031i	B58Si	B63Si	B71Si	B76Si	B55CSi
03.77 - 05.81 4 2.0 132 C 2.000									B4031i	B58Si	B63Si	B71Si	B76Si	B55CSi
FORD														
Bronco														
03.81 - 08.85 6 4.1 W									B6041i	B63Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B43CDi
8 5.8 351Culn								B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi
09.85 - 10.87 8 4.9 T								B8067HP	B8067i					
Capri														
GT 1600 05.69 - 01.70 4 1.6 F <OHV KL16L>									B4044i					
Mk I 05.69 - 11.72 4 1.6 D <OHV KL16L>									B4044i					
3000 GT 02.70 - 11.72 6 3.0 P									B6029i	B51Si B71Si	B58Si B76Si	B63Si	B71Si	B66CSi
Capri Convertible														
SA 10.89 - 09.90 4 1.6 F									B4187i	B45Ri	B51Ri	B58Ri	B72Ri	B30CRi
SA II 10.90 - 03.92 4 1.6 D									B4158i					
T									B4158i					
SC 04.92 - 07.93 4 1.6 D									B4158i					
07.92 - 07.93 4 1.6 T									B4158i					
SE 08.93 - 07.94 4 1.6 D									B4158i					
T									B4158i					
Corsair														
UA 09.88 - 08.92 4 2.0 CA20E									B4185i					
2.4 KA24E									B4186i					
Cortina														
TC 08.71 - 09.74 4 1.6 D									B4044i					
2.0 J									B4005i	B63Si	B71Si	B84Si	B84Si	B45CSi
08.72 - 09.74 6 3.3 E, G									B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
4.1 J, L									B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
TD 10.74 - 05.77 4 2.0 R, J									B4005i	B63Si	B71Si	B84Si	B84Si	B45CSi



															
◀ FORD									Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
TD	10.74 - 05.77	6	3.3	EG											
			4.1	JL			B6041i	B63Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B43CDi			
TE	06.77 - 10.80	4	2.0	R, J											
		6	3.3	EG			B6041i	B63Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B43CDi			
		4.1	EG			B6041i	B63Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B43CDi				
TF	11.80 - 10.82	4	2.0	J											
		6	3.3	V			B6041i	B63Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B43CDi			
		4.1	W			B6041i	B63Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B43CDi				
Cougar															
	08.98 - 12.00	6	2.5	LCBC <MP25 Duratec-VE SEFI>											
Courier															
	01.79 - 03.85	4	1.8	VC											
	09.82 - 08.85	4	2.0	MA											
	01.85 - 02.95	4	2.0	FE											
	09.86 - 08.90	4	2.6	AM											
	12.86 - 11.89	4	2.6	F											
	09.88 - 08.93	4	2.2	F2											
PC	09.90 - 05.99	4	2.6	G6											
PD	03.96 - 11.99	4	2.6	G6											
PE	02.99 - 10.02	4	2.6	G6											
PG	11.02 - 08.04	4	2.6	G6											
PH	09.04 - 01.06	4	2.6	G6											
Econovan															
	01.80 - 12.84	4	1.6	NA											
	01.84 - 02.97	4	1.8	F8											
	05.84 - 12.85	4	1.4	UC											
JG	02.97 - 09.99	4	2.0	FE											
JH	10.99 - 11.02	4	2.0	FE											
	11.02 - 11.05	4	1.8	F8											
		2.0	FE												
Escort															
Mk I	03.70 - 12.71	4	1.1	Kent											
	03.70 - 09.75	4	1.3	Kent											
Mk II	10.75 - 06.77	4	1.3	Kent											
	06.76 - 12.80	4	1.6	Kent											
	07.77 - 12.80	4	2.0	Pinto											
Mk II RS2000	01.79 - 12.80	4	2.0	Pinto											
Explorer															
UN/UP/UQ/US	09.95 - 08.01	8	5.0	<VIN-P>		B8067HP	B8067i								
	09.96 - 08.01	6	4.0	<VIN-X>			B6015i								
UT/UX/UZ	09.01 - 01.08	6	4.0	<VIN-E>											
Fairlane															
ZA	03.67 - 02.68	6	3.3	200 cu.in											
		8	4.7	289 cu.in		B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi			
ZB	03.68 - 06.69	6	3.3	200 cu.in											



													
◀ FORD							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
AU	02.99 - 06.00	6	4.0	Y		WBL	B6201HP	B6201i					
		8	5.0	Z				B8102i					
								B8100i					
AU II	07.00 - 02.03	6	4.0	Y		WBL	B6228HP	B6228i					
		8	5.0	Z				B8102i					
								B8100i					
Falcon / Fairmont (inc G & XR Series)													
XK	09.60 - 07.62	6	2.3	144 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			2.4	144 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
XL	08.62 - 01.64	6	2.3	144 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			2.4	144 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			2.8	170 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
XM	02.64 - 03.65	6	2.3	144 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			2.4	144 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			2.8	170 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			3.3	200 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
XP	04.65 - 08.66	6	2.3	144 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			2.4	144 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			2.8	170 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			3.3	200 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
XR	09.66 - 02.68	6	2.8	170 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			3.3	200 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
		8	4.7	289 cu.in			B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi
XT	03.68 - 05.69	6	3.1	188 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			3.6	221 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
		8	5.0	302 cu.in			B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi
XW	06.69 - 12.70	6	3.1	188 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			8	5.0			302 cu.in	B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri
		5.8	351 cu.in	B8001HP			B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi	
XY	01.71 - 02.72	6	3.3	200 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
			4.1	250 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
		8	4.9	302 cu.in			B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi
			5.8	351 cu.in			B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi
XA	03.72 - 10.73	6	3.3	200 cu.in				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi



F

													
◀ FORD							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
EB	07.91 - 02.92	6	3.9	D <CFI>			B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
				P <MPFI>			B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
				8 5.0 Z			B8067HP	B8067i					
EB II	03.92 - 07.93	6	4.0	H			B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
				8 5.0 Z			B8067HP	B8067i					
				10.92 - 04.93	8 5.0 J		B8067HP	B8067i					
				10.92 - 07.93	6 4.0 X		B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
ED	08.93 - 07.94	6	4.0	X			B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
				08.93 - 08.94	6 4.0 H		B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
				8 5.0 T Z			B8067HP B8067HP	B8067i B8067i					
EF	09.94 - 09.95	6	4.0	H			B6103HP	B6103i	B86Hi B100Hi	B86Hi B122Hi	B86Hi	B100Hi	
				X			B6103HP	B6103i	B86Hi B100Hi	B86Hi B122Hi	B86Hi	B100Hi	
				8 5.0 Z			B8067HP	B8067i					
EF II	10.95 - 08.96	6	4.0	H			B6103HP	B6103i	B86Hi B100Hi	B86Hi B122Hi	B86Hi	B100Hi	
				X			B6103HP	B6103i	B86Hi B100Hi	B86Hi B122Hi	B86Hi	B100Hi	
				8 5.0 Z			B8067HP	B8067i					
EL	09.96 - 08.98	6	4.0	H			B6200HP	B6200i					
				X			B6200HP	B6200i					
				X <I6 MP EFI OHC>			B6200HP	B6200i					
AU	09.98 - 02.00	6	4.0	X			B6201HP	B6201i					
				H			B6201HP	B6201i					
				Y			B6201HP	B6201i					
AU II	04.00 - 03.01	6	4.0	X				B8102i					
				WBL				B8100i					
				04.00 - 09.01	6 4.0 H		B6228HP	B6228i					
AU III	04.01 - 09.02	6	4.0	H			B6228HP	B6228i					
				S			B6228HP	B6228i					
				X			B6228HP	B6228i					
Falcon Utility / Van (inc XR Series)	09.84 - 10.86	6	3.3	V				B6074i	B58Hi B86Hi	B66Hi B100Hi	B66Hi	B86Hi	B35Chi
				N				B6074i	B58Hi B86Hi	B66Hi B100Hi	B66Hi	B86Hi	B35Chi
				09.84 - 02.93	6 4.1								
XG	03.93 - 03.96	6	4.0	H			B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
				X			B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
XH	04.96 - 11.99	6	4.0	H			B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
AU	06.99 - 03.00	6	4.0	H <Intech>			B6201HP	B6201i					

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
AU	06.99 - 03.00	8	4.9	Z			B8102i						
						WBL	B8100i						
AU II	04.00 - 09.01	6	4.0	H <Intech>			B6228HP	B6228i					
				S <GAS>			B6228HP	B6228i					
				X <Intech>			B6228HP	B6228i					
		8	5.0	Z <Intech>			B8102i						
						WBL	B8100i						
AU III	10.01 - 09.02	6	4.0	H <Intech>			B6228HP	B6228i					
				S <GAS>			B6228HP	B6228i					
		8	5.0	Z <Intech>			B8102i						
						WBL	B8100i						
Festiva													
WA	06.91 - 03.94	4	1.3	U			B4412i		B45Ri	B45Ri	B63Ri	B72Ri	B40CRi
WB	04.94 - 12.96	4	1.3	U			B4489i		B45Ri	B45Ri	B63Ri	B72Ri	B50CRi
WBII	02.97 - 12.97	4	1.3	U			B4489i		B45Ri	B45Ri	B63Ri	B72Ri	B50CRi
			1.5	E			B4489i		B45Ri	B45Ri	B63Ri	B72Ri	B50CRi
WF	01.98 - 12.00	4	1.3	U			B4489i		B45Ri	B45Ri	B63Ri	B72Ri	B50CRi
			1.5	E			B4489i		B45Ri	B45Ri	B63Ri	B72Ri	B50CRi
Focus													
LR	08.98 - 05.05	4	1.8	EYDC <ZH18,Zetec-E,SFI>			B4769i						
			2.0	EDDC <ZH20,Zetec-E,SFI>			B4769i						
	02.02 - 05.05	4	2.0	ALDA <Duratec-ST>			B4769i						
F150													
	09.87 - 08.91	8	5.0	<VIN-N>			B8067HP	B8067i					
	09.91 - 08.96	8	5.8	<VIN-H>			B8088i						
Galaxie													
	06.64 - 12.65	8	4.7	289 cu.in			B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi
	06.64 - 06.73	8	6.4	390 cu.in			B8088i						
Ka													
TA/TB	09.96 - 10.02	4	1.3	J4D <HCS,Endura-E SEFI>			B4766i						
				J4M <HCS,Endura-E SEFI>			B4766i						
Landau													
P6	08.73 - 09.76	8	5.8	351 cu.in			B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi
Laser													
KA	02.81 - 11.82	4	1.3	C			B4091i		B51Ri	B63Ri	B72Ri	B84Ri	B35CSi
			1.5	K			B4091i		B51Ri	B63Ri	B72Ri	B84Ri	B35CSi
				R			B4091i		B51Ri	B63Ri	B72Ri	B84Ri	B35CSi
KB	12.82 - 09.85	4	1.3	C			B4091i		B51Ri	B63Ri	B72Ri	B84Ri	B35CSi
			1.5	K			B4091i		B51Ri	B63Ri	B72Ri	B84Ri	B35CSi
				R			B4091i		B51Ri	B63Ri	B72Ri	B84Ri	B35CSi
KC	10.85 - 09.87	4	1.3	U			B4124i		B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
				U <SOHC>			B4124i		B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
			1.6	B			B4124i		B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
				F			B4124i		B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
KE	10.87 - 03.89	4	1.3	U			B4124i		B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
	10.87 - 02.90	4	1.6	B			B4124i		B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
				F			B4124i		B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
				T			B4158i						
KE II	02.90 - 09.94	4	1.6	B			B4124i		B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
KF	03.90 - 09.91	4	1.6	B			B4343i		B45Ri	B51Ri	B63Ri	B63Ri	B50CRi
			1.8	C			B4345i						
				N			B4343i		B45Ri	B51Ri	B63Ri	B63Ri	B50CRi



													
◀ FORD							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
KF	06.90 - 09.91	4	1.8	H			B4345i						
KH	10.91 - 09.92	4	1.6	B			B4343i	B45Ri	B51Ri	B63Ri	B63Ri	B50CRi	
			1.8	C			B4345i						
				H			B4345i						
				N			B4343i	B45Ri	B51Ri	B63Ri	B63Ri	B50CRi	
KH II	10.92 - 07.93	4	1.8	H			B4345i						
			1.6	B			B4343i	B45Ri	B51Ri	B63Ri	B63Ri	B50CRi	
			1.8	C			B4345i						
				N			B4343i	B45Ri	B51Ri	B63Ri	B63Ri	B50CRi	
KJ	10.94 - 11.96	4	1.6	B			B4060i						
			1.8	N			B4060i						
KJ II	12.96 - 12.97	4	1.6	B			B4060i						
			1.8	N			B4060i						
KJ III	12.97 - 03.99	4	1.6	B			B4060i						
			1.8	N			B4060i						
KN	03.99 - 02.01	4	1.6	ZM			B4762i						
			1.8	FP			B4760i						
KQ	03.01 - 12.03	4	1.6	ZM			B4762i						
			1.8	FP			B4768i						
			2.0	FS			B4768i						
LTD													
FA	08.73 - 09.76	6	5.8	351 cu.in			B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi
FB	09.76 - 05.79	6	5.8	351 cu.in			B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi
FC	06.79 - 02.82	6	4.1	250 cu.in				B6041i	B63Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B43CDi
		8	5.8	351 cu.in		B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi	
FD	03.82 - 09.84	6	4.1	250 cu.in				B6041i	B63Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B43CDi
		8	4.9	302 cu.in		B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi	
			5.8	351 cu.in		B8001HP	B8001i	B63Ri B84Ri	B72Ri B84Ri	B72Ri B84Ri	B84Ri B84Ri	B25CDi	
FE	09.84 - 05.88	6	4.1	T				B6075i	B66Hi B100Hi	B76Hi B122Hi	B76Hi	B100Hi	B35CHi
DA	06.88 - 09.89	6	3.9	P			B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
DA II	10.89 - 06.91	6	3.9	P			B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
DC	07.91 - 02.92	6	3.9	P			B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi
		8	5.0	Z		B8067HP	B8067i						
		03.92 - 02.95	6	4.0	H	B6098HP	B6098i	B66Hi B86Hi	B66Hi B100Hi	B76Hi	B76Hi	B30Hi	
DC II	03.92 - 02.95	8	5.0	Z			B8067HP	B8067i					
DF	03.95 - 09.95	6	4.0	H			B6103HP	B6103i	B86Hi B100Hi	B86Hi B122Hi	B86Hi	B100Hi	
		8	5.0	Z		B8067HP	B8067i						
DF II	10.95 - 08.96	6	4.0	H			B6103HP	B6103i	B86Hi B100Hi	B86Hi B122Hi	B86Hi	B100Hi	
		8	5.0	Z		B8067HP	B8067i						
DL	09.96 - 05.99	6	4.0	H			B6200HP	B6200i					
		8	5.0	Z		B8067HP	B8067i						
AU	05.99 - 05.00	8	5.0	Z				B8102i					
					WBL		B8100i						
	10.99 - 09.00	6	4.0	Y			B6201HP	B6201i					
AU II	06.00 - 06.03	6	4.0	Y			B6228HP	B6228i					
		8	5.0	Z			B8102i						
					WBL		B8100i						

      												
						Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
Maverick												
	04.88 - 12.94	6	4.2	TB42			B6104i	B51Ri B94Ri	B58Ri B114Ri	B72Ri	B72Ri	B60CRi
Meteor												
GA	02.82 - 04.83	4	1.5	K			B4091i	B51Ri	B63Ri	B72Ri	B84Ri	B35CSi
				R			B4091i	B51Ri	B63Ri	B72Ri	B84Ri	B35CSi
GB	05.83 - 02.85	4	1.5	K			B4091i	B51Ri	B63Ri	B72Ri	B84Ri	B35CSi
	05.83 - 09.85	4	1.5	R			B4091i	B51Ri	B63Ri	B72Ri	B84Ri	B35CSi
GC	10.85 - 10.87	4	1.6	B			B4124i	B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
				F			B4124i	B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
Mondeo												
HA/HB	03.95 - 07.96	4	2.0	NGA <ZH20,ZETEC>			B4103i					
HC/HD/HE	08.96 - 09.00	4	2.0	NGD	08.96 - 04.98		B4103i					
				<ZH20, ZETEC-E>	05.98 - 09.00		B4769i					
		6	2.5	SEA			B6243i					
				<MP25, DURATEC-VE>								
	08.98 - 09.00	4	2.0	NGB <ZH20, ZETEC-E>			B4769i					
Probe												
	04.94 - 07.97	6	2.5	KL <VIN-B>			B6152i					
Taurus												
	09.95 - 08.99	6	3.0	Duratec 30 <VIN-S>			B6238i					
Telstar												
AR	05.83 - 08.85	4	2.0	J			B4214i	B28Ri	B45Ri	B51Ri	B72Ri	B50CRi
AS	09.85 - 09.87	4	2.0	J			B4214i	B28Ri	B45Ri	B51Ri	B72Ri	B50CRi
AT	10.87 - 10.89	4	2.0	H			B4126i					
			2.2	T			B4162i					
AV	01.90 - 10.91	4	2.2	T			B4162i					
AX	01.92 - 08.94	4	2.0	N			B4609i					
		6	2.5	U			B6152i					
AY	09.94 - 11.96	4	2.0	N			B4609i					
		6	2.5	U			B6152i					
Telstar Turbo												
AS	01.86 - 09.87	4	2.0	N <Turbo>			B4214i	B28Ri	B45Ri	B51Ri	B72Ri	B50CRi
AT	10.87 - 10.89	4	2.2	T <Turbo>			B4162i					
AV	01.90 - 10.91	4	2.2	T <Turbo>			B4162i					
TE50												
AU	10.99 - 09.00	8	5.0	Z			B8102i					
					WBL		B8100i					
AU II	10.00 - 10.01	8	5.0	Z			B8102i					
					WBL		B8100i					
AU III	11.01 - 12.02	8	5.6	Z			B8102i					
					WBL		B8100i					
TL50												
AU	10.99 - 09.00	8	5.0	Z			B8102i					
					WBL		B8100i					
AU II	10.00 - 10.01	8	5.0	Z			B8102i					
					WBL		B8100i					
AU III	11.01 - 12.02	8	5.6	Z			B8102i					
					WBL		B8100i					



F

													
◀ FORD							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
TS50													
AU	10.99 - 09.00	8	5.0	Z				B8102i					
						WBL		B8100i					
AU II	10.00 - 10.01	8	5.0	Z				B8102i					
						WBL		B8100i					
AU III	11.01 - 12.02	8	5.6	Z				B8102i					
						WBL		B8100i					
HILLMAN													
Hunter													
	01.66 - 12.79	4	1.7					B4044i					
Imp													
	01.69 - 12.77	4	0.9					B4044i					
HOLDEN													
Adventra													
VY II	08.03 - 08.04	8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
VZ	09.04 - 08.06	8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
Apollo													
JK	08.89 - 07.91	4	2.0	3SFC <L4>				B4152i					
				3SFE <L4>				B4151i					
JL	08.91 - 02.93	4	2.0	3SFE <L4>				B4151i					
				3SFE <L4>				B4151i					
JM	04.93 - 07.95	4	2.2	5SFE <LA4>				B4637i					
		6	3.0	3VZFE <LA6>				B6154i					
JP	08.95 - 05.97	4	2.2	5SFE <LA4>				B4637i					
		6	3.0	3VZFE <LA6>				B6154i					
Astra													
LB	08.84 - 03.86	4	1.5	E15				B4098i	B45Ri	B51Ri	B63Ri	B84Ri	B40CRi
LC	04.86 - 06.87	4	1.6	E16S				B4098i	B45Ri	B51Ri	B63Ri	B84Ri	B40CRi
LD	07.87 - 07.89	4	1.6	16LF <L73>				B4260i					
			1.8	18LE <LV6>				B4260i					
TR	09.96 - 09.98	4	1.6	C16SE <L55>				B4075i					
			1.8	C18SEL <2HO>				B4757i					
			2.0	X20XEV <L34>				B4757i					
TS	10.98 - 11.00	4	1.8	X18XE1 <2H9>				B4757i					
Barina													
MB	02.85 - 08.86	4	1.3	G13A <LN5>				B4227i	B51Ri	B58Ri	B58Ri	B58Ri	B43CDi
ML	09.86 - 12.88	4	1.3	G13A <LN5>				B4227i	B51Ri	B58Ri	B58Ri	B58Ri	B43CDi
MF	01.89 - 08.91	4	1.3	G13B <LN5>				B4330i	B51Ri	B51Ri	B72Ri	B72Ri	B60CRi
MH	09.91 - 04.94	4	1.3	G13B <LN5>				B4330i	B51Ri	B51Ri	B72Ri	B72Ri	B60CRi
SB	04.94 - 11.95	4	1.6	C16XE <L91>				B4756i					
	04.94 - 07.97	4	1.2	C12NZ <L71>				B4755i					
	12.95 - 09.98	4	1.6	X16XE <L91>				B4756i					
	08.97 - 03.01	4	1.4	C14SE <L48>				B4755i					
Calibra													
YE	09.91 - 07.95	4	2.0	C2ONE <ML4>				B4611i					
				C20XE <MT5>				B4612i					
	09.91 - 10.97	4	2.0	C20LET <M23>				B4612i					
	08.95 - 10.97	4	2.0	X20XEV <MG4 F18>				B4757i					



													
◀ HOLDEN							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
VC	04.80 - 10.81	6	3.3	3.3L (Blue)			B6042HP	B6042i	B30Hi B35Hi	B30Hi B35Hi	B30Hi	B30Hi	B30Hi
		8	4.2	4.2L (Blue)				B8021i	B58Hi B76Hi	B66Hi B76Hi	B66Hi B76Hi	B76Hi B76Hi	B35Hi
			5.0	5.0L (Blue)				B8021i	B58Hi B76Hi	B66Hi B76Hi	B66Hi B76Hi	B76Hi B76Hi	B35Hi
VH	10.81 - 03.84	4	1.9	Starfire				B4009i	B30Si	B30Si	B35Si	B40Si	B45CSi
		6	2.8	2.85L (Blue)			B6042HP	B6042i	B30Hi B35Hi	B30Hi B35Hi	B30Hi	B30Hi	B30Hi
			3.3	3.3L (Blue)			B6042HP	B6042i	B30Hi B35Hi	B30Hi B35Hi	B30Hi	B30Hi	B30Hi
		8	4.2	4.2L (Blue)				B8021i	B58Hi B76Hi	B66Hi B76Hi	B66Hi B76Hi	B76Hi B76Hi	B35Hi
			5.0	5.0L (Blue)				B8021i	B58Hi B76Hi	B66Hi B76Hi	B66Hi B76Hi	B76Hi B76Hi	B35Hi
VK	02.84 - 12.85	6	3.3	3.3L EFI (Black)			B6042HP	B6042i	B30Hi B35Hi	B30Hi B35Hi	B30Hi	B30Hi	B30Hi
				3.3L EFI (Black)			B6042HP	B6042i	B30Hi B35Hi	B30Hi B35Hi	B30Hi	B30Hi	B30Hi
				3.3L EST (Black)			B6042HP	B6042i	B30Hi B35Hi	B30Hi B35Hi	B30Hi	B30Hi	B30Hi
		8	5.0	VU				B8021i	B58Hi B76Hi	B66Hi B76Hi	B66Hi B76Hi	B76Hi B76Hi	B35Hi
VL	01.86 - 07.88	6	3.0	RB30E			B6080HP	B6080i					
				RB30ET <Turbo>			B6080HP	B6080i					
	07.86 - 07.88	8	5.0	VU				B8021i	B58Hi B76Hi	B66Hi B76Hi	B66Hi B76Hi	B76Hi B76Hi	B35Hi
				VU, VJ				B8021i	B58Hi B76Hi	B66Hi B76Hi	B66Hi B76Hi	B76Hi B76Hi	B35Hi
VN	08.88 - 09.91	6	3.8	VH <LN3>		WBL	B6067HP	B6067i					
							B6115i						
		8	5.0	VU				B8052i					
VN II	03.90 - 09.91	6	3.8	VH <LN3>		WBL	B6067HP	B6067i					
							B6115i						
		8	5.0	VU				B8052i					
VP	10.91 - 12.92	6	3.8	VH <LN3>		WBL	B6118HP	B6117i					
							B6118i						
		8	5.0	VU				B8052i					
VP II	01.93 - 06.93	6	3.8	VH <LN3>		WBL	B6118HP	B6117i					
							B6118i						
	02.93 - 06.93	8	5.0	VU				B8052i					
VR	07.93 - 08.94	6	3.8	VH <LN3>		WBL	B6118HP	B6117i					
							B6118i						
		8	5.0	VU			B8094HP	B8094i					
VR II	09.94 - 03.95	6	3.8	VH <LN3>		WBL	B6118HP	B6117i					
							B6118i						
		8	5.0	VU			B8094HP	B8094i					
VS	04.95 - 05.96	6	3.8	VH <LN3>		WBL	B6121HP	B6121i					
							B6025i						
		8	5.0	VU			B8094HP	B8094i					
VS II	06.96 - 07.97	6	3.8	VH <LN3>		WBL	B6121HP	B6121i					
							B6025i						
				VS S/C <L67>		WBL		B6081i					
		8	5.0	VU			B8094HP	B8094i					
VT	09.97 - 05.99	6	3.8	VH <LN3>		WBL	B6121HP	B6121i					
							B6025i						
				VS S/C <L67>		WBL		B6081i					
		8	5.0	VM High Performance <LB9>			B8094HP	B8094i					
				VM <LB9>			B8094HP	B8094i					
VT II	06.99 - 08.00	6	3.8	VH <LN3>			B6025HP	B6121i					
							B6121HP						
							WBL	B6025i					
				VS S/C <L67>		WBL		B6081i					

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
VT II	06.99 - 08.00	8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
VX	10.00 - 07.01	6	3.8	VH <LN3>			B6025HP						
						WBL		B6025i					
				VS S/C <L67>		WBL		B6081i					
		8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
VX II	08.01 - 09.02	6	3.8	VH <LN3>			B6025HP						
						WBL		B6025i					
				VS S/C <L67>		WBL		B6081i					
		8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
VY	10.02 - 07.03	6	3.8	VH <LN3>			B6025HP						
						WBL		B6025i					
				VS S/C <L67>		WBL		B6081i					
		8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
VY II	08.03 - 08.04	6	3.8	VH <LN3>			B6025HP						
						WBL		B6025i					
				VS S/C <L67>		WBL		B6081i					
		8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
VZ	09.04 - 08.06	8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
	01.06 - 08.06	8	6.0	L76		WBL		B8103i					
VE	09.06→	8	6.0	L98 <LS2>		WBL		B8103i					
Commodore Utility													
VG	08.90 - 08.91	6	3.8	VH <LN3>			B6067HP	B6067i					
						WBL		B6115i					
		8	5.0	VU				B8052i					
VP	09.91 - 06.93	6	3.8	VH <LN3>			B6118HP	B6117i					
						WBL		B6118i					
		8	5.0	VU				B8052i					
VR	07.93 - 03.95	6	3.8	VH <LN3>			B6118HP	B6117i					
						WBL		B6118i					
		8	5.0	VU			B8094HP	B8094i					
VS	04.95 - 05.96	6	3.8	VH <LN3>			B6121HP	B6121i					
						WBL		B6025i					
		8	5.0	VU			B8094HP	B8094i					
VS II	06.96 - 07.97	6	3.8	VH <LN3>			B6121HP	B6121i					
						WBL		B6025i					
		8	5.0	VU			B8094HP	B8094i					
VS III	05.98 - 12.00	6	3.8	VH <LN3>			B6121HP	B6121i					
						WBL		B6025i					
		8	5.0	VU			B8094HP	B8094i					
VU	12.00 - 07.01	6	3.8	VH <LN3>			B6025HP						
						WBL		B6025i					
		8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
VU II	08.01 - 09.02	6	3.8	VH <LN3>			B6025HP						
						WBL		B6025i					
		8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
VY	10.02 - 07.03	6	3.8	VH <LN3>			B6025HP						
						WBL		B6025i					
		8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					
VY II	08.03 - 08.04	6	3.8	VH <LN3>			B6025HP						
						WBL		B6025i					
		8	5.7	VF <LS1>			B8099HP	B8098i					
						WBL		B8099i					



													
◀ HOLDEN							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
VZ	09.04 - 08.07	8	5.7	VF <LS1>			B8099HP	B8098i					
					WBL			B8099i					
	01.06 - 08.07	8	6.0	6M		WBL		B8103i					
Crewman													
VY II	08.03 - 08.04	6	3.8	VH <LN3>			B6025HP						
					WBL			B6025i					
		8	5.7	VF <LS1>			B8099HP	B8098i					
					WBL			B8099i					
VZ	09.04 - 08.06	8	5.7	VF <LS1>			B8099HP	B8098i					
					WBL			B8099i					
Cruze													
	12.03 - 06.06	4	1.5	M15A				B4783i					
Drover													
QB	02.85 - 12.87	4	1.3	G13A <H.C.L14 / O.H.C>				B4238i	B58Si	B58Si	B63Si	B63Si	B35CSi
Frontera													
UT	01.95 - 03.99	4	2.0	X20SE OHC <Ecotec>				B4784i					
B	03.99 - 08.05	4	2.2	X22SE				B4787i					
Gemini													
TX	03.75 - 03.77	4	1.6	G161Z				B4019i	B84Si	B84Si	B96Si	B96Si	B45CSi
TC	03.77 - 04.78	4	1.6	G161Z				B4019i	B84Si	B84Si	B96Si	B96Si	B45CSi
TD	04.78 - 10.79	4	1.6	G161Z				B4019i	B84Si	B84Si	B96Si	B96Si	B45CSi
TE	10.79 - 03.82	4	1.6	G161Z				B4019i	B84Si	B84Si	B96Si	B96Si	B45CSi
TF	03.82 - 04.83	4	1.6	G161Z				B4019i	B84Si	B84Si	B96Si	B96Si	B45CSi
TG	03.83 - 04.83	4	1.6	G161Z				B4019i	B84Si	B84Si	B96Si	B96Si	B45CSi
RB	04.85 - 06.87	4	1.5	4XC1				B4244i	B45Ri	B58Ri	B58Ri	B72Ri	B50CRi
				4XC1 <LN6>				B4244i	B45Ri	B58Ri	B58Ri	B72Ri	B50CRi
Holden (Grey Motor)													
FX	11.48 - 10.53	6	2.2	132 cu.in (Grey)				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
FJ	10.53 - 07.56	6	2.2	132 cu.in (Grey)				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
FE	08.56 - 05.58	6	2.2	132 cu.in (Grey)				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
FC	06.58 - 12.59	6	2.2	132 cu.in (Grey)				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
FB	01.60 - 05.61	6	2.3	138 cu.in (Grey)				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
EK	06.61 - 07.62	6	2.3	138 cu.in (Grey)				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
EJ	08.62 - 08.63	6	2.3	138 cu.in (Grey)				B6002i	B30Si B63Si	B30Si B71Si	B40Si	B51Si	B55CSi
Holden (Red Motor)													
EH	09.63 - 02.65	6	2.4	149 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi
HD	03.65 - 04.66	6	2.4	149 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi
				3.0 186 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi
HR	05.66 - 12.67	6	2.6	161 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi
				3.0 186 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi

														
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead	
Jackaroo														
UBS	02.81 - 12.86	4	2.0	G200Z				B4099i	B63Ri	B72Ri	B84Ri	B84Ri	B40CRi	
	08.85 - 06.88	4	2.3	4ZD1				B4264i	B63Ri	B63Ri	B84Ri	B84Ri	B61CDi	
	07.88 - 12.90	4	2.6	4ZE1				B4168i	B58Si	B58Si	B76Si	B76Si	B50CRi	
	05.92 - 06.95	6	3.2	6VD1				B6026i						
UBS II	07.95 - 12.97	6	3.2	6VD1				B6026i						
Kingswood														
HK	01.68 - 05.69	6	2.6	161 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
			3.0	186 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
			8	5.0	307 cu.in (Chev)				B8003i					
HT	05.69 - 07.70	6	2.6	161 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
			3.0	186 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
		8	4.2	253 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.0	307 cu.in (Chev) 308 cu.in (Red)				B8003i						
HG	07.70 - 07.71	6	2.6	161 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
				186 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
		8	4.2	253 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.0	308 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
HQ	07.71 - 10.74	6	2.8	173 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
			3.3	202 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
		8	4.2	253 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.0	308 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
HJ	10.74 - 07.76	6	2.8	173 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
			3.3	202 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
		8	4.2	253 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.0	308 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
HX	07.76 - 10.77	6	2.8	173 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
			3.3	202 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
		8	4.2	253 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.0	308 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
HZ	10.77 - 12.79	6	2.8	173 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
			3.3	202 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
		8	4.2	253 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.0	308 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	



														
◀ HOLDEN							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead	
Monaro														
HK	07.68 - 05.69	6	2.6	161 cu.in (Red)			B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi		
			3.0	186 cu.in (Red)			B6003i	B30Si B40Si	B30Si B40Si	B30Si	B35CSi			
		8	5.0	307 cu.in (Chev)			B8003i							
			5.4	327 cu.in (Chev)			B8003i							
HT	06.69 - 07.70	6	3.0	186 cu.in (Red)			B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi		
			8	4.2	253 cu.in (Red)	B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi		
				5.7	350 cu.in (Chev)			B8003i						
	01.70 - 07.70	8	5.0	308 cu.in (Red)	B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi			
HG	08.70 - 06.71	6	3.0	186 cu.in (Red)			B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi		
			8	4.2	253 cu.in (Red)	B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi		
		5.0		308 cu.in (Red)	B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi			
		5.7		350 cu.in (Chev)			B8003i							
HQ	07.71 - 09.74	6	2.8	173 cu.in (Red)			B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi		
			3.3	202 cu.in (Red)			B6003i	B30Si B40Si	B30Si B40Si	B30Si	B35CSi			
		8	4.2	253 cu.in (Red)	B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi			
			5.0	308 cu.in (Red)	B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi			
5.7	350 cu.in (Chev)			B8003i										
HJ	10.74 - 06.76	6	3.3	202 cu.in (Red)			B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi		
			8	4.2	253 cu.in (Red)	B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi		
		5.0		308 cu.in (Red)	B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi			
HX	07.76 - 09.77	8	4.2	253 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.0	308 cu.in (Red)	B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi			
HZ	10.77 - 12.79	8	4.2	253 cu.in (Red)			B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.0	308 cu.in (Red)	B8002HP	B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi			
V2	12.01 - 12.02	6	3.8	VS S/C <L67>	WBL		B6081i							
		8	5.7	VF <LS1>		B8099HP	B8098i							
V2 II	01.03 - 07.03	6	3.8	VS S/C <L67>	WBL		B8099i							
					8	5.7	VF <LS1>		B8099HP	B8098i				
					WBL		B8099i							
V2 III	08.03 - 08.06	8	5.7	VF <LS1>	WBL		B8099HP	B8098i						
							B8099i							
VZ	09.04 - 08.06	8	5.7	VF <LS1>		B8099HP	B8098i							
					WBL		B8099i							
Nova														
LE	07.89 - 08.91	4	1.4	6AFC <L41>			B4178i							
			1.6	4AFC <LC9>			B4178i							
LF	09.91 - 11.92	4	1.4	6AFC <L41>			B4178i							
	09.91 - 10.94	4	1.6	4AFC <LC9>			B4178i							
				4AFE <L55>			B4435i							

																		
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead					
LF	10.92 - 10.94	4	1.8	7AFE <LV6>								B4435i						
LG	09.94 - 09.96	4	1.6	4AFE <L55>								B4435i						
			1.8	7AFE <LV6>								B4435i						
Piazza																		
YB	04.86 - 12.87	4	2.0	4ZC1								B4127i	B51Si	B51Si	B58Si	B63Si	B61CDi	
Rodeo																		
KB	01.81 - 12.82	4	1.6	G161Z								B4019i	B84Si	B84Si	B96Si	B96Si	B45CSi	
	01.83 - 12.83	4	1.8	G180Z								B4019i	B84Si	B84Si	B96Si	B96Si	B45CSi	
	01.83 - 06.85	4	1.9	G200Z								B4099i	B63Ri	B72Ri	B84Ri	B84Ri	B40CRi	
	07.85 - 06.88	4	2.3	4ZD1								B4264i	B63Ri	B63Ri	B84Ri	B84Ri	B61CDi	
	07.88 - 12.90	4	2.6	4ZE1								B4168i	B58Si	B58Si	B76Si	B76Si	B50CRi	
	TF	01.91 - 12.92	4	2.3	4ZD1								B4701i					
01.91 - 05.98		4	2.6	4ZE1								B4168i	B58Si	B58Si	B76Si	B76Si	B50CRi	
R7	01.97 - 05.98	4	2.6	4ZE1								B4168i	B58Si	B58Si	B76Si	B76Si	B50CRi	
TF	06.98 - 02.03	4	2.2	22NE								B4701i						
Scurry																		
NB	07.85 - 12.87	4	1.0	F10A								B4188i						
Shuttle																		
WFR	06.86 - 12.91	4	2.0	4ZC1 <LQ2>								B4265i						
Statesman																		
HQ	07.71 - 10.74	6	3.3	202 cu.in (Red)								B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
		8	4.2	253 cu.in (Red)	B8002HP							B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.0	308 cu.in (Red)	B8002HP							B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.7	350 cu.in (Chev)								B8003i						
HJ	10.74 - 07.76	8	5.0	308 cu.in (Red)	B8002HP							B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
HX	07.76 - 10.77	8	5.0	308 cu.in (Red)	B8002HP							B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
HZ	10.77 - 06.79	6	3.3	202 cu.in (Red)								B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi	
		8	4.2	253 cu.in (Red)	B8002HP							B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
			5.0	308 cu.in (Red)	B8002HP							B8002i	B63Si B71Si	B71Si B76Si	B71Si B76Si	B71Si B84Si	B45CSi	
WB	06.80 - 06.85	8	5.0	308 cu.in (Blue)								B8021i	B58Hi B76Hi	B66Hi B76Hi	B66Hi B76Hi	B76Hi B76Hi	B35Hi	
VQ	03.90 - 10.91	8	5.0	VU								B8052i						
VQ II	12.91 - 02.94	6	3.8	VH <LN3>								B6118HP	B6117i					
					WBL								B6118i					
VR	03.94 - 04.95	8	5.0	VU								B8052i						
					6	3.8	VH <LN3>								B6118HP	B6117i		
WBL								B6118i										
VS	03.95 - 08.96	6	3.8	VH <LN3>								B8094HP	B8094i					
					WBL								B6121HP	B6121i				
8	5.0	VU								B6025i								
VS II	09.96 - 04.98	6	3.8	VH <LN3>								B8094HP	B8094i					
					WBL								B6121HP	B6121i				
						WBL								B6025i				
VS III	09.96 - 05.98	8	5.0	VU								B8094HP	B8094i					
					WBL								B6121HP	B6121i				
						WBL								B6025i				
	05.98 - 06.99	6	3.8	VH <LN3>								B6081i						
					WBL								B6081i					
						WBL								B6081i				



																					
◀ HOLDEN							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead								
VS III	05.98 - 06.99	8	5.0	VU			B8094HP	B8094i													
WH	06.99 - 07.01	6	3.8	VH <LN3>			B6121HP	B6121i													
						WBL		B6025i													
							VS S/C <L67>	WBL		B6081i											
					8	5.7	VF <LS1>		B8099HP	B8098i											
						WBL		B8099i													
WH II	08.01 - 04.03	6	3.8	VH <LN3>			B6025HP														
						WBL		B6025i													
							VS S/C <L67>	WBL		B6081i											
					8	5.7	VF <LS1>		B8099HP	B8098i											
						WBL		B8099i													
WK	05.03 - 08.04	6	3.8	VH <LN3>			B6025HP														
						WBL		B6025i													
	08.03 - 08.04	6	3.8	VS S/C <L67>		WBL		B6081i													
							B8099HP	B8098i													
						WBL		B8099i													
WL	09.04 - 12.05	8	5.7	VF <LS1>			B8099HP	B8098i													
						WBL		B8099i													
	01.06 - 08.06	8	6.0	6M		WBL		B8103i													
WM	09.06→	8	6.0	L98 <LS2>		WBL		B8103i													
Sunbird																					
LX	12.76 - 03.78	4	1.9	Y				B4043i	B63Si	B71Si	B71Si	B76Si	B35CSi								
UC	03.78 - 08.78	4	1.9	Y				B4043i	B63Si	B71Si	B71Si	B76Si	B35CSi								
Torana																					
HB	05.67 - 10.69	4	1.1	22HB				B4044i													
LC	10.69 - 02.72	4	1.6	3				B4043i	B63Si	B71Si	B71Si	B76Si	B35CSi								
					6	2.6	161 cu.in (Red)				B6003i	B30Si	B30Si	B30Si	B30Si	B35CSi					
												B40Si	B40Si								
											2.8	173 cu.in (Red)		B6003i	B30Si	B30Si	B30Si	B30Si	B35CSi		
											3.0	186 cu.in (Red)		B6003i	B30Si	B30Si	B30Si	B30Si	B35CSi		
							B40Si	B40Si													
LJ	06.71 - 02.72	4	1.8	17H				B4043i	B63Si	B71Si	B71Si	B76Si	B35CSi								
					02.72 - 02.74	4	1.6	3				B4043i	B63Si	B71Si	B71Si	B76Si	B35CSi				
									6	2.6	161 cu.in (Red)				B6003i	B30Si	B30Si	B30Si	B30Si	B35CSi	
																B40Si	B40Si				
															2.8	173 cu.in (Red)		B6003i	B30Si	B30Si	B30Si
							B40Si	B40Si													
LJ GTR XU1	02.72 - 02.74	6	3.3	202 cu.in (Red)				B6003i	B30Si	B30Si	B30Si	B30Si	B35CSi								
								B40Si	B40Si												
TA	02.74 - 12.74	4	1.3	1300V				B4043i	B63Si	B71Si	B71Si	B76Si	B35CSi								
LH	03.74 - 03.76	6	2.8	173 cu.in (Red)				B6003i	B30Si	B30Si	B30Si	B30Si	B35CSi								
									B40Si	B40Si											
								3.3	202 cu.in (Red)		B6003i	B30Si	B30Si	B30Si	B30Si	B35CSi					
		8	4.2	253 cu.in (Red)			B8002HP	B8002i	B63Si	B71Si	B71Si	B71Si	B45CSi								
							B8002HP	B8002i	B63Si	B71Si	B71Si	B71Si	B45CSi								
							B71Si	B76Si	B76Si	B84Si											
LX	05.74 - 03.76	4	1.9	Y				B4043i	B63Si	B71Si	B71Si	B76Si	B35CSi								
					03.76 - 12.76	4	1.9	Y				B4043i	B63Si	B71Si	B71Si	B76Si	B35CSi				
									03.76 - 03.78	6	2.8	173 cu.in (Red)				B6003i	B30Si	B30Si	B30Si	B30Si	B35CSi
																	B40Si	B40Si			
																3.3	202 cu.in (Red)		B6003i	B30Si	B30Si
LX	03.76 - 03.78	8	4.2	253 cu.in (Red)			B8002HP	B8002i	B63Si	B71Si	B71Si	B71Si	B45CSi								
							B8002HP	B8002i	B63Si	B71Si	B71Si	B71Si	B45CSi								
									B71Si	B76Si	B76Si	B84Si									
									B71Si	B76Si	B76Si	B84Si									

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
UC	03.78 - 12.79	6	2.8	173 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi
			3.3	202 cu.in (Red)				B6003i	B30Si B40Si	B30Si B40Si	B30Si	B30Si	B35CSi
Vectra													
JR	06.97 - 07.98	4	2.0	C20SEL <L34>				B4757i					
		6	2.5	X25XE <L80>				B6245i					
JS	08.98 - 06.99	4	2.0	C20SEL <L34>				B4757i					
			2.2	C22SEL <LA9>				B4757i					
		6	2.5	X25XE <L80>				B6245i					
JS II	07.99 - 08.00	6	2.5	X25XE <L80>				B6245i					
	07.99 - 09.02	4	2.0	C20SEL <L34>				B4757i					
			2.2	C22SEL <LA9>				B4757i					
WB Series Panel Van													
WB	04.80 - 06.85	6	3.3	202 cu.in (Blue)			B6042HP	B6042i	B30Hi B35Hi	B30Hi B35Hi	B30Hi	B30Hi	B30Hi
		8	4.2	253 cu.in (Blue)				B8021i	B58Hi B76Hi	B66Hi B76Hi	B76Hi	B76Hi	B35Hi
WB Series Ute													
WB	04.80 - 06.85	6	3.3	202 cu.in (Blue)			B6042HP	B6042i	B30Hi B35Hi	B30Hi B35Hi	B30Hi	B30Hi	B30Hi
		8	4.2	253 cu.in (Blue)				B8021i	B58Hi B76Hi	B66Hi B76Hi	B76Hi	B76Hi	B35Hi
							HONDA						
Accord													
S8	03.77 - 12.78	4	1.6	EG				B4061i	B58Ri	B63Ri	B72Ri	B84Ri	B50CRi
	01.79 - 08.81	4	1.6	EL				B4061i	B58Ri	B63Ri	B72Ri	B84Ri	B50CRi
AC/AD/SY	09.81 - 10.84	4	1.6	EL				B4061i	B58Ri	B63Ri	B72Ri	B84Ri	B50CRi
	01.84 - 12.85	4	1.8	ET				B4169i					
CA/CB/CD	11.85 - 12.89	4	2.0	A20A2				B4284i	B45Ri	B45Ri	B58Ri	B63Ri	B50CRi
				A20A4				B4284i	B45Ri	B45Ri	B58Ri	B63Ri	B50CRi
	11.89 - 09.93	4	2.2	F22A5				B4342i					
	01.93 - 01.02	4	2.2	F22B1				B4045i					
				F22B3				B4045i					
	10.93 - 12.97	4	2.2	F22A6				B4342i					
	12.97 - 04.99	4	2.3	F23A1				B4045i					
CG	12.97 - 12.02	6	3.0	J30A1				B6215i					
	12.97→	6	3.0	J30A1				B6215i					
	01.98 - 11.06	6	3.0	J30A4				B6215i					
	09.98→	4	2.3	F23A1				B4045i					
Accord Aerodeck													
CB/CC/CD/CE	10.93 - 06.96	4	2.2	F22B3				B4342i					
City													
AA	09.84 - 10.86	4	1.2	ER4				B4251i	B63Ri	B63Ri	B63Ri	B72Ri	B50CRi
Civic													
	01.72 - 08.79	4	1.2	EB				B4005i	B63Si	B71Si	B84Si	B84Si	B45CSi
SL/SS/SP/WC	09.79 - 09.83	4	1.3	EN				B4005i	B63Si	B71Si	B84Si	B84Si	B45CSi
	09.82 - 09.83	4	1.2	EN				B4005i	B63Si	B71Si	B84Si	B84Si	B45CSi
AL/AM/AG/ AJ/AH/AK	10.83 - 10.87	4	1.3	EV2				B4040i	B51Ri	B58Ri	B72Ri	B84Ri	B60CRi
			1.5	EW2				B4040i	B51Ri	B58Ri	B72Ri	B84Ri	B60CRi
EC/ED/EE	10.87 - 10.91	4	1.5	D15B4				B4317i					

													
◀ HONDA							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
EG/EH	10.91 - 09.93	4	1.3	D13B2				B4317i					
	11.91 - 09.95	4	1.5	D15B4				B4317i					
	10.93 - 09.95	4	1.5	D15B7				B4045i					
			1.6	D16Y1				B4045i					
EJ/EK	10.95 - 09.00	4	1.6	D16Y4				B4051i					
	10.95 - 12.00	4	1.6	D16Y5				B4051i					
	10.95 - 02.01	4	1.6	B16A2				B4051i					
				D16Y5				B4045i					
	04.96 - 02.01	4	1.6	B16A2				B4051i					
EJ	04.99 - 04.00	4	1.6	D16Y7				B4051i					
Civic Shuttle													
AL/AM/AG/AJ/AH/AK	10.83 - 10.87	4	1.5	EW2				B4040i	B51Ri	B58Ri	B72Ri	B84Ri	B60CRi
Concerto													
MA	11.88 - 07.93	4	1.6	D16A6				B4317i					
CR-V													
	09.96 - 12.01	4	2.0	B20B3				B4052i					
CRX													
ED/EE	11.87 - 05.92	4	1.6	D16A8				B4050i					
EG/EH	06.92 - 06.98	4	1.6	B16A2				B4053i					
HR-V													
GH	12.98 - 12.01	4	1.6	D16W2				B4045i					
	12.98 - 07.02	4	1.6	D16W1				B4045i					
Integra													
DA	06.86 - 05.89	4	1.6	D16A3				B4316i					
	06.89 - 07.93	4	1.8	B18A1				B4179i					
DC	08.93 - 10.99	4	1.8	B18B2				B4318i					
				B18C2				B4318i					
Legend													
	05.86 - 12.87	6	2.5	C25A1				B6102i					
	01.87 - 02.91	6	2.7	C27A1				B6102i					
Odyssey													
RA	06.95 - 12.97	4	2.2	F22B6 <MPFI>				B4342i					
	01.98 - 02.00	4	2.3	F23A7				B4045i					
	03.00→	4	2.3	F23Z4				B4045i					
		6	3.0	J30A3				B6215i					
Prelude													
	11.78 - 10.82	4	1.6	EL				B4061i	B58Ri	B63Ri	B72Ri	B84Ri	B50CRi
AB	01.84 - 12.85	4	1.8	ET				B4169i					
	01.86 - 09.87	4	2.0	A20A4				B4284i	B45Ri	B45Ri	B58Ri	B63Ri	B50CRi
BA	04.87 - 01.92	4	2.0	B20A5				B4289i					
	10.87 - 12.90	4	2.0	B20A7				B4289i					
	10.87 - 12.91	4	2.0	B20A6				B4289i					
BB	12.91 - 12.96	4	2.2	F22A1				B4342i					
	01.94 - 12.96	4	2.2	H22A1				B4058i					
	03.95 - 12.96	4	2.3	H23A1				B4057i					
	01.97 - 02.02	4	2.2	H22A4				B4063i					
	01.97 - 07.02	4	2.2	F22A6				B4057i					

      												
						Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
HSV (HOLDEN SPECIAL VEHICLES)												
Avalanche Utility												
VY II	03.04 - 09.04	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VZ	10.04 - 12.05	8	5.7	VF <Gen III, LS1>		B8099HP	B8098i					
					WBL		B8099i					
Avalanche Wagon												
VY II	12.03 - 09.04	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VZ	10.04 - 12.05	8	5.7	VF <Gen III, LS1>		B8099HP	B8098i					
					WBL		B8099i					
Avalanche XUV												
VZ	10.04 - 12.05	8	5.7	VF <LS1>		B8099HP	B8098i					
					WBL		B8099i					
Clubsport												
VN	08.88 - 10.91	8	5.0	VU			B8052i					
VP	11.91 - 07.93	8	5.0	VU			B8052i					
VR	06.93 - 04.95	8	5.0	VU		B8094HP	B8094i					
VS	05.95 - 08.97	8	5.0	VU		B8094HP	B8094i					
VT	09.97 - 05.99	8	5.0	VM <LB9>		B8094HP	B8094i					
VT II	06.99 - 08.00	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VX	09.00 - 08.02	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VY	09.02 - 08.03	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VY II	09.03 - 09.04	8	5.7	VF <Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VZ	10.04 - 07.06	8	6.0	VF <LS2, Gen IV>	WBL		B8103i					
Clubsport R8												
VT II	06.99 - 08.00	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VX	06.00 - 08.02	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VY	09.02 - 08.03	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VY II	09.03 - 09.04	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VZ	10.04 - 07.06	8	6.0	VF <LS2, Gen IV>	WBL		B8103i					
VE	08.06→	8	6.0	ZL <LS2 307>	WBL		B8103i					
Coupe GTO												
V2	09.00 - 01.03	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
V2 II	02.03 - 08.03	8	5.7	VF <Gen III>		B8099HP	B8098i					
					WBL		B8099i					
V2 III	09.03 - 09.04	8	5.7	VF <Gen III>		B8099HP	B8098i					
					WBL		B8099i					
VZ	10.04 - 12.06	8	6.0	VF <Gen IV, LS1>	WBL		B8103i					
Coupe GTS												
V2	09.00 - 01.03	8	5.7	VF <LS1, Gen III>		B8099HP	B8098i					
					WBL		B8099i					
V2 II	02.03 - 02.04	8	5.7	VF <Gen III>		B8099HP	B8098i					
					WBL		B8099i					



													
◀ HSV							Motor Sport	Super Sport	1	2	3	4	Coil Lead
							5	6	7	8			
V2 III	03.04 - 12.04	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					
Coupe4													
V2 III	06.04 - 09.04	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VZ	10.04 - 12.05	8	5.7	VF <Gen III, LS1>			B8099HP	B8098i					
						WBL		B8099i					
Grange													
VS	05.95 - 05.99	8	5.0	VU			B8094HP	B8094i					
			5.7	VF			B8094HP	B8094i					
WH	06.99 - 08.01	8	5.7	VF <LS1, Gen III>			B8099HP	B8098i					
						WBL		B8099i					
WH II	09.01 - 08.03	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					
WK	09.03 - 09.04	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					
WL	10.04 - 12.06	8	6.0	VF <LS1, Gen IV>				B8103i					
WM	08.06→	8	6.0	ZL <LS2 307>				B8103i					
						WBL							
Group A													
VN	06.91 - 12.91	8	5.0	VU				B8052i					
Group A (Walkinshaw)													
VL	02.88 - 12.88	8	5.0	VU				B8045i					
GTS													
VP	11.91 - 07.93	8	5.0	VU			B8094HP	B8094i					
VR	06.93 - 04.95	8	5.7	VF			B8094HP	B8094i					
VS	05.95 - 08.97	8	5.7	VF			B8094HP	B8094i					
VT	09.97 - 05.99	8	5.7	VF			B8094HP	B8094i					
VT II	06.99 - 08.00	8	5.7	VF <LS1, Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VX	09.00 - 08.02	8	5.7	VF <LS1, Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VY	09.02 - 09.04	8	5.7	VF <LS1, Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VZ	10.04 - 07.06	8	6.0	VF <LS2, Gen IV>				B8103i					
VE	08.06→	8	6.0	ZL <LS2 307>				B8103i					
						WBL							
Maloo													
VG	08.88 - 10.91	8	5.0	VU				B8052i					
VR	06.93 - 04.95	8	5.0	VU			B8094HP	B8094i					
VS	05.95 - 12.00	8	5.0	VU			B8094HP	B8094i					
VU	03.01 - 08.01	8	5.7	VF <LS1, Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VU II	09.01 - 09.02	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VY	10.02 - 08.03	8	5.7	VF <LS1, Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VY II	09.03 - 09.04	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VZ	10.04 - 08.07	8	6.0	VF <LS1, Gen IV>				B8103i					
VZ II	01.07 - 08.07	8	6.0	ZL <LS2 307>				B8103i					
						WBL							
Maloo R8													
VU	03.01 - 08.01	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VU II	09.01 - 09.02	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
VY	10.02 - 08.03	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VY II	09.03 - 09.04	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VZ	10.04 - 08.07	8	6.0	VF <LS1, Gen IV>		WBL		B8103i					
Senator													
VP	11.91 - 07.93	8	5.0	VU				B8052i					
VR	06.93 - 04.95	8	5.0	VU			B8094HP	B8094i					
			5.7	VF			B8094HP	B8094i					
VS	05.95 - 08.97	8	5.0	VU			B8094HP	B8094i					
			5.7	VF			B8094HP	B8094i					
VT	09.97 - 05.99	8	5.0	VM <LB9>			B8094HP	B8094i					
			5.7	VF			B8094HP	B8094i					
VT II	06.99 - 08.00	8	5.7	VF <LS1, Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VX	09.00 - 08.02	8	5.7	VF <LS1, Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VY	09.02 - 08.03	8	5.7	VF <LS1, Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VY II	09.03 - 09.04	8	5.7	VF <Gen III>			B8099HP	B8098i					
						WBL		B8099i					
VZ	10.04 - 07.06	8	6.0	VF <LS2, Gen IV>		WBL		B8103i					
VE	08.06→	8	6.0	ZL <LS2 307>		WBL		B8103i					
SV6000													
VZ	10.04 - 07.06	8	6.0	VF <LS2, Gen IV>		WBL		B8103i					
XU6													
VT	09.97 - 08.00	6	3.8	VS <L67>		WBL		B6081i					
VX	09.00 - 08.02	6	3.8	VS <L67>		WBL		B6081i					
VY	09.02 - 06.03	6	3.8	VS <L67>		WBL		B6081i					
HYUNDAI													
Accent													
LC	05.00 - 02.03	4	1.5	G4EC-G			B4065HP	B4065i					
	03.03 - 03.06	4	1.6	G4ED-G			B4065HP	B4065i					
MC	04.06→	4	1.6	G4ED			B4065HP	B4065i					
Coupe													
RD	05.96 - 09.01	4	2.0	G4GF			B4066HP	B4066i					
	07.97 - 09.01	4	1.8	G4GM			B4066HP	B4066i					
Elantra													
XD	06.00 - 08.06	4	1.8	G4GB			B4066HP	B4066i					
	08.00 - 09.06	4	2.0	G4GC			B4066HP	B4066i					
Excel													
X1	01.86 - 02.90	4	1.5	G4AJ				B4297i	B63Ri	B72Ri	B84Ri	B84Ri	B66CRi
X2	02.90 - 07.94	4	1.5	G4DJ				B4191i					
X3	07.94 - 07.99	4	1.5	G4EK				B4630i					
	11.95 - 07.99	4	1.5	G4FK			B4065HP	B4065i					
Getz													
TB	10.02 - 09.05	4	1.5	G4EC2			B4065HP	B4065i					
	03.03 - 08.05	4	1.3	G4E-A				B4630i					
	09.05→	4	1.4	G4EE-G			B4065HP	B4065i					
	10.05→	4	1.6	G4ED-G			B4065HP	B4065i					



														
◀ HYUNDAI								Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
Lantra														
J1	10.90 - 04.95	4	1.6	G4CR					B4488i					
	06.92 - 04.95	4	1.8	G4CN					B4488i					
J2	05.95 - 09.00	4	1.8	G4GM					B4066HP	B4066i				
	08.95 - 02.01	4	1.8	G4GM					B4066HP	B4066i				
	08.96 - 09.00	4	2.0	G4GF					B4066HP	B4066i				
Santa Fe														
CM	03.06→	6	2.7	G6EA					B6240i					
Scoupe														
	02.90 - 06.92	4	1.5	G4DJ					B4191i					
	07.92 - 04.95	4	1.5	G4EK					B4191i					
				G4EK-TC					B4631i					
Sonata														
Y2	01.89 - 10.93	4	2.4	G4CS VIN-S					B4176i	B72Ri	B72Ri	B72Ri	B94Ri	B50CRi
	09.89 - 06.93	6	3.0	G6AT					B6119i					
Sonata II														
Y3	07.93 - 06.98	4	2.0	G4CP					B4488i					
		6	3.0	G6AT					B6119i					
Sonata III														
EF	03.98 - 03.01	6	2.5	G6AV					B6240i					
Sonata IV														
EF	04.01 - 11.04	6	2.7	G6BA					B6240i					
Tiburon														
GK	03.02 - 12.03	4	2.0	G4GC-G					B4066HP	B4066i				
	03.02→	6	2.7	G6BA-G					B6240i					
Trajet														
F0	01.00 - 06.07	6	2.7	G6BA					B6240i					
Tucson														
JM	08.04→	4	2.0	G4GC					B4066HP	B4066i				
		6	2.7	G6BA					B6240i					
ISUZU														
KB20														
77 Series	06.77 - 02.80	4	1.6	G161Z					B4044i					
KB25														
77 Series	06.77 - 02.80	4	1.6	G161Z					B4044i					
KB40														
77 Series	06.77 - 02.80	4	1.6	G161Z					B4044i					
JAGUAR														
Daimler														
	03.79 - 10.90	12	5.3						B9002i					
	10.86 - 12.90	6	3.6	9 DPANA <AJ6>					B6234i					
	10.86 - 12.92	12	5.3	7P <Kat.>					B9002i					

																
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead			
								B6234i								
								B9002i								
E-Type																
								B6013i								
								B6013i								
								B6033i								
								B9002i								
Sovereign																
								B6234i								
								B6234i								
								B9002i								
XJS																
								B9002i								
								B9002i								
XJ6																
								B6033i								
								B6033i								
								B6234i								
								B6234i								
XJ12																
								B9002i								
								B9002i								
								B9002i								
JEEP																
Cherokee																
SJ	06.81 - 12.85	6	4.2	<VIN-C>				B6020i	B30Si B51Si	B30Si B51Si	B35Si	B40Si	B35CSi			
	01.90 - 04.04	6	4.0	C698QA				B6021i								
XJ	09.93 - 08.01	6	4.0	ERH <VIN-S>				B6021i								
CJ5																
	06.73 - 12.77	6	3.8					B6020i	B30Si B51Si	B30Si B51Si	B35Si	B40Si	B35CSi			
CJ6																
	06.73 - 12.77	6	3.8					B6020i	B30Si B51Si	B30Si B51Si	B35Si	B40Si	B35CSi			
KIA																
Carens																
FC	04.99 - 05.02	4	1.8	TB <TED>				B4779i								
Carnival																
	01.98 - 01.01	6	2.5	KV6 <DOHC>				B6244i								
UP	09.99 - 07.06	6	2.5	K5				B6244i								
Cerato																
FE	10.04→	4	2.0	G4GC			B4066HP	B4066i								



														
◀ KIA							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead	
Credos														
	02.98 - 07.00	4	2.0	FE <DOHC FED>			B4775i							
Mentor														
FA	09.96 - 12.97	4	1.5	B5			B4076i							
FX	01.98 - 12.00	4	1.5	B5D			B4763i							
			1.8	TE <B5D>			B4779i							
Rio														
DC	07.00 - 02.05	4	1.5	A5D			B4781i							
Shuma														
FB	01.00 - 12.00	4	1.8	TE <T8D>			B4779i							
Spectra														
FB	04.01 - 06.04	4	1.8	TE <T8D>			B4779i							
Sportage														
JA	01.97 - 10.98	4	2.0	FED			B4072i							
	11.98 - 03.04	4	2.0	FED <VIN-3>			B4072i							
LADA														
Niva														
	12.76 - 12.96	4	1.6	2121			B4145i	B35Ri	B35Ri	B35Ri	B45Ri	B66CRi		
	01.93 - 12.99	4	1.7	2121.3			B4145i	B35Ri	B35Ri	B35Ri	B45Ri	B66CRi		
Samara														
	07.88 - 09.90	4	1.3	2108			B4111i	B58Si	B63Si	B71Si	B84Si	B35CSi		
	09.91 - 02.96	4	1.5	21083			B4111i	B58Si	B63Si	B71Si	B84Si	B35CSi		
LANCIA														
Beta														
	01.73 - 12.75	4	1.8	828 A 1.000			B4044i							
	01.76 - 12.79	4	2.0				B4044i							
	01.80 - 12.84	4	2.0	828 CB 1 A..			B4044i							
Beta Coupe														
	06.73 - 12.75	4	1.8	828 AC 100			B4044i							
	06.73 - 12.84	4	2.0	828 CB 1 A..			B4044i							
Beta HPE														
	04.75 - 12.84	4	2.0	828 CB 1 A..			B4044i							
Beta HPE i.e.														
	05.80 - 12.84	4	2.0	828 CB 1 A..			B4044i							
Beta Montecarlo														
	04.75 - 12.84	4	2.0				B4044i							
LAND ROVER GROUP														
Discovery														
	09.89 - 12.98	8	3.5	V8 3.5			B8027i							
				V8 3.5 EFi <Kat.>			B8027i							
	10.93 - 12.98	8	3.9	V8 3.9 <EFi>			B8026i							

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
10.98 - 10.04 8 4.0 V8 - EFI <OHV>							B8101i						
Land Rover 90													
01.72 - 12.85 4 2.3							B4003i		B35Si	B35Si	B40Si	B51Si	B55CSi
11.83 - 07.90 8 3.5 V8							B8024i		B51Ri B84Ri	B63Ri B94Ri	B72Ri B94Ri	B84Ri B104Ri	B66CRi
Land Rover 109													
09.63 - 08.83 4 2.3							B4003i		B35Si	B35Si	B40Si	B51Si	B55CSi
09.67 - 12.80 6 2.6							B6034i		B35Ri B51Ri	B35Ri B51Ri	B35Ri	B35Ri	B61CDi
09.79 - 03.83 8 3.5							B8024i		B51Ri B84Ri	B63Ri B94Ri	B72Ri B94Ri	B84Ri B104Ri	B66CRi
Land Rover 110													
09.83 - 12.86 4 2.3							B4003i		B35Si	B35Si	B40Si	B51Si	B55CSi
11.83 - 07.90 8 3.5 V8							B8024i		B51Ri B84Ri	B63Ri B94Ri	B72Ri B94Ri	B84Ri B104Ri	B66CRi
Range Rover													
06.70 - 06.86 8 3.5 22D <V8F-EFI-KAT>							B8006i		B51Si B71Si	B58Si B76Si	B58Si B84Si	B63Si B84Si	B60CRi
01.87 - 09.90 8 3.5 V8F-EFI <KAT.>							B8024i		B51Ri B84Ri	B63Ri B94Ri	B72Ri B94Ri	B84Ri B104Ri	B66CRi
11.88 - 08.94 8 3.9 37D,38D <V8-EFI-KAT>							B8026i						
09.94 - 09.02 8 4.0 42D							B8048i						
4.6 46D							B8048i						
LEXUS													
ES300													
VCV10 03.92 - 08.96 6 3.0 3VZFE							B6154i						
MCV20 08.96 - 07.01 6 3.0 1MZFE							B6019i						
MCV30 07.01 - 07.03 6 3.0 1MZFE							B6019i						
LS400													
UCF10 12.89 - 09.94 8 4.0 1UZFE							B8040i						
UCF20 10.94 - 08.00 8 4.0 1UZFE							B8040i						
LOTUS													
Elan													
01.72 - 12.73 4 1.6							B4044i						
09.89 - 06.92 4 1.6 Isuzu 4XE1							B4168i		B58Si	B58Si	B76Si	B76Si	B50CRi
Elite													
05.74 - 08.82 4 2.0							B4044i						
Europa													
10.66 - 10.76 4 1.5							B4044i						
MAZDA													
B2000													
08.86 - 12.91 4 2.0 FE							B4059i		B35Ri	B45Ri	B58Ri	B63Ri	B40CRi
B2200													
UF 08.91 - 03.96 4 2.2							B4059i		B35Ri	B45Ri	B58Ri	B63Ri	B40CRi



													
◀ MAZDA							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
B2600													
UF	12.86 - 11.89	4	2.6	LG54			B4315i	B63Ri	B72Ri	B84Ri	B94Ri	B53CDi	
	11.89 - 05.99	4	2.6	G6			B4107i	B35Ri	B45Ri	B63Ri	B84Ri	B45CSi	
UN	02.99 - 03.06	4	2.6	G6			B4107i	B35Ri	B45Ri	B63Ri	B84Ri	B45CSi	
Eunos 30X													
EC	12.91 - 10.93	6	1.8	K8			B6005i						
	11.93 - 01.98	6	1.8	K8			B6007i						
Eunos 500													
CA	04.94 - 09.96	6	2.0	KF			B6012i						
Eunos 800													
TA	09.93 - 06.96	6	2.5	KL			B6012i						
	06.96 - 02.04	6	2.5				B6012i						
E1300													
Bongo	05.78 - 12.80	4	1.3	TC			B4100i	B45Ri	B58Ri	B72Ri	B84Ri	B35CSi	
E1400													
	01.80 - 12.83	4	1.4	UC			B4109i	B63Ri	B72Ri	B84Ri	B84Ri	B60CRi	
	06.84 - 07.86	4	1.5	E5			B4109i	B63Ri	B72Ri	B84Ri	B84Ri	B60CRi	
E1600													
Bongo	05.78 - 12.83	4	1.6	NA			B4067i	B35Ri	B51Ri	B51Ri	B58Ri	B40CRi	
E1800													
	01.84 - 02.88	4	1.8	F85			B4059i	B35Ri	B45Ri	B58Ri	B63Ri	B40CRi	
	02.84 - 12.96	4	1.8	F8			B4059i	B35Ri	B45Ri	B58Ri	B63Ri	B40CRi	
	01.02 - 12.06	4	1.8	F8-E			B4059i	B35Ri	B45Ri	B58Ri	B63Ri	B40CRi	
E2000													
	02.84 - 11.02	4	2.0	FE			B4059i	B35Ri	B45Ri	B58Ri	B63Ri	B40CRi	
	07.89 - 03.95	4	2.0	FEET			B4059i	B35Ri	B45Ri	B58Ri	B63Ri	B40CRi	
E2000i													
	12.01 - 01.04	4	2.0	FE			B4765i	B35Ri	B45Ri	B58Ri	B63Ri	B40CRi	
MPV													
LV	08.93 - 04.96	6	3.0	E			B6101i	B35Si B94Ri	B40Si B104Ri	B51Si	B84Ri	B60CRi	
	04.96 - 07.99	6	3.0	JE			B6024i	B30Si B91Si	B40Si B106Si	B51Si	B76Si	B60CRi	
MX-5													
NA	08.89 - 08.93	4	1.6	B64F			B4142i						
	09.93 - 11.97	4	1.8	BP			B4142i						
NB	01.98 - 07.05	4	1.8	BPD			B4142i						
	09.00 - 07.05	4	1.8	BPZE			B4142i						
MX-6													
GD	07.87 - 10.88	4	2.2	F2			B4162i						
	09.89 - 06.91	4	2.2	F2			B4162i						
GE	07.94 - 06.97	6	2.5	KL			B6152i						
Premacy													
CP	02.00 - 05.03	4	1.8	FP			B4768i						
	11.01 - 05.03	4	2.0	FS			B4768i						

      												
						Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
RX-2												
S122A	10.70 - 04.76	2	1.1	12A			B4030i					
RX-3												
S102A	03.72 - 12.73	2	1.0	10A			B4030i					
	03.74 - 02.76	2	1.1	12A			B4030i					
RX-4												
	07.72 - 12.77	2	1.1	12A			B4030i					
	01.74 - 12.77	2	1.3	13B			B4030i					
RX-5												
	01.75 - 12.78	2	1.3	13B			B4030i					
RX-7												
SA	02.79 - 08.85	2	1.1	12A			B4030i					
FC	09.85 - 04.89	2	1.3	13BN34 <Kat.>			B4030i					
	11.85 - 04.89	2	1.3	13BN32			B4030i					
	03.89 - 11.91	2	1.3	13B			B4083i					
FD	01.92 - 07.94	2	1.3	13B			B4112i					
	07.94 - 02.96	2	1.3	RE13B			B4112i					
Tribute												
	12.00 - 12.03	4	2.0	YF			B4767i					
6												
GG/GY	02.02 - 12.07	4	2.3	L3			B4776i					
121												
CD	03.76 - 03.78	4	1.8	VC			B4070i	B35Ri	B45Ri	B45Ri	B63Ri	B40CRi
	04.78 - 12.79	4	2.0	MA			B4070i	B35Ri	B45Ri	B45Ri	B63Ri	B40CRi
DA	12.86 - 12.89	4	1.3	B3			B4169i					
	04.89 - 10.90	4	1.3	B3A6			B4169i					
DB	11.90 - 11.97	4	1.3	B3			B4489i	B45Ri	B45Ri	B63Ri	B72Ri	B50CRi
	11.93 - 12.95	4	1.5	B5M1			B4489i	B45Ri	B45Ri	B63Ri	B72Ri	B50CRi
	11.95 - 11.97	4	1.5	B5			B4489i	B45Ri	B45Ri	B63Ri	B72Ri	B50CRi
DW	08.96 - 12.02	4	1.3	B3			B4489i	B45Ri	B45Ri	B63Ri	B72Ri	B50CRi
			1.5	B5			B4489i	B45Ri	B45Ri	B63Ri	B72Ri	B50CRi
323												
FA	03.77 - 05.78	4	1.3	T			B4016i	B71Si	B71Si	B84Si	B84Si	B35CSi
	03.78 - 05.80	4	1.4	U			B4016i	B71Si	B71Si	B84Si	B84Si	B35CSi
BD	07.80 - 08.82	4	1.3	E3			B4016i	B71Si	B71Si	B84Si	B84Si	B35CSi
	07.80 - 10.85	4	1.5	E5			B4016i	B71Si	B71Si	B84Si	B84Si	B35CSi
BD/FA	07.82 - 10.85	4	1.5	E5			B4016i	B71Si	B71Si	B84Si	B84Si	B35CSi
BF	07.85 - 07.87	4	1.6	B6			B4124i	B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
BW	01.86 - 01.88	4	1.6	B6			B4124i	B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
BF	09.87 - 06.89	4	1.6	B6			B4124i	B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
							B4158i					
BG	06.89 - 07.94	4	1.8	BP <DOHC Kat.>			B4345i					
	07.89 - 05.94	4	1.8	BP			B4345i					
	07.89 - 12.95	4	1.6	B6			B4124i	B45Ri	B51Ri	B63Ri	B72Ri	B35CSi
BA	05.94 - 07.95	6	2.0	KF			B6155i					
	05.94 - 09.95	6	2.0	KF/F			B6155i					
	05.94 - 06.98	4	1.8	BP			B4060i					
	08.95 - 06.98	4	1.6	B6			B4060i					
	10.96 - 07.98	6	2.0	KF			B6155i					
BJ	05.98 - 12.03	4	1.8	FP			B4768i					
	07.98 - 12.03	4	1.6	ZM			B4762i					
	12.00 - 12.03	4	2.0	FS			B4768i					



      						 SET						 Coil Lead
◀ MAZDA						Motor Sport	Super Sport	1 5	2 6	3 7	4 8	
626												
CB	12.78 - 08.82	4	2.0	MA			B4070i	B35Ri	B45Ri	B45Ri	B63Ri	B40CRi
GC	12.82 - 06.87	4	2.0	FE			B4214i	B28Ri	B45Ri	B51Ri	B72Ri	B50CRi
GD	07.87 - 09.91	4	2.2	F2			B4162i					
GV	03.88 - 09.89	4	2.2	F2			B4162i					
GE	09.91 - 06.97	6	2.5	KL			B6152i					
	01.92 - 05.94	4	2.0	FS			B4609i					
	06.94 - 06.97	4	2.0	FS			B4492i					
GF	05.97 - 10.99	4	2.0	FSD DOHC			B4764i					
	06.97 - 08.02	4	2.0	FSD			B4764i					
626 Turbo												
GC	01.86 - 06.87	4	2.0	FE			B4214i	B28Ri	B45Ri	B51Ri	B72Ri	B50CRi
GD	10.87 - 09.91	4	2.2	F2			B4162i					
929												
HB	11.81 - 09.83	4	2.0	MA <HBSE>			B4070i	B35Ri	B45Ri	B45Ri	B63Ri	B40CRi
	07.83 - 02.87	4	2.0	FE			B4296i	B35Ri	B45Ri	B51Ri	B63Ri	B40CRi
	10.83 - 06.86	4	2.0	MA <HBES>			B4296i	B35Ri	B45Ri	B51Ri	B63Ri	B40CRi
	07.84 - 04.87	4	2.0	FE <HBES>			B4296i	B35Ri	B45Ri	B51Ri	B63Ri	B40CRi
HC	02.87 - 06.91	6	3.0	JE			B6101i	B35Si	B40Si	B51Si	B84Ri	B60CRi
							B94Ri	B104Ri				
	01.90 - 12.95	6	3.0	JED			B6120i					
HD	05.91 - 12.95	6	3.0	JE			B6023i					
HE	11.95 - 09.97	6	3.0	JE			B6023i					
1300												
	01.70 - 12.76	4	1.3	TC			B4015i	B71Si	B71Si	B84Si	B91Si	B35CSi
MERCEDES-BENZ												
CLK320												
W208	06.98 - 01.03	6	3.2	M 112.940 <E32>			B6229i					
C32 AMG Kompressor												
W203	01.01 - 01.04	6	3.2	M 112.961 <E 32 AMG>			B6229i					
C180												
W202	03.93 - 08.95	4	1.8	M 111.920 <E 18>			B4656i					
	09.95 - 04.00	4	1.8	M 111.921 <E 18>			B4656i					
C180 T-Model												
W202	05.96 - 02.01	4	1.8	M 111.920 <E 18>			B4656i					
C200												
W202	01.94 - 04.00	4	2.0	M 111.941 <E 20>			B4656i					
C200 T-Model												
W202	05.96 - 02.01	4	2.0	M 111.941 <E 20>			B4656i					
C220												
W202	03.93 - 09.96	4	2.2	M 111.961 <E 22>			B4656i					
C240												
W202	06.97 - 04.00	6	2.4	M 112.910 <E 24>			B6229i					
W203	05.00 - 05.05	6	2.6	M 112.912 <E 26>			B6229i					
C240 T-Model												
W202	06.97 - 02.01	6	2.4	M 112.910 <E 24>			B6229i					

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
C280													
W202	05.93 - 05.97	6	2.8	M 104.941				B6223i					
	06.97 - 04.00	6	2.8	M 112.920 <E 28>				B6229i					
C320													
W203	05.00 - 05.05	6	3.2	M 112.946 <DE LA>				B6229i					
E220													
W124	07.93 - 06.95	4	2.2	M 111.960				B4656i					
E220 Cabriolet													
W124	07.93 - 06.98	4	2.2	M 111.960				B4656i					
E220 Coupe													
W124	07.93 - 06.97	4	2.2	M 111.960				B4656i					
E220 T-Model													
W124	07.93 - 05.96	4	2.2	M 111.960				B4656i					
E230													
W210	06.95 - 08.97	4	2.3	M 111.970 <E23>				B4262i					
E230 T-Model													
W210	05.96 - 08.97	4	2.3	M 111.970 <E23>				B4262i					
E240													
W210	09.97 - 06.99	6	2.4	M 112.911 <E24>				B6229i					
E240 T-Model													
W210	09.97 - 06.99	6	2.4	M 112.911 <E24>				B6229i					
	06.99 - 01.03	6	2.6	M 112.914 <E26>				B6229i					
E280													
W124	07.93 - 06.95	6	2.8	M 104.942				B6223i					
W210	06.95 - 01.03	6	2.8	M 112.921 <E28>				B6229i					
E280 T-Model													
W124	07.93 - 05.96	6	2.8	M 104.942				B6223i					
E320													
W124	07.93 - 06.95	6	3.2	M 104.992				B6226i					
W210	06.95 - 02.97	6	3.2	M 104.995				B6223i					
E320 Cabriolet													
W124	05.93 - 06.98	6	3.2	M 104.992				B6226i					
E320 Coupe													
W124	07.93 - 06.98	6	3.2	M 104.992				B6226i					
SL280													
W129	07.93 - 05.98	6	2.8	M 104.943				B6223i					
SL500													
W129	07.93 - 09.95	8	5.0	M 119.972				B8029i					
S280													
W140	06.93 - 09.98	6	2.8	M 104.944				B6223i					

													
◀ MERCEDES-BENZ							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
S420													
W140	06.93 - 09.98	8	4.2	M 119.971;981				B8029i					
180E													
W201	09.91 - 04.94	4	1.8	M 102.910				B4262i					
190E													
W201	10.82 - 09.88	4	2.0	M 102.921				B4262i					
	09.85 - 09.93	4	2.0	M 102.962				B4262i					
	09.86 - 08.89	6	2.6	M 103.942				B6224i					
	09.86 - 08.93	4	2.3	M 102.985				B4262i					
	03.90 - 08.93	4	1.8	M 102.910				B4262i					
220E													
W124	09.92 - 06.93	4	2.2	M 111.960				B4262i					
230E													
W123	04.80 - 12.85	4	2.3	M 102.980				B4262i					
W124	12.84 - 06.93	4	2.3	M 102.982				B4262i					
230TE													
W123	04.80 - 12.85	4	2.3	M 102.980				B4262i					
W124	09.85 - 08.93	4	2.3	M 102.982				B4262i					
260E													
W124	09.85 - 10.92	6	2.6	M 103.940				B6224i					
280													
W114	06.72 - 11.76	6	2.8	M 110.921				B6040i					
280C													
W114	06.72 - 02.77	6	2.8	M 110.921				B6040i					
280CE													
W114	06.72 - 01.77	6	2.8	M 110.981				B6040i					
W123	03.77 - 11.85	6	2.8	M 110.984,988				B6040i					
280E													
W114	06.72 - 11.76	6	2.8	M 110.981				B6040i					
W123	02.76 - 11.85	6	2.8	M 110.98...				B6040i					
280SE													
W116	09.72 - 07.76	6	2.8	M 110.983				B6031i					
	08.76 - 07.80	6	2.8	M 110.985				B6040i					
W126	10.79 - 07.85	6	2.8	M 110.987,989				B6031i					
280TE													
W123	02.76 - 11.85	6	2.8	M 110.984,988				B6040i					
300CE													
W124	03.87 - 06.93	6	3.0	M 103.983				B6224i					
	09.89 - 12.92	6	3.0	M 104.980				B6225i					
300E													
W124	01.85 - 08.93	6	3.0	M 103.980;983				B6224i					
300SE													
W126	09.85 - 06.91	6	3.0	M 103.981				B6224i					
W140	03.91 - 05.93	6	3.2	M 104.990				B6225i					

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
300TE													
W124	01.86 - 08.92	6	3.0	M 103.983			B6224i						
320CE													
W124	09.92 - 06.93	6	3.2	M 104.992			B6226i						
320E													
W124	09.92 - 06.93	6	3.2	M 104.992			B6226i						
380SE / SEL													
W126	12.79 - 08.85	8	3.8	M 116.961, 963			B8033i						
380SEC													
W126	10.81 - 07.85	8	3.8	M 116.963			B8033i						
380SL													
W107	07.80 - 08.85	8	3.8	M 116.960, 962			B8033i						
400SE													
W140	02.91 - 05.93	8	4.2	M 119.971;981			B8029i						
500SE													
W140	02.91 - 05.93	8	5.0	M 119.970;980			B8029i						
500SEC													
W126	10.81 - 08.85	8	5.0	M 117.963			B8033i						
W140	10.92 - 05.93	8	5.0	M 119.970;980			B8029i						
500SL													
W129	09.89 - 08.92	8	5.0	M 119.960			B8029i						
							MG						
Magnette													
	03.61 - 09.68	4	1.6				B4044i						
MGB													
	01.66 - 12.81	4	1.8				B4785i	B28Ri	B35Ri	B35Ri	B45Ri	B30CRi	
MGB GT													
	08.73 - 11.80	4	1.8				B4785i	B28Ri	B35Ri	B35Ri	B45Ri	B30CRi	
MGB GT V8													
	08.73 - 11.76	8	3.5	V8			B8024i	B51Ri B84Ri	B63Ri B94Ri	B72Ri B94Ri	B84Ri B104Ri	B66CRi	
Midget													
	02.68 - 12.72	4	1.3				B4001i	B40Si	B40Si	B51Si	B51Si	B45CSi	
	08.74 - 12.80	4	1.5				B4001i	B40Si	B40Si	B51Si	B51Si	B45CSi	
							MITSUBISHI						
Challenger													
PA	02.98 - 12.06	6	3.0	6G72	02.98 - 08.00		B6126i						
					09.00→		B6241i						
Colt													
RA	11.80 - 09.82	4	1.4	4G12			B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	



  												
◀ MITSUBISHI						Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
RB	10.82 - 03.84	4	1.4	4G33		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
			1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
RC	04.84 - 12.85	4	1.4	4G33		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
			1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
RD	01.86 - 08.88	4	1.4	4G33		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
			1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
RE	09.88 - 12.90	4	1.4	4G33		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
			1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
Cordia												
AA, AB	04.83 - 10.84	4	1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
	11.84 - 12.85	4	1.8	4G37		B4217i	B63Ri	B72Ri	B84Ri	B94Ri	B40CRi	
Cordia Turbo												
AA, AB	05.84 - 12.85	4	1.8	4G62		B4217i	B63Ri	B72Ri	B84Ri	B94Ri	B40CRi	
Express / Starwagon L300												
SA	03.80 - 12.81	4	1.6	4G32		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
SB	01.82 - 09.82	4	1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
SC	10.82 - 12.84	4	1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
SD	01.85 - 12.85	4	1.6	4G32		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
			1.8	4G62		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
			2.0	4G63		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
SE	01.86 - 09.86	4	1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
			2.0	4G63		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
SF	01.86 - 12.90	4	2.0	4G63		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
SF, SG	01.86 - 12.91	4	2.0	4G63		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
			2.4	4G64		B4322i	B72Ri	B84Ri	B84Ri	B94Ri	B40CRi	
SG	01.90 - 12.91	4	2.0	4G63		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
SH	01.92 - 08.94	4	2.0	4G63		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
WA	09.94 - 06.04	4	2.4	4G64		B4494i						
SJ	09.94→	4	2.0	4G63		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
			2.4	4G64		B4494i						
	10.94 - 12.00	4	2.4	4G64		B4496i						
Express Utility L200												
MA	03.80 - 12.81	4	1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
MB	01.81 - 12.84	4	2.0	4G52		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
MA	06.81 - 12.81	4	2.0	4G52		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
MB	01.82 - 09.82	4	1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
MC	10.82 - 12.84	4	1.6	4G32		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
			2.0	4G63		B4049i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
	01.85 - 12.85	4	2.0	4G63		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
MD	01.85 - 12.85	4	2.0	4G63		B4220i	B63Ri	B84Ri	B84Ri	B94Ri	B60CRi	
FTO												
	09.94 - 07.00	4	1.8	4G93 (SOHC)		B4791i						
Galant												
HG	01.89 - 12.90	4	2.0	4G63 SOHC		B4180i	B63Si	B84Si	B84Si	B106Si	B35CSi	
HG/HH	01.89 - 12.93	4	2.0	4G63 DOHC		B4488i						
HH	01.90 - 12.93	4	2.0	4G63 SOHC		B4180i	B63Si	B84Si	B84Si	B106Si	B35CSi	
HJ	11.92 - 05.96	4	2.0	4G63 SOHC Kat.		B4129i						
		6	2.0	6A12 Kat.		B6039i						
Galant VR4												
HH	01.90 - 12.93	4	2.0	4G63 DOHC		B4488i						
Lancer												
LC	10.80 - 08.81	4	1.6	4G32		B4018i	B58Ri	B63Ri	B72Ri	B84Ri	B55CSi	
CA	04.88 - 05.90	4	1.6	4G61		B4488i						



														
◀ MITSUBISHI							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead	
Nimbus														
UA	05.84 - 12.85	4	1.8	4G37			B4252i	B63Ri	B63Ri	B84Ri	B84Ri	B50CRi		
UB	01.86 - 08.87	4	1.8	4G37			B4252i	B63Ri	B63Ri	B84Ri	B84Ri	B50CRi		
UC	09.87 - 11.91	4	2.0	4G63			B4321i	B63Ri	B72Ri	B72Ri	B72Ri	B40CRi		
UF	01.92 - 11.98	4	2.4	4G64 SOHC	01.92 - 08.92		B4161i							
					09.92 - 11.98		B4632i							
UG	12.98→	4	2.4	4G64			B4314HP	B4314i						
Outlander														
ZE	05.03 - 07.04	4	2.4	4G64S4M			B4314HP	B4314i						
Pajero														
NA/NB/NC/ND/NE/NF/NG	12.82 - 04.91	4	2.6	4G54			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
NF/NG	09.88 - 04.91	6	3.0	6G72			B6068i	B58Ri B63Ri	B58Ri B72Ri	B58Ri	B63Ri	B30CRi		
NH	05.91 - 10.93	4	2.6	4G54			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
NH/NJ/NK	05.91 - 08.97	6	3.0	6G72	05.91 - 09.96		B6068i	B58Ri B63Ri	B58Ri B72Ri	B58Ri	B63Ri	B30CRi		
					10.96 - 08.97		B6126i							
NJ/NK/NL	11.93 - 02.00	6	3.5	6G74 Kat.	11.93 - 08.97		B6123i							
					09.97 - 02.00		B6241i							
NM	01.00→	6	3.5	6G74 DOHC 24V			B6241i							
Pajero iO														
H	06.98 - 08.01	4	1.8	4G93 DOHC			B4314HP	B4314i						
	03.99 - 09.01	4	1.6	4G18 <6-T1>			B4314HP	B4314i						
V	03.99 - 09.01	4	1.8	4G93 Kat.			B4314HP	B4314i						
H	07.00→	4	2.0	4G94			B4314HP	B4314i						
RVR														
	09.92 - 11.97	4	2.0	4G63 (DOHC)			B4792i							
Sigma														
GE	10.77 - 12.79	4	1.9	M324, M334			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
	10.77 - 04.80	4	1.6	4G32			B4018i	B58Ri	B63Ri	B72Ri	B84Ri	B55CSi		
	01.79 - 04.80	4	2.0	M421-31, M425-35			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
GH	05.80 - 02.82	4	2.6	M531-35			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
			1.6	4G32			B4018i	B58Ri	B63Ri	B72Ri	B84Ri	B55CSi		
			2.0	M431, M432			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
GJ	03.82 - 02.84	4	2.6	M531, M532			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
			1.6	4G32			B4018i	B58Ri	B63Ri	B72Ri	B84Ri	B55CSi		
			2.0	M431, M432			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
GK	03.84 - 06.85	4	2.6	M531, M532			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
			2.0	M432			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
			2.6	M531			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
GN	07.85 - 12.85	4	2.0	M462T			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
			2.6	M562T			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
			M571			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi			
GN	07.85 - 12.87	4	2.6	M572			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
Sigma Scorpion														
GJ, GK, GL	11.80 - 10.85	4	2.6	4G54			B4046i	B58Ri	B72Ri	B84Ri	B94Ri	B55CSi		
Starion														
JA	03.82 - 08.84	4	2.0	4G63T			B4732i	B72Ri	B84Ri	B84Ri	B94Ri	B40CRi		
JB	09.84 - 12.85	4	2.0	4G63T			B4732i	B72Ri	B84Ri	B84Ri	B94Ri	B40CRi		
JD	01.86 - 12.87	4	2.0	4G63T			B4732i	B72Ri	B84Ri	B84Ri	B94Ri	B40CRi		

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
Triton													
ME	10.86 - 06.88	4	2.6	4G54			B4323i	B51Ri	B72Ri	B72Ri	B84Ri	B50CRi	
MF	07.88 - 08.89	4	2.6	4G54			B4323i	B51Ri	B72Ri	B72Ri	B84Ri	B50CRi	
MG	09.89 - 08.90	4	2.6	4G54			B4323i	B51Ri	B72Ri	B72Ri	B84Ri	B50CRi	
MH	09.90 - 07.92	4	2.6	4G54			B4323i	B51Ri	B72Ri	B72Ri	B84Ri	B50CRi	
MJ	10.90 - 09.96	6	3.0	6G72			B6068i	B58Ri	B58Ri	B58Ri	B63Ri	B30CRi	
	08.92 - 09.96	4	2.6	4G54			B4323i	B51Ri	B72Ri	B72Ri	B84Ri	B50CRi	
MK	10.96 - 12.03	4	2.4	4G64			B4494i						
	10.96 - 04.07	6	3.0	6G72			B6235i						
3000 GT													
	10.92 - 09.97	6	3.0	6G72			B6039i						
NISSAN													
Bluebird													
910	04.81 - 01.85	4	2.0	L20B			B4221i	B72Ri	B72Ri	B84Ri	B84Ri	B40CRi	
	02.85 - 06.86	4	2.0	CA20S			B4222i						
U13	07.93 - 09.97	4	2.4	KA24DE			B4136i						
Cabstar													
	01.82 - 08.86	4	2.0	Z20			B4272i	B63Ri	B63Ri	B94Ri	B94Ri	B55CSi	
Datsun Pick-Up													
521	05.68 - 12.71	4	1.3	J13			B4055i	B35Si	B35Si	B40Si	B51Si	B55CSi	
			1.5	J15			B4055i	B35Si	B35Si	B40Si	B51Si	B55CSi	
Datsun Silvia 1600													
311	05.65 - 10.67	4	1.6				B4010i	B72Ri	B72Ri	B72Ri	B84Ri	B50CRi	
Datsun Silvia 2000													
311	03.67 - 12.70	4	2.0				B4010i	B72Ri	B72Ri	B72Ri	B84Ri	B50CRi	
Datsun Stanza													
A10	05.78 - 12.83	4	1.6	L16			B4010i	B72Ri	B72Ri	B72Ri	B84Ri	B50CRi	
Datsun Sunny													
B310	08.78 - 12.79	4	1.2	A12			B4034i	B35Si	B35Si	B35Si	B51Si	B55CSi	
Datsun 180B													
610	09.72 - 11.77	4	1.8	L18			B4010i	B72Ri	B72Ri	B72Ri	B84Ri	B50CRi	
Datsun 200B													
810	10.77→	6	2.0	L20B			B4010i	B72Ri	B72Ri	B72Ri	B84Ri	B50CRi	
Datsun 240K													
C110	09.72 - 11.77	6	2.4	L24			B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi	
Datsun 240Z													
S30	10.69 - 07.73	6	2.4	L24			B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi	
Datsun 260C													
330	09.75 - 05.77	6	2.6	L26			B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi	



													
◀NISSAN							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
Datsun 260Z													
S30	08.73 - 06.78	6	2.6	L26			B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi	
Datsun 280C													
330	06.77 - 05.79	6	2.8	L28			B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi	
430	06.79 - 10.82	6	2.8	L28			B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi	
	11.82 - 04.83	6	2.8	L28E			B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi	
Datsun 1000													
B10	03.67 - 05.70	4	1.0	A10			B4034i	B35Si	B35Si	B35Si	B51Si	B55CSi	
Datsun 1200													
B110	01.72 - 02.77	4	1.2	A12			B4034i	B35Si	B35Si	B35Si	B51Si	B55CSi	
Datsun 1600													
510	09.67 - 07.71	4	1.6	L16			B4010i	B72Ri	B72Ri	B72Ri	B84Ri	B50CRi	
Exa													
	10.83 - 06.87	4	1.5	E15ET			B4705i	B35Ri	B58Ri	B63Ri	B72Ri	B40CRi	
Gazelle													
S12	10.83 - 02.88	4	2.0	CA20E			B4222i						
Homer													
	01.76 - 12.83	4	2.0	H20			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi	
Maxima													
J30	02.90 - 06.94	6	3.0	VG30E			B6022i						
Micra													
K11E	05.95 - 12.97	4	1.3	CG13DE			B4141i						
Navara													
D21	09.85 - 02.92	4	2.4	Z24			B4291i	B63Ri	B63Ri	B94Ri	B94Ri	B55CSi	
	09.85 - 09.95	4	2.0	Z20			B4291i	B63Ri	B63Ri	B94Ri	B94Ri	B55CSi	
	03.92 - 01.97	4	2.4	KA24E			B4139i	B35Ri	B51Ri	B51Ri	B63Ri	B40CRi	
	03.92 - 03.97	6	3.0	VG30E			B6159i						
D22	02.97 - 12.05	4	2.4	KA24E			B4772i	B35Ri	B51Ri	B51Ri	B63Ri	B40CRi	
	06.00 - 11.05	6	3.0	VG30E			B6239i						
Nomad													
	12.86 - 12.92	4	2.4	Z24			B4056i	B63Ri	B63Ri	B84Ri	B84Ri	B25CDi	
NX													
B13	08.90 - 10.93	4	2.0	SR20DE			B4617i						
Pathfinder													
D21	08.86 - 07.92	4	2.4	Z24S			B4140i						
	09.90 - 12.92	4	2.4	Z24			B4291i	B63Ri	B63Ri	B94Ri	B94Ri	B55CSi	
D21	07.92 - 07.95	6	3.0	VG30E			B6159i						
R50	09.95 - 06.05	6	3.3	VG33E			B6239i						
Patrol													
60	01.67 - 12.80	6	4.0	P			B6008i	B30Si B51Si	B30Si B51Si	B40Si	B40Si	B61CSi	

																	
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead				
61	01.79 - 12.82	6	4.0	P40								B6008i	B30Si B51Si	B30Si B51Si	B40Si	B40Si	B61CSi
160	11.79 - 08.88	6	4.0	P40								B6008i	B30Si B51Si	B30Si B51Si	B40Si	B40Si	B61CSi
	07.80 - 08.88	6	2.8	L28								B6071i	B84Ri B84Ri	B84Ri B94Ri	B84Ri	B84Ri	B66CSi
	02.88 - 12.95	6	4.2	TB42S								B6104i	B51Ri B94Ri	B58Ri B114Ri	B72Ri	B72Ri	B60CRi
	04.90 - 11.97	6	3.0	RB30S								B6072i					
Y60	04.90 - 11.97	6	3.0	RB30S								B6072i					
	01.92 - 12.95	6	4.2	TB42E								B6104i	B51Ri B94Ri	B58Ri B114Ri	B72Ri	B72Ri	B60CRi
Y60	02.92 - 11.97	6	4.2	TB42E								B6104i	B51Ri B94Ri	B58Ri B114Ri	B72Ri	B72Ri	B60CRi
Y61	08.97 - 09.01	6	4.5	TB45E								B6028i	B45Ri B94Ri	B58Ri B104Ri	B72Ri	B84Ri	
Pintara																	
R31	06.86 - 12.90	4	2.0	CA20E								B4222i					
U12	08.89 - 10.92	4	2.0	CA20E								B4185i					
			2.4	KA24E								B4186i					
Prairie																	
M10	09.82 - 01.86	4	1.5	E15S								B4731i	B45Ri	B63Ri	B63Ri	B72Ri	B35CSi
Pulsar																	
N10	09.80 - 07.81	4	1.4	A14								B4034i	B35Si	B35Si	B35Si	B51Si	B55CSi
	08.81 - 03.82	4	1.3	E13								B4098i	B45Ri	B51Ri	B63Ri	B84Ri	B40CRi
			1.5	E15								B4098i	B45Ri	B51Ri	B63Ri	B84Ri	B40CRi
N12	04.82 - 12.85	4	1.3	E13								B4098i	B45Ri	B51Ri	B63Ri	B84Ri	B40CRi
	04.82 - 02.86	4	1.5	E15								B4098i	B45Ri	B51Ri	B63Ri	B84Ri	B40CRi
	04.84 - 07.87	4	1.5	E15T								B4705i	B35Ri	B58Ri	B63Ri	B72Ri	B40CRi
	06.86 - 07.87	4	1.6	E16S								B4098i	B45Ri	B51Ri	B63Ri	B84Ri	B40CRi
N13	08.87 - 10.91	4	1.6	16LF								B4260i					
			1.8	18LE								B4260i					
	08.90 - 12.94	4	2.0	SR20DET								B4617i					
N14	08.91 - 05.95	4	2.0	SR20DE								B4617i					
N15	08.95 - 06.00	4	1.6	GA16DE								B4616i					
			2.0	SR20DE	B4147HP							B4147i					
Serena																	
	07.92 - 12.95	4	2.0	SR20DE								B4138i					
Skyline																	
C210	10.77 - 07.81	6	2.4	L24								B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi
	10.77 - 08.83	6	2.4	L24E <SOHC - MPFI>								B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi
	10.77 - 08.85	6	2.4	L24E								B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi
R30	08.81 - 08.85	6	2.4	L24E								B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi
R31	07.86 - 12.90	6	3.0	RB30E	B6080HP							B6080i					
Sylvia																	
	01.91 - 10.93	4	2.0	SR20DE	B4172HP							B4172i					
Terrano																	
	10.89 - 08.95	6	3.0	VG30E								B6159i					
R20	11.96 - 12.99	4	2.4	KA24E								B4773i	B28Ri	B45Ri	B45Ri	B63Ri	



													
◀ NISSAN							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
The Ute													
XFN	01.88 - 12.91	6	4.1	V			B6074i	B58Hi B86Hi	B66Hi B100Hi	B66Hi	B86Hi	B35Chi	
Urvan													
E23	07.80 - 04.82	4	2.0	H20			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi	
	01.82 - 12.86	4	2.0	Z20			B4291i	B63Ri	B63Ri	B94Ri	B94Ri	B55CSi	
E24	11.86 - 06.97	4	2.4	Z24S			B4056i	B63Ri	B63Ri	B84Ri	B84Ri	B25CDi	
Vanette													
C120	10.78 - 06.87	4	1.2	A12			B4034i	B35Si	B35Si	B35Si	B51Si	B55CSi	
			1.5	A15			B4034i	B35Si	B35Si	B35Si	B51Si	B55CSi	
GC22	05.86 - 04.93	4	2.0	Z20S			B4084i						
	06.86 - 10.91	4	2.4	Z24S			B4084i						
	09.86 - 04.93	4	2.0	Z20			B4291i	B63Ri	B63Ri	B94Ri	B94Ri	B55CSi	
200SX													
S14	04.94 - 12.99	4	2.0	SR20DET			B4172HP	B4172i					
280ZX													
S130	10.78 - 05.84	6	2.8	L28E			B6001i	B72Ri B94Ri	B72Ri B94Ri	B72Ri	B84Ri	B50CRi	
300C													
Y30	01.84 - 12.88	6	3.0	VG30E			B6088i						
300ZX													
Z31	04.84 - 12.85	6	3.0	VG30E			B6088i						
	09.85 - 09.89	6	3.0	VG30ET			B6088i						
720 Ute													
720	01.80 - 09.84	4	1.8	L18S			B4221i	B72Ri	B72Ri	B84Ri	B84Ri	B40CRi	
	10.84 - 12.85	4	2.2	Z22			B4221i	B72Ri	B72Ri	B84Ri	B84Ri	B40CRi	
PEUGEOT													
205 GTi													
	10.87 - 03.91	4	1.9	DFZ <XU9J1 Kat.>			B4745i						
	04.91 - 04.94	4	1.9	DFY,DKZ <XU9JAZ Kat.>			B4681i						
205 Si													
	04.91 - 04.94	4	1.6	BDY <XU5M Kat.>			B4688i						
306													
N3	01.93 - 04.97	4	1.8	LFZ <XU7JP KAT.>			B4697i						
	08.93 - 04.97	4	2.0	RFX <XU10J2 KAT.>			B4721i						
404													
	11.62 - 05.70	4	1.6	<XC6 / XC7>			B4032i						
405													
15	04.88 - 12.92	4	1.9	DFW <XU9J4Z Kat.>			B4686i						
	07.88 - 12.92	4	1.9	DFZ <XU9J1 Kat.>			B4743i						
				DKZ,DFY <XU9JAZ Kat.>			B4743i						
4	06.92 - 04.97	4	2.0	RFX <XU10J2 Kat.>			B4721i						
	01.93 - 04.97	4	2.0	RFT <XU10J4>			B4686i						
				RFY <XU10J4>			B4686i						
504													
	06.70 - 05.71	4	1.8	<XM1>			B4032i						



													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
RAMBLER (AMC)													
Hornet													
	07.70 - 12.71	6	3.8				B6066i						
	01.72 - 12.76	6	4.2				B6066i						
Javelin													
	09.68 - 12.70	8	5.6				B8088i						
	01.71 - 12.71	8	6.4				B8088i						
	01.72 - 12.73	8	6.6	<Z>			B8088i						
Matador													
	11.71 - 12.78	8	5.9	<N>			B8088i						
Rebel													
	07.67 - 12.69	8	4.7	<N>			B8088i						
	01.70 - 12.71	8	5.6	<N>			B8088i						
RENAULT													
Fuego													
	10.82 - 10.85	4	2.0	829 710			B4693i						
R 10													
	10.66 - 02.71	4	1.1	688			B4034i	B35Si	B35Si	B35Si	B51Si	B55CSi	
R 12													
	04.70 - 12.81	4	1.3	810 97			B4034i	B35Si	B35Si	B35Si	B51Si	B55CSi	
	10.76 - 12.81	4	1.4	847 99			B4034i	B35Si	B35Si	B35Si	B51Si	B55CSi	
R 15													
	10.71 - 02.76	4	1.6	807			B4035i	B40Si	B40Si	B40Si	B40Si	B55CSi	
R 16													
	01.68 - 07.76	4	1.6	807			B4036i						
R 17													
	10.71 - 02.76	4	1.6	807			B4035i	B40Si	B40Si	B40Si	B40Si	B55CSi	
	09.73 - 06.77	4	1.6	807,844			B4089i	B40Si	B40Si	B40Si	B40Si	B55CSi	
R 18													
	04.78 - 02.86	4	1.6	A2M 723			B4089i	B40Si	B40Si	B40Si	B40Si	B55CSi	
R 20													
	10.77 - 12.83	4	2.0	829			B4073i						
R 21													
L48	07.86 - 12.94	4	2.2	J7T 754,755 Kat.			B4278i						
	10.86 - 03.93	4	2.0	J7R 750,751			B4278i						
R 25													
	01.84 - 10.86	4	2.2	J7T 706,707			B4278i						
	10.85 - 10.86	4	2.2	J7T 708			B4278i						
	10.86 - 12.92	4	2.2	J7T 732,733 Kat.			B4278i						

													
							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
ROVER													
Quintet													
	05.83 - 03.86	4	1.6	EL18			B4682i						
3.5 Litre													
P5B	09.68 - 12.71	8	3.5	V8			B8006i	B51Si B71Si	B58Si B76Si	B58Si B84Si	B63Si B84Si	B60CRi	
416													
	05.86 - 05.90	4	1.6	D16A3			B4316i						
825													
	10.86 - 10.88	6	2.5	C25A V6 <KAT.>			B6102i						
827													
	02.88 - 10.91	6	2.7	C27A V6			B6102i						
2000-3500													
P6	01.65 - 12.72	4	2.0				B4044i						
3500													
P6B	04.68 - 05.76	8	3.5				B8006i	B51Si B71Si	B58Si B76Si	B58Si B84Si	B63Si B84Si	B60CRi	
SD1	12.78 - 10.86	8	3.5	V 8			B8024i	B51Ri B84Ri	B63Ri B94Ri	B72Ri B94Ri	B84Ri B104Ri	B66CRi	
SAAB (SAAB AUTOMOBILE AB)													
99													
	01.72 - 12.75	4	2.0	BE 20			B4080i	B45Ri	B51Ri	B72Ri	B72Ri	B25CDi	
	06.72 - 08.74	4	2.0	B 20			B4080i	B45Ri	B51Ri	B72Ri	B72Ri	B25CDi	
	09.75 - 08.81	4	2.0	B 20			B4080i	B45Ri	B51Ri	B72Ri	B72Ri	B25CDi	
	01.76 - 08.81	4	2.0	BI 20			B4080i	B45Ri	B51Ri	B72Ri	B72Ri	B25CDi	
	10.77 - 08.80	4	2.0	BSI 20			B4080i	B45Ri	B51Ri	B72Ri	B72Ri	B25CDi	
900													
	09.78 - 08.83	4	2.0	BI 20			B4080i	B45Ri	B51Ri	B72Ri	B72Ri	B25CDi	
	09.85 - 08.92	4	2.0	B 202 I Kat.			B4295i						
	09.90 - 08.93	4	2.1	B 212 I Kat.			B4295i						
900 Turbo													
	09.78 - 08.83	4	2.0	B 201 S			B4226i	B72Ri	B72Ri	B72Ri	B72Ri	B50CRi	
	08.84 - 08.93	4	2.0	B 202 L Kat.			B4746i	B45Ri	B72Ri	B72Ri	B84Ri	B45CSi	
					Optional		B4295i						
900 Turbo Cabriolet													
	09.90 - 08.93	4	2.0	B 202 L Kat.			B4746i	B45Ri	B72Ri	B72Ri	B84Ri	B45CSi	
					Optional		B4295i						
9000													
	09.85 - 08.88	4	2.0	B 202 L <Turbo- Katalysator>			B4295i						
	08.86 - 08.93	4	2.0	B 202 I <Kat>			B4295i						
	01.90 - 08.93	4	2.0	B 202 L <Turbo- Katalysator>			B4295i						
	09.90 - 08.93	4	2.3	B 234 L <Turbo- Katalysator>			B4295i						
	09.92 - 12.98	4	2.0	B 202 S <Turbo- Katalysator>			B4295i						
	09.93 - 12.98	4	2.3	B 234 I <Kat>			B4295i						
				B 234 L <Kat>			B4295i						



      	
---	--

      												
						Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
MV												
	11.84 - 12.94	4	1.8	EA81			B4074i	B35Ri	B35Ri	B63Ri	B63Ri	B50CRi
Outback												
BD,BG	06.96 - 12.99	4	2.5	EJ25D <4CAM>			B4777i					
BE,BH	10.98 - 06.03	4	2.5	EJ251			B4777i					
BL,BP	07.03 - 06.06	4	2.5	EJ25			B4777i					
	10.03 - 04.06	4	2.5	EJ25 (SOHC)			B4777i					
Sherpa												
	10.83 - 12.93	2	0.7	EK42			B2002i					
Vortex												
	01.86 - 12.89	4	1.8	EA82			B4273i	B28Ri	B35Ri	B104Ri	B104Ri	B30CRi
SUZUKI												
Alto												
SS	06.82 - 12.85	3	0.6	F5A			B3002i	B58Ri	B58Ri	B58Ri		B30CRi
EC	01.86 - 12.89	3	0.8	F8B			B3007i	B58Ri	B58Ri	B58Ri		B30CRi
EF	10.94 - 02.02	4	1.0	G10B			B4330i	B51Ri	B51Ri	B72Ri	B72Ri	B60CRi
Baleno												
	05.95 - 11.01	4	1.6	G16B	05.95 - 02.99 03.99 - 11.01	B4365HP	B4365i					
							B4782i					
Carry												
ST	11.80 - 10.85	4	0.8	F8A			B4044i					
ED	10.85 - 12.90	4	1.0	F10A			B4188i					
FD	03.99 - 03.09	4	1.3	G13B			B4782i					
Grand Vitara												
	03.98 - 03.08	4	1.6	G16B			B4782i					
Ignis												
	10.00 - 09.03	4	1.3	M13A			B4783i					
	12.03 - 02.05	4	1.5	M15A			B4783i					
Jimny												
	10.98 - 10.08	4	1.3	G13BB			B4782i					
	10.00 - 10.05	4	1.3	M13A			B4783i					
Liana												
	03.01 - 12.07	4	1.6	M16A			B4783i					
	04.05 - 12.07	4	1.8	M18A			B4783i					
Sierra												
	01.85 - 12.88	4	1.0	F10A			B4105i	B51Ri	B58Ri	B58Ri	B58Ri	B40CRi
	01.85 - 12.89	4	1.3	G13A			B4238i	B58Si	B58Si	B63Si	B63Si	B35CSi
	01.90 - 12.95	4	1.3	G13BA			B4238i	B58Si	B58Si	B63Si	B63Si	B35CSi
	11.95 - 12.97	4	1.3	G13B (SOHC)			B4238i	B58Si	B58Si	B63Si	B63Si	B35CSi
Swift												
SA	10.84 - 03.89	4	1.3	G13A			B4227i	B51Ri	B58Ri	B58Ri	B58Ri	B43CDi
	01.85 - 12.88	3	1.0	G10			B3006i	B58Ri	B72Ri	B72Ri		B60CRi
SF	09.91 - 09.95	4	1.3	G13B			B4330i	B51Ri	B51Ri	B72Ri	B72Ri	B60CRi
			1.6	G16B		B4365HP	B4365i					
	06.96 - 03.01	4	1.3	G13BA			B4330i	B51Ri	B51Ri	B72Ri	B72Ri	B60CRi



      	
---	--



T

      												
◀ TOYOTA						Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
Dyna												
YU60	09.84 - 08.86	4	2.0	3Y			B4280i					
YU70	09.84 - 08.86	4	2.0	3Y			B4280i					
YU80	09.84 - 08.86	4	2.0	3Y			B4280i					
YH81	08.85 - 03.92	4	1.8	2Y			B4280i					
YU62	08.86 - 08.87	4	2.2	4Y			B4280i					
YU71	08.86 - 08.87	4	2.2	4Y			B4280i					
YU81	08.86 - 08.87	4	2.2	4Y			B4280i					
YU62	08.88 - 05.95	4	2.2	4Y			B4280i					
Hiace												
	07.68 - 01.71	4	1.5	2R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
	02.71 - 12.83	4	1.6	12R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RH11/20/30/40	09.72 - 10.82	4	1.6	12R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RH22/32	02.77 - 11.82	4	2.0	18R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RH11/20	02.77 - 12.82	4	1.6	12R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RH11	11.82 - 07.85	4	1.6	12R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
YH50	12.82 - 01.84	4	1.8	2YC			B4280i					
YH61	12.82 - 08.86	4	2.0	3Y			B4280i					
YH73	08.86 - 08.87	4	2.2	4Y			B4280i					
YH51	08.87 - 08.89	4	2.0	3Y			B4280i					
RZH103	08.89 - 08.98	4	2.4	2RZ			B4358i	B63Ri	B63Ri	B72Ri	B84Ri	
RZH113	08.89 - 02.05	4	2.4	2RZE			B4640i					
RZH103	08.93 - 02.05	4	2.4	2RZE			B4640i					
RCH12R/S.B.V	08.95 - 12.03	4	2.4	2RZE			B4640i					
RCH22	03.97 - 12.03	4	2.4	2RZE			B4640i					
Hiace Commuter												
RZH125B	08.98 - 07.03	4	2.4	2RZE			B4640i					
Hilux												
RN10	03.68 - 01.71	4	1.5	2R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RN13	02.71 - 04.72	4	1.6	12R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RN16	02.71 - 04.72	4	1.6	12R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RN20LKR	05.72 - 07.78	4	1.6	12R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RN25LKR	05.72 - 07.78	4	1.6	12R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RN30	08.78 - 07.83	4	1.6	12R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RN40	08.78 - 07.83	4	1.6	12R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RN41	08.78 - 07.83	4	2.0	18RC			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RN36	01.79 - 07.83	4	2.0	18R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
RN46	01.79 - 07.83	4	2.0	18R			B4006i	B30Si	B30Si	B30Si	B35Si	B60CRi
YN52/57/60/65	09.83 - 08.88	4	2.0	3Y			B4268i					
YN57R	06.84 - 11.86	4	2.0	3Y			B4268i					
RN50/55/58/61/67	01.86 - 07.98	4	2.4	22R			B4249i	B35Ri	B51Ri	B51Ri	B72Ri	B50CRi
YN67R	02.86 - 08.98	4	2.2	4Y			B4280i					
YN50/55	08.86 - 07.98	4	1.6	1Y			B4280i					
YN58/62/63/67	08.86 - 07.98	4	2.2	4Y			B4280i					
YN51R	11.86 - 08.98	4	1.8	2Y			B4268i					
YN51/56	08.87 - 08.88	4	1.8	2Y			B4268i					
YN106	08.88 - 08.94	4	2.2	4Y			B4280i					
YN110	08.88 - 08.94	4	2.2	4Y			B4280i					
YN85	08.88 - 10.94	4	1.8	2Y			B4268i					
RN110	08.88 - 08.97	4	2.4	22RE			B4249i	B35Ri	B51Ri	B51Ri	B72Ri	B50CRi
RN110R	08.88 - 08.97	4	2.4	22R			B4652i					
YN80/YN85	09.88 - 08.94	4	1.8	2Y			B4268i					
VZN130	08.89 - 11.95	6	3.0	3VZE			B6160i					
RZN147/ RZN152H	08.97 - 12.02	4	2.0	1RZE			B4640i					



T

													
◀ TOYOTA							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
KM30	08.88 - 01.92	4	1.5	5K				B4293i					
KM36	08.88 - 01.92	4	1.5	5K				B4293i					
M3	01.90 - 01.92	4	2.0	2YC				B4280i					
MR2													
AW11	11.84 - 12.89	4	1.6	4AGEL				B4165i					
	08.87 - 12.89	4	1.6	4AGELC				B4165i					
SW20	12.89 - 08.99	4	2.0	3SGE				B4639i					
	01.90 - 11.93	4	2.0	3SGTE				B4639i					
Paseo													
EL44	04.91 - 08.95	4	1.5	5EFE				B4312i					
EL54R	08.95 - 07.99	4	1.5	5EFE				B4312i					
RAV4													
SXA 10/11	04.94 - 08.00	4	2.0	3SFE				B4106i					
Soarer													
UZZ30/ UZZ31/UZZ32	05.91 - 09.97	8	4.0	1UZFE				B8040i					
Spacia													
YR22	10.93 - 08.96	4	2.2	4YEC				B4163i					
SR40G	02.98 - 11.01	4	2.0	3SFE				B4771i					
Sprinter													
AE86	05.83 - 05.85	4	1.6	4AC				B4245i	B35Ri	B35Ri	B35Ri	B45Ri	B53CDi
	08.83 - 07.87	4	1.6	4AGE				B4666i					
AE102	11.92 - 05.95	4	1.8	7AFE				B4312i					
Starlet													
EP82	12.89 - 01.96	4	1.3	4EFTE				B4301i					
EP91	01.96 - 07.99	4	1.3	4EFE				B4312i					
Stout													
RK101	09.67 - 02.79	4	2.0	5R				B4081i	B30Si	B30Si	B35Si	B35Si	B35CSi
Supra													
MA61	08.83 - 12.85	6	2.8	5ME				B6006i	B63Si B96Si	B71Si B106Si	B76Si	B91Si	B45CSi
MA70	01.86 - 12.90	6	3.0	7MGE				B6109i					
MA71	10.88 - 04.93	6	3.0	7MGTE				B6077i					
Tarago													
YR20	02.83 - 03.84	4	1.8	2YC				B4280i					
YR21	03.84 - 10.85	4	2.0	3YC				B4280i					
YR31	01.86 - 04.90	4	2.2	4YEC				B4280i					
TCR10W/ TCR11W	05.90 - 01.98	4	2.4	2TZFE				B4485i					
TCR20W/ TCR21W	05.90 - 01.98	4	2.4	2TZFE				B4485i					
TCR10R	05.90 - 12.00	4	2.4	2TZFE				B4485i					
Tercel													
AL25	10.82 - 01.88	4	1.5	3A				B4231i	B30Si	B30Si	B51Si	B51Si	B40CRi
				3AC			B4231i	B30Si	B30Si	B51Si	B51Si	B40CRi	
Townace													
YR39	04.92 - 12.96	4	2.0	3YC				B4163i					
KR42V	11.96 - 12.98	4	1.8	7K				B4311i					

      												Coil Lead
						Motor Sport	Super Sport	1 5	2 6	3 7	4 8	
Toyoace												
RY16	07.72 - 02.79	4	2.0	5R			B4044i					
RY31	05.80 - 07.85	4	2.0	5R			B4044i					
4-Runner												
YN60	01.84 - 12.85	4	2.0	3YC			B4268i					
YN63	01.85 - 07.89	4	2.2	4YC			B4280i					
	08.89 - 12.90	4	2.2	4YE			B4280i					
RN130	08.89 - 11.95	4	2.4	22R	08.89 - 07.91		B4652i					
					08.91 - 11.95		B4249i					
VZN130	01.90 - 11.95	6	3.0	3VZE			B6160i					
RN130	08.91 - 11.95	4	2.4	22R			B4249i					
TRIUMPH												
Dolomite												
	09.75 - 12.75	4	1.9	WF			B4044i					
Dolomite Sprint												
	09.75 - 06.76	4	2.0	VA			B4044i					
GT6 MK I												
	03.67 - 09.68	6	2.0	KC			B6066i					
GT6 MK II												
	07.69 - 12.70	6	2.0	KC			B6066i					
GT6 MK III												
	07.71 - 11.72	6	2.0	KE			B6066i					
	12.72 - 11.73	6	2.0	KE			B6017i	B35Si B51Si	B35Si B51Si	B40Si	B40Si	B50CRi
Spitfire Mk I												
	04.63 - 12.65	4	1.1	AJM			B4044i					
Spitfire Mk II												
	01.66 - 12.67	4	1.1	AJM			B4044i					
Spitfire Mk III												
	03.67 - 12.67	4	1.3				B4044i					
Spitfire Mk IV												
	12.72 - 12.75	4	1.5				B4044i					
Stag												
	09.72 - 06.77	8	3.0	LD,LF			B8088i					
TR4												
	10.61 - 06.65	4	2.0	CT			B4044i					
TR4A												
	07.65 - 09.67	4	2.1	CT			B4044i					
TR5												
	10.67 - 09.68	6	2.5				B6066i					
TR6												
	07.69 - 12.72	6	2.5	CP			B6066i					



													
◀ TRIUMPH							Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
01.73 - 02.75 6 2.5 CF1							B6066i						
2000 MK I													
01.68 - 12.75 6 2.0 MB							B6017i	B35Si B51Si	B35Si B51Si	B40Si	B40Si	B50CRi	
2000 MK II													
05.72 - 12.74 6 2.0 ME							B6017i	B35Si B51Si	B35Si B51Si	B40Si	B40Si	B50CRi	
05.74 - 05.75 6 2.0 ML							B6017i	B35Si B51Si	B35Si B51Si	B40Si	B40Si	B50CRi	
2000 TC MK II													
05.75 - 05.77 6 2.0 ML							B6017i	B35Si B51Si	B35Si B51Si	B40Si	B40Si	B50CRi	
2500 S													
06.77 - 12.77 6 2.5 MM							B6017i	B35Si B51Si	B35Si B51Si	B40Si	B40Si	B50CRi	
2500 TC													
05.74 - 04.75 6 2.5 MK							B6017i	B35Si B51Si	B35Si B51Si	B40Si	B40Si	B50CRi	
05.75 - 12.77 6 2.5 MM							B6017i	B35Si B51Si	B35Si B51Si	B40Si	B40Si	B50CRi	
VOLVO													
C70													
09.97 - 07.02 5 2.3 B5234T3							B5007i						
P1800E													
09.69 - 07.73 4 2.0 B 20 E							B4044i						
P1800ES													
09.71 - 07.73 4 2.0 B 20 E							B4044i						
S40													
09.95 - 07.99 4 2.0 B4204S							B4711i						
05.97 - 07.99 4 1.9 B4194T							B4711i						
04.98 - 07.99 4 2.0 B4204T							B4711i						
S70													
01.97 - 07.99 5 2.4 B5254S							B5007i						
B5254T							B5007i						
01.97 - 07.00 5 2.3 B5234T3							B5007i						
V40													
01.96 - 07.99 4 2.0 B4204S							B4711i						
05.97 - 07.99 4 1.9 B4194T							B4711i						
04.98 - 07.99 4 2.0 B4204T							B4711i						
V70													
01.97 - 03.00 5 2.3 B5234T3							B5007i						
2.4 B5254S							B5007i						
B5254T							B5007i						
140 Series													
08.68 - 07.70 4 2.0 B 20 A							B4039i	B25Si	B25Si	B35Si	B40Si	B35CSi	

														
								Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
	08.70 - 07.73	4	2.0	B 20 B				B4039i		B25Si	B25Si	B35Si	B40Si	B35CSi
	09.70 - 07.74	4	2.0	B 20 E				B4039i		B25Si	B25Si	B35Si	B40Si	B35CSi
164														
	05.69 - 12.72	6	3.0	B 30 A				B6066i						
164E														
	09.71 - 07.74	6	3.0	B 30 E				B6066i						
240 Series														
	03.75 - 10.80	4	2.1	B21E				B4042i						
	10.78 - 07.84	4	2.1	B21A				B4042i						
	01.81 - 07.84	4	2.3	B23E				B4042i						
	01.85 - 02.86	4	2.3	B230E				B4042i						
	03.86 - 12.91	4	2.3	B230F Kat.				B4042i						
	08.92 - 07.93	4	2.3	B230F				B4042i						
260 Series														
	08.74 - 07.80	6	2.7	B27E				B6016i						
	02.81 - 07.84	6	2.8	B28E				B6016i						
360														
	01.84 - 07.84	4	2.0	B19E				B4233i						
	01.85 - 12.88	4	2.0	B200E				B4233i						
740														
	08.84 - 07.89	4	2.3	B230ET				B4174i						
	08.84 - 07.91	4	2.3	B230E				B4174i						
				B230FT Kat.				B4174i						
	08.84 - 07.92	4	2.3	B230F Kat.				B4174i						
	04.88 - 07.90	4	2.3	B234F Kat.				B4174i						
760														
	02.83 - 12.85	6	2.8	B28E				B6016i						
	01.86 - 04.86	6	2.8	B28F Kat.				B6016i						
	05.86 - 11.90	6	2.8	B280F Kat.				B6122i						
760 Turbo														
	01.84 - 07.84	4	2.3	B23ET				B4174i						
	08.84 - 12.85	4	2.3	B230ET				B4174i						
850														
	09.91 - 07.97	5	2.5	B5254S Kat.				B5007i						
	09.92 - 07.97	5	2.5	B5252S Kat.				B5007i						
	09.93 - 07.96	5	2.3	B5234FT Kat.				B5007i						
	08.95 - 07.97	5	2.3	B5234T4 Kat.				B5007i						
	09.96 - 07.97	5	2.5	B5254T Kat.				B5007i						
940														
	12.90 - 12.93	4	2.3	B230FT Kat.				B4174i						
	06.91 - 07.95	4	2.3	B230F Kat.				B4174i						
	05.95 - 12.96	4	2.3	B230FK Kat.				B4174i						
960														
	09.90 - 07.91	6	2.8	B280F Kat.				B6122i						



      												
						Motor Sport	Super Sport	1 5	2 6	3 7	4 8	Coil Lead
VW (VOLKSWAGEN)												
Beetle												
1500	09.68 - 12.70	4	1.5	H			B4011i					
1302	02.71 - 12.73	4	1.6	AD			B4011i					
1300	02.71 - 10.75	4	1.3	AB, AR			B4011i					
1303	02.73 - 10.75	4	1.6	AD			B4011i					
1600	01.76 - 07.76	4	1.6	AS			B4011i					
Bora												
1J2	09.98 - 05.05	4	2.0	APK			B4753i					
Caravelle												
70, 7D	09.90 - 06.03	4	2.0	AAC			B4703i					
	11.90 - 12.93	5	2.5	AAF			B5003i					
Golf												
17	03.76 - 07.77	4	1.6	FP			B4023i	B35Si	B35Si	B40Si	B58Si	B61CSi
	03.76 - 07.79	4	1.6	FN			B4023i	B35Si	B35Si	B40Si	B58Si	B61CSi
Golf Cabriolet												
15	07.90 - 08.93	4	1.8	JH			B4696i					
Golf II												
19, 1G	07.90 - 11.92	4	1.8	RV			B4696i					
Golf III												
1H1	04.94 - 09.94	4	2.0	2E			B4696i					
	04.94 - 12.97	6	2.8	AAA			B6227i					
	10.94 - 12.97	4	2.0	ADY			B4696i					
1E7	02.95 - 07.95	4	2.0	ADY			B4696i					
	07.95 - 04.98	4	2.0	AGG			B4696i					
1H1	10.95 - 12.97	4	1.8	ADZ			B4696i					
Golf IV												
1J1	10.97 - 10.00	4	1.8	AGN			B4751i					
	10.97 - 05.03	4	1.8	AGU			B4751i					
	10.97 - 05.04	4	1.6	AKL			B4750i					
	01.98 - 05.04	4	1.6	AEH			B4750i					
1E7	04.98 - 12.01	4	2.0	AGG			B4696i					
1J1	08.98 - 05.04	4	2.0	APK			B4753i					
	12.98 - 05.00	4	2.0	AEG			B4753i					
	09.00 - 05.04	4	1.6	AVU			B4750i					
	07.03 - 02.04	4	2.0	APK			B4753i					
Passat												
32/33	07.73 - 08.75	4	1.5	ZC			B4023i	B35Si	B35Si	B40Si	B58Si	B61CSi
	02.74 - 10.75	4	1.3	ZF			B4023i	B35Si	B35Si	B40Si	B58Si	B61CSi
			1.5	ZB			B4023i	B35Si	B35Si	B40Si	B58Si	B61CSi
32, 33	06.74 - 12.81	4	1.3	ZF			B4023i	B35Si	B35Si	B40Si	B58Si	B61CSi
32/33	11.75 - 07.79	4	1.6	FS			B4023i	B35Si	B35Si	B40Si	B58Si	B61CSi
31, 35, 3A, 3A5, 3A2	08.95 - 03.97	6	2.8	AAA			B6227i					
3B2	01.97 - 11.00	6	2.8	ACK			B6216i					
	06.97 - 11.00	6	2.8	ALG			B6216i					
3B5	06.97 - 11.00	6	2.8	ACK			B6216i					
				ALG			B6216i					

						SET							
						Motor Sport	Super Sport	1	2	3	4	Coil Lead	
								5	6	7	8		
Transporter													
21-27	05.73 - 07.73	4	1.7	CA			B4082i						
	01.74 - 07.75	4	1.8	AP			B4082i						
	11.75 - 04.79	4	2.0	CJ			B4082i						
70, 7D	09.90 - 06.03	4	2.0	AAC			B4703i						
	11.90 - 12.93	5	2.5	AAF			B5003i						
	08.96 - 06.03	5	2.5	AET			B5003i						
7H	06.03 - 11.09	4	2.0	AXA			B4753i						
Type 3													
3	08.71 - 07.73	4	1.6	U			B4011i						
Vento													
1H2	07.95 - 03.97	4	2.0	AGG			B4696i						



Universal HT Lead Kits and Single Replacement Leads

Universal HT Lead Kits

The distributor cap end on the leads are un-terminated to suit your customers requirements.
All distributor end terminals are straight and supplied in a kit.

Part No.	Description
B4044i	4 cylinder Regular length
B4078i	4 cylinder Extra length, straight plug ends
B6066i	6 cylinder Regular length
B8018i	8 cylinder Regular length
B8030i	8 cylinder Regular length, right angle plug ends
B8088i	8 cylinder Extra length, straight plug ends

Features of Single Replacement Leads

- ▶ Same high quality specifications as Bosch lead kits
- ▶ Radio frequency interference suppression
- ▶ Inductive cable for maximum energy to your spark plugs
- ▶ Stainless steel spark plug terminals
- ▶ LPG compatible
- ▶ Suitable for high temperature applications
- ▶ Tough heat resistant boots and casings
- ▶ 5 years or 100,000km warranty
- ▶ Between 3,500 and 7,000 ohms per metre

Coil Leads

Legend for Part Numbers

Length : 25 = 25cm		
Suffix :		
CDi	=	Coil leads - right angle boots both ends
CHi	=	High energy coil leads
CRi	=	Coil leads - right angle boot one end
CSi	=	Coil leads - straight boots

					
COIL LEADS - STRAIGHT BOOTS			COIL LEADS - RIGHT ANGLE BOOTS		
Length cm	Part Number		Length cm	Part Number	
25	B25CSi	5 per pack	30	B30CRi	5 per pack
35	B35CSi	5 per pack	40	B40CRi	5 per pack
45	B45CSi	5 per pack	50	B50CRi	5 per pack
55	B55CSi	5 per pack	60	B60CRi	5 per pack
61	B61CSi	5 per pack	66	B66CRi	5 per pack
66	B66CSi	5 per pack			
					
COIL LEADS - RIGHT ANGLE BOOT BOTH ENDS			HIGH ENERGY COIL LEADS		
Length cm	Part Number		Length cm	Part Number	
25	B25CDi	5 per pack	25	B25CHi	5 per pack
43	B43CDi	5 per pack	35	B35CHi	5 per pack
53	B53CDi	5 per pack			
61	B61CDi	5 per pack			

Spark Plug Leads

Legend for Part Numbers

Length : 25 = 25cm		
Suffix :		
Hi	=	High energy spark plug lead - right angle boot
Ri	=	Spark plug lead - right angle boot
Si	=	Spark plug lead - straight boot

											
SPARK PLUG LEADS - STRAIGHT BOOTS						SPARK PLUG LEADS - RIGHT ANGLE BOOTS					
Length Part cm Number			Length Part cm Number			Length Part cm Number			Length Part cm Number		
25	B25Si	5 per pack	71	B71Si	5 per pack	28	B28Ri	5 per pack	72	B72Ri	5 per pack
30	B30Si	5 per pack	76	B76Si	5 per pack	35	B35Ri	5 per pack	84	B84Ri	5 per pack
35	B35Si	5 per pack	84	B84Si	5 per pack	45	B45Ri	5 per pack	94	B94Ri	5 per pack
40	B40Si	5 per pack	91	B91Si	5 per pack	51	B51Ri	5 per pack	104	B104Ri	5 per pack
51	B51Si	5 per pack	96	B96Si	5 per pack	58	B58Ri	5 per pack	114	B114Ri	5 per pack
58	B58Si	5 per pack	106	B106Si	5 per pack	63	B63Ri	5 per pack			
63	B63Si	5 per pack									
											
HIGH ENERGY SPARK PLUG LEADS - RIGHT ANGLE BOOTS											
Length Part cm Number			Length Part cm Number								
30	B30Hi	5 per pack	86	B86Hi	5 per pack						
35	B35Hi	5 per pack	100	B100Hi	5 per pack						
58	B58Hi	5 per pack	107	B107Hi	5 per pack						
66	B66Hi	5 per pack	122	B122Hi	5 per pack						
76	B76Hi	5 per pack									

Ford and Holden 6 Cyl. Single Lead Applications

This range is ideal if you need to replace just one lead due to accidental installation damage. These leads feature genuine OE boots as per lead kits. Single leads listed in the application section from BLM50i merchandiser use a “universal” style boot.

Bosch Tip: We recommend replacing the complete set where possible. If all leads are the same age and have been exposed to the same environment, they will be in a similar condition. Failure of one may indicate impending failure of others. Also for post 1986 vehicles running on unleaded fuel, complete kit replacement avoids the risk of poisoning the catalytic converter in the exhaust system due to lead failure.

FORD FALCON / FAIRMONT EA - AUI			HOLDEN COMMODORE / VN - VT SERIES 1			
Part	Fits Cyl.	Model	Part	Fits Cyl.	Model	
B273Fi	All coil leads		B298GMi	All coil leads	VS, VTI	1995 - 1999
B670Fi	2/3	EA, EB, EBII, ED	B473GMi	1	VP / VPiI	1991 - 1995
B691Fi	2	AUI		1	VN	1988 - 1991
B741Fi	1	AUI		3	VP / VPiI / VR	1991 - 1995
B745Fi	1/4 3/5/6	EA, EB, EBII, ED AUI	B518GMi	5	VP / VPi / VR	1991 - 1995
				3	VS / VTI	1995 - 1999
				5	VS / VTI	1995 - 1999
B790Fi	5 4	EF, EFII AUI	B763GMi	3	VN	1988 - 1991
				5	VN	1988 - 1991
B830Fi	5 4/6	EA, EB, EBII, ED EF, EFII	B863GMi	2	VS / VTI	1995 - 1999
				6	VP / VPi / VR	1991 - 1995
B900Fi	6 3 6	EA, EB, EBII, ED EF, EFII EL	B893GMi	2	VN	1988 - 1991
				2	VP / VPiI / VR	1991 - 1995
B980Fi	2 4/5	EF, EFII EL	B953GMi	6	VN	1988 - 1991
				6	VS / VTI	1995 - 1999
				4	VN	1988 - 1991
				4	VP / VPiI	1991 - 1995
B1110Fi	1 2/3	EF, EFII EL	B998GMi	4	VS / VTI	1995 - 1999
B122Hi	1	EL				

Kit Structure - Lead Lengths



Kit Structure - Lead Lengths

Lead lengths are measured in mm from terminal to terminal.

Pictures begin on page D11

See Picture References column for boot photograph reference number


For spark plug boot length measuring points, see diagram



Part No.	Coil Lead	Lead Lengths in Kit (From Shortest to Longest)										S/Plug Boot Length (mm)	Picture References refer to Page D11
B2001i	570	627 x 2											
B2002i	NIL	674	974									96	83/90
B2004i	400	557 x 2											
B2006i	NIL	206	441										79/87
B2007i	NIL	276	291										79/86
B2008i	NIL	266	541	606 x 2									79/86/89
B2009i	NIL	387	347										48
B2010i	NIL	190	490										
B3001i	360	347	407	467									
B3002i	450	577 x 3											
B3003i	420	557	607	717									
B3004i	310	547 x 2											
B3005i	300	580	680 x 2										83/64
B3006i	550	557	707 x 2										
B3007i	310	547 x 3											
B3008i													Import set
B3009i												103	Import set
B3010i	340	394	464	564								95	102/110/100
B3011i	460	527	607	657									
B3015i	420	467	617	667									80/86/69
B3016i	360	382	462	612									
B3017i	360	382	462	612									
B3018i	460	407	452	482									76/77/89/122
B4001i	450	397 x 2	497 x 2										
B4003i	530	357 x 2	397	457									
B4004i	410	462 x 2	622 x 2									94	77/86/69
B4005i	450	627	657	777	807								
B4006i	560	307 x 3	337										
B4007i	460	277	357	397	457							60	
B4009i	390	277 x 2	357	397									
B4010i	420	707	737 x 2	797									
B4011i	350	562	597	692	837								72/89/90
B4012i	620	277 x 4											91/89
B4013i	360	457 x 2	687 x 2									101	2/89/90
B4014i	460	657	707	907 x 2									
B4015i	360	687	717	837	917								
B4016i	360	662 x 2	787	817									
B4018i	560	577	607	757	787								
B4019i	390	807 x 2	957 x 2										
B4020i	560	377	457	527	657								
B4021i	600	617 x 2	707 x 2										91/86
B4022i	990	577	627	687	807								
B4023i	620	327 x 2	397	537									
B4024i	610	424	444	644 x 2									83/86/69
B4026i													Import set
B4028i	450	327	457 x 2	537									
B4030i	390,450	497 x 2	537 x 2										
B4031i	560	530	610	710	760								
B4032i	310	397 x 2	537	627									71/89/86
B4033i	530	377	557	637	822								71/60/89/90
B4034i	490	327 x 2	357	437									
B4035i	570	377 x 4											
B4036i	460	297 x 4											71/60/89/90
B4038i	530	397 x 2	627 x 2										
B4039i	300	257 x 2	332	382									
B4040i	610	527	587	737	767							94	
B4042i	530,880	687 x 2	737	807								127	
B4043i	320	627	687 x 2	777									
B4044i	455	732 x 2	802 x 2										
B4045i	NIL	310	410	540	630							120	34/64



Kit Structure - Lead Lengths



Part No.	Coil Lead	Lead Lengths in Kit (From Shortest to Longest)								S/Plug Boot Length (mm)	Picture References refer to Page D11
B4046i	560	577	707	837	937						
B4049i	600	627	767 x 2	927							
B4050i	NIL	397	457	607	637					117	19/64
B4051i	NIL	395	485	595	635					117	34/64
B4052i	NIL	360	500	560	700						39/64
B4053i	NIL	340	500	580	710					117	25/64
B4055i	530	357 x 2	397	457							
B4056i	250	617 x 2	867 x 2								
B4057i	330	355	430	575	665					117	25/64/67
B4058i	NIL	312	402	532	622					117	45/64
B4059i	360	337	467	537	617						
B4060i	NIL	330	385	510	550					106	26/64
B4061i	460	587	617	707	747						
B4063i	320	312	402	535	622					117	45/64/69
B4064i	480	707	757	797 x 2							
B4065i	NIL	265	355	455	505					136	35/64
B4066i	NIL	260	330	430	540					136	44/64
B4067i	350	327	527 x 2	587							
B4070i	460	347	527	547	707						
B4072i	NIL	192	325								126/127
B4073i	730	407	492	592	692						
B4074i	500	317	367	627	657					94	
B4075i											Import set
B4076i	NIL	387	507	547	587						
B4078i	515	782 x 2	922 x 2								
B4079i	470	317 x 4									
B4080i	250	427	487	677	737						
B4081i	270	277 x 2	327 x 2								
B4082i	320	357	487	614	744						83/72/81/72/90/86
B4083i	NIL	652	707	987 x 2							
B4084i	560 x 2	267	467 x 2	667 x 3	817	917					
B4085i	NIL	320	390	550	590						34/64
B4086i	NIL	490	590	675	760						38/88
B4088i	830	357	557	637	782						71/60/89/90
B4089i	560	397 x 4									
B4091i	320	527	607	677	747						
B4092i	560	277	297 x 2	397							
B4094i	285	298	458	478	628						32/100
B4098i	340	387	507	617	767						
B4099i	400	617	677	827	867						
B4100i	350	467	557	667	787						
B4103i										99	Import set
B4105i	350	527	577 x 3								
B4106i	435	308	458	488	628					144	32/100
B4107i	460	337	467	617	747						
B4109i	560	617	667	787	817						
B4111i	360	537	617	677	807						
B4112i	NIL	261	371	321	371						79/69/90
B4116i	270	537	597	637	677						
B4117i	570	647	707	767	867						
B4118i	662	380	490	590	630						83/86
B4120i	NIL	437	507	607	672					94	77/86
B4122i	460	767 x 3	917								
B4123i	350	417 x 3	537								
B4124i	320	397	507	607	677					106	
B4126i	750	307	447	487	707						
B4127i	600	517 x 2	577	627							
B4129i	NIL	412	502	702 x 2						130	31/64
B4136i	250	225	295	475	505					123	4/64/67
B4137i	590	354	454	514	654						18/64/67




Kit Structure - Lead Lengths

Lead lengths are measured in mm from terminal to terminal.

Pictures begin on page D11

See Picture References column for boot photograph reference number


For spark plug boot length measuring points, see diagram



Part No.	Coil Lead	Lead Lengths in Kit (From Shortest to Longest)									S/Plug Boot Length (mm)	Picture References refer to Page D11
B4138i	575	302	402	482	592						116	6/64/67
B4139i	360	297	527 x 2	657								
B4140i	460 x 2	377	457	607	707	737	757	907 x 2				
B4141i												Import set
B4142i	NIL	180 x 2	260	360								26/64
B4144i	360	277	317 x 2	337								
B4145i	660	307 x 2	387	467								
B4146i	460	527 x 2	707	757								
B4147i	NIL	352	412	512	582					116	.6/64	
B4149i	360	277 x 4										
B4150i	NIL	295	395	495	545					97	17/64	
B4151i	cap and lead											134 Import set
B4152i	NIL	345	505	595	635					134	30/64	
B4154i	600, 1110	407	557 x 2	657 x 2	757 x 3							
B4156i	598	502 x 2	602	702								
B4157i	NIL	332	532 x 2	662								77/86
B4158i	440	265	350	460	530					106	26/64/69	
B4160i	270	467	537	767 x 2								
B4161i	270	662	762 x 2	912						94	77/86/90	
B4162i	460	427	547	617	767					96		
B4163i	NIL	262	322	342	402							91/112
B4164i	260	597	677	707	777							
B4165i	440	350 x 2	380	430						110	27/64	
B4166i	310	340	460	490	640					150	11/88	
B4168i	460	577 x 2	777 x 2									
B4169i	360	407	527	677	707					94		
B4170i	NIL	671 x 3	771							86	21/87	
B4171i	450	537	612 x 2	657								
B4172i	290	300	400	490	620							47/64/69
B4173i	NIL	422	772	803 x 2						86	20/63/75	
B4174i	556	337	402	517	612							78/70
B4175i	640 x 2	277 x 2	337	387	537	617	707	817				
B4176i	460	677	737 x 2	947								
B4177i	450	340	430	550	650					117	24/64/67	
B4178i	300	345	395	535	565					116	.2/86	
B4179i	NIL	340	440	580	670					114	.10/64	
B4180i	350	627	837 x 2	1077						94		
B4181i	482	453	553	603	758							78/62
B4182i										60	Import set	
B4184i	360, 460	537 x 4	717 x 2	747	817							
B4185i	456 x 2	467 x 2	507 x 2	667	702	707	727					
B4186i	490	287	407	507	647							
B4187i	260	457	527	577	687							
B4188i	760	627	657	717	747							
B4191i	260	597	717 x 2	847						94	77/86/90	
B4192i	620	587	767	827	947							
B4193i	310	300	420	470	640					134	50/100	
B4203i	660	662	724	762	912							77/86/90
B4214i	460	287	447	487	707							
B4216i	400	502 x 2	652	752								
B4217i	340	647	737	797	907							
B4220i	610	647	767 x 2	927								
B4221i	400	687	747	777 x 2								
B4222i	260 x 2	377	407	637	697	767 x 2	927 x 2					
B4226i	460	660 x 2	710	740								
B4227i	410	507	567 x 3									
B4229i	NIL	277 x 2	297 x 2									112/113
B4231i	400	302 x 2	477	497								
B4233i	660	627	657 x 2	757								
B4237i	570	587	767	807	947							



Kit Structure - Lead Lengths



Part No.	Coil Lead	Lead Lengths in Kit (From Shortest to Longest)								S/Plug Boot Length (mm)	Picture References refer to Page D11
B4238i	350	557	577	657 x 2							
B4239i	750	567 x 2	667	797							
B4242i	NIL	340	470	500	630						115/100
B4244i	440	447	567	587	677						
B4245i	460	267 x 2	387	457							
B4246i	650	267 x 2	337	387							
B4248i	320	260	410	550	600					127	9/88/64
B4249i	460	327	527 x 2	727							
B4251i	440	617 x 3	677								
B4252i	460	607	657	837 x 2							
B4260i	262	523	563	653 x 2							76/63
B4261i	270	235	305	405	485					109	1/88/67
B4262i										131	Import set
B4264i	570	617	627	767	827						
B4265i	940	647	737	827	867					96	
B4268i	390	277	327	287	437					65	91/89/86
B4269i	560	380	460	530	610						
B4272i	490	617	647	867 x 2							
B4273i	260	267	317	1027 x 2							
B4278i	450	370	450	600	650						105/64/109
B4280i	NIL	257	282	322	376						91/112
B4284i	500	397	467	587	657					94	
B4289i	430	240	330	420	520					110	23/64/67
B4291i	490	617	647	867 x 2							
B4293i	400	277 x 2	267 x 2								91/89/86
B4295i	400	407	547	587	717						77/86
B4296i	380	317	447	507	617						
B4297i	630	647	707	827 x 2							
B4301i	NIL	293	373	503	563						49/110
B4302i	280	308	438	478	578						56/114/100
B4303i	490	308	458	478	628						32/100
B4305i	400	275	330	470	530						116/100
B4306i	NIL	376	426	506	666						103,102/100
B4307i	480	220	330	370	450						107/100
B4308i	300	428	588	588	698						56
B4310i	484	300	450	480	610						50/110
B4311i	700	170	230 x 3								104/100
B4312i	NIL	338	388	518	568					127	51/100
B4314i	NIL	230	400							130	55/117
B4315i	460	617	717	847	967						
B4316i	360	317	447	497	637					117	19/64/67
B4317i	NIL	365	435	585	645					117	25/64
B4318i	NIL	340	490	550	690						,10/64
B4319i	NIL	340	370	450	660						115/114
B4321i	330	607	727 x 2	737						94	
B4322i	350	717	787	847	947					94	
B4323i	480	527	687	777	887					94	
B4326i											Import set
B4330i	560	527 x 2	707 x 2								
B4342i	NIL	395	545	575	695					117	25/64
B4343i	500	427	477	607	627					96	
B4345i	570	330	400	480	540					106	26/64/69
B4355i	490	370	490	600	650					117	24/64/67
B4358i	NIL	607 x 2	737	807							
B4365i	440	405	465	595	655					109	1/88/69
B4412i	340	412	467	612	672						
B4435i	cap & lead									116	Import set
B4482i	NIL	537	577 x 2	627						60	65/87
B4485i										125	Import set
B4486i	600	717 x 4									91/86


Kit Structure - Lead Lengths

Lead lengths are measured in mm from terminal to terminal.

Pictures begin on page D11

See Picture References column for boot photograph reference number

For spark plug boot length measuring points, see diagram



Part No.	Coil Lead	Lead Lengths in Kit (From Shortest to Longest)									S/Plug Boot Length (mm)	Picture References refer to Page D11
B4488i	NIL	400	560	670	680						87	38/88
B4489i	NIL	457	467	647	677							
B4492i	NIL	422	467	637	697						106	28/88
B4494i	250	282	462	502	602						130	31/64/67
B4495i	NIL	382	502	602	622						92	33/88
B4496i	750	737	812 x 2	892								
B4606i												Import set
B4609i	NIL	402	562	422	592						106	28/88/64
B4611i											110	Import set
B4612i												Import set
B4616i	250	350	410	570	630						120	8/64/67
B4617i	250	272	362	542	592						116	6/64/69
B4621i	483	603	533	623	683						92	61/76/63/75
B4622i	483	573	683	783	883						92	61/75/63
B4628i	NIL	525	500	400	230						144	32/114
B4630i	NIL	342	362	442	562						94	77/86
B4631i	480	347	387	547	617						94	77/86/90
B4632i	NIL	402	462	542	632						130	31/64
B4633i	448	503	523	623	673						126	106/75/62
B4634i	NIL	282	442	462	542						130	31/64
B4635i	NIL	577 x 2	657 x 2									65/87
B4637i	NIL	313	463	493	643						144	32/100
B4638i	240	380	510	540	650						111	56/114/100
B4639i	270	330	470	490	640						111	56/114/100
B4640i	NIL	521 x 2	841 x 2								95	103/100
B4645i	280	278	568	468	588							56/100
B4647i	625	255	335	435	455						81	57/110
B4652i	545	306	486	556	686						95	102/100
B4655i	370	300 x 2	400 x 2									62/86/90
B4656i												Import set
B4657i												Import set
B4660i												Import set
B4661i												Import set
B4662i	350	300	410	530	610							84/90/86
B4663i	580	360	480	600	710						126	special set
B4664i	560	640	740	840	940							special set
B4665i	540	400	480	480	530							46/64
B4666i	240	381	446	491	541							46/64
B4667i												Import set
B4668i	540	420 x 2	540	720								98/88/64
B4669i												Import set
B4670i	570	540	690 x 2	830								101/89/90
B4671i												Import set
B4672i	415, 925	440	550	600	790							98/86
B4677i	560	265	380	380	530							
B4681i	880	730	830	880	980							97/76
B4682i	460	630 x 2	740 x 2									
B4685i												Import set
B4686i	322	200	230	390	500							99/63/76
B4687i	NIL	510	700	800	880							98/81/62
B4688i	NIL	385	505	610	700							97/64
B4690i	450	410	740	1120	1270							101/89/90
B4693i	500	400	500	600	700							105/89
B4694i												Import set
B4696i												Import set
B4697i	NIL	410	540	650	750							97/64
B4698i												Import set
B4701i	NIL	640	690	805	940							74/68
B4703i												Import set
B4705i	330	325	525	575	675						94	



Kit Structure - Lead Lengths



Part No.	Coil Lead	Lead Lengths in Kit (From Shortest to Longest)								S/Plug Boot Length (mm)	Picture References refer to Page D11
B4708i	350	632	712	842	912						
B4711i											Import set
B4713i	NIL	180 x 2	210 x 2								108/62
B4714i	NIL	370	420	495	550					92	61/75/68
B4715i	NIL	375	435	495	565					126	106/68
B4716i	NIL	200	240	370	490						129/130
B4721i	NIL	460	535	615	740						
B4730i	NIL	377	457	557	657					92	31/88
B4731i	360	462	612	612	712					90	
B4732i	360	662	812 x 2	912							
B4733i	110 x 2	152	252	332	382	532	612	712	812		
B4734i	460	762	712	532 x 2							
B4735i	370	300	345	505	610						29/64
B4736i	NIL	325	375	505	575						39/64
B4737i	600	502	602	1032 x 2							65/87/90
B4738i	260	262	332	810	912						
B4739i	660	610 x 2	710	910							
B4740i	460	302 x 3	382								
B4742i	700	630	680	800	890						
B4743i	715	458	583	633	814						97/84/81/62
B4744i	550	350	400	480	550						105/89/86
B4745i	660	620	740	820	920						97/89/86
B4746i	460	467	667	667	767						
B4747i	NIL	550	600	1020	1060						21/64/87
B4748i	NIL	380	440	600	615						19/64
B4749i											Import set
B4750i											Import set
B4751i											Import set
B4752i											Import set
B4753i											Import set
B4754i											Import set
B4755i	270	270	370	500	570						119/70
B4756i											Import set
B4757i	NIL	260	260	400	510						
B4759i											Import set
B4760i	NIL	220	240	355	455						120/64
B4762i		387	347								
B4763i		192	250								131/132
B4764i	NIL	335	365	475	565					106	28/133
B4765i	NIL	307	407	467	587						
B4766i	NIL	755	820	875	930						75/95
B4767i	NIL	230	360	450	520						134/95
B4768i	NIL	225	585								135/117
B4769i	NIL	150	280	370	440						134/95
B4771i	NIL	170x 2	230	400						134	50/100
B4772i	NIL	350	405	520	620					123	4/64
B4773i	NIL	262	407 X 2	657							
B4774i	600	420	450	570 X 2							84/89
B4775i	530	300	470	520	615						127/64
B4776i	NIL	120	260	330	460						136/137
B4777i	NIL	400	430	540	560						138/76
B4778i	NIL	260	410	440	510					126	106/139
B4779i	NIL	180	250								140/141
B4780i	NIL	230 X 2	270 X 2								142/76
B4781i	NIL	150	260	330	400						143/64
B4782i	NIL	90	250							109	1/88
B4783i	NIL	90	280							109	1/88
B4784i	NIL	600	680	710	810						119/70
B4785i	310	282	322	362	392						
B4786i	990	400	700	925 X 2							




Kit Structure - Lead Lengths

Lead lengths are measured in mm from terminal to terminal.

Pictures begin on page D11

See Picture References column for boot photograph reference number

For spark plug boot length measuring points, see diagram



Part No.	Coil Lead	Lead Lengths in Kit (From Shortest to Longest)										S/Plug Boot Length (mm)	Picture References refer to Page D11
B4787i	NIL	350	400	550	650								129/68
B4788i	NIL	400	450	560	620								34/64
B4789i	600	380	530	610	710								81/86/90
B4790i	450	450	600	650	800								83/89/69
B4791i	NIL	150	170	260	270								55/110
B4792i	NIL	320	450	540	610								38/88
B4793i	NIL	330	430	450	530								33/122
B4794i	NIL	350	400	500	700								77/81/86
B4795i	250	200	250 x 3										104/100
B4796i	620	310	380	430	460								46/64
B4797i	NIL	250	300	350	450								51/100
B5003i													Import set
B5006i	NIL	260	360	450	610	620							25/64/67
B5007i													Import set
B6000i	290,435	373	458	643	693	863	963						53/100
B6001i	470	677	707	737	797	867	907						
B6002i	480	277 x 2	417	467	597	657							
B6003i	270	277 x 2	297 x 2	377 x 2									
B6004i	260	377	457	477	527	577	632			94			77/86/89
B6005i	NIL	505	550	635	637	707	1007			123/119			16/36/64
B6006i	400	637	722	742	902	952	1002						
B6007i	NIL	340	460	650	627	747	917			123/119			16/36/64
B6008i	590	277 x 2	377	417	457	497							
B6010i	390	255	277 x 2	327	347 x 2								72/89/86
B6011i	280	277 x 2	317	457	557	647							
B6012i	620	465 x 2	630	1062 x 2	1282					123/119			16/36/64
B6013i	400	636 x 2	686	786	836	996							62/89/90
B6015i	NIL	364 x 2	394	624	774	834				74			84/93
B6016i	650	357	417	487	537	587	637			102			72/86
B6017i	440	327 x 2	397 x 2	457	497								
B6018i	NIL	430	455	535	860	930	1015			94			84/93
B6019i	NIL												Import set
B6020i	360	277 x 2	337	387	467 x 2								
B6021i	262	290 x 3	320	430 x 2									83/121
B6022i	260	472	542	652	670 x 2	690				150/210			5/7/88/64
B6023i	310	515 x 2	695	720	795	895				111/116			41/42/88/64
B6024i	NIL	307	387	467	767	917	1077						
B6025i	NIL	245	445	465	795	900	950						121/62
B6026i	NIL	561	581	631	641 x 2	701				120			43/84
B6028i	NIL	467	537	717	747	917	1077						
B6029i	680	477	577	627	697 x 3								
B6030i	300	277 x 2	312 x 2	437 x 2									
B6031i													Import set
B6033i	460	617	717 x 2	917 x 2	1067								
B6034i	560	307 x 4	467 x 2										
B6036i	770	782	812	832	862	962	1062						
B6039i	NIL	180	280	395	650 x 2	775				92			33/122
B6040i	516	550	680	800	880	940	1020						83/86
B6041i	340	637	687	707	797	877	957						
B6042i	273	273 x 4	343 x 2										
B6045i													Import set
B6051i	627	950	1020	1100	1200	1310	1350						78/86
B6053i	630	460	560	640	713	853	953						42/29/64/88
B6054i	360	567	687	717	917	957	1067						
B6064i													Import set
B6066i	455	732 x 2	802 x 2	822 x 2									
B6067i	NIL	458	713	758	893	923	948			70			85/62
B6068i	260	547 x 3	637 x 2	727						94			
B6071i	650	757	787	817	827	847	927						
B6072i	499	522	642	722	822	882 x 2							12/05/64

Kit Structure - Lead Lengths



Part No.	Coil Lead	Lead Lengths in Kit (From Shortest to Longest)								S/Plug Boot Length (mm)	Picture References refer to Page D11
B6074i	332	583	613	663	798	848	983				
B6075i	342	638	723 x 2	898	993	1118					
B6076i	250	647	707 x 2	1007 x 3						91	73/86
B6077i										64	Import set
B6080i	430	619	679	799	869	909	949				78/86
B6081i	NIL	383	583	613	913	948	983				85/62
B6082i	393	357	407	447	907	1027	1117				
B6087i	660	387	417	467	527	567	627				94/64/67
B6088i	520	195	285	375	387	827	897			150	11/12/88/64
B6098i	273	673 x 2	713	748	828	903					
B6101i	560	317	377	457	757	907	1067				
B6102i	690	395	485 x 2	905 x 2	1045					122	22/64/67
B6103i	NIL	1110	990	900	830	800	815				83/62
B6104i	580	487	537	707	727	937	1017				
B6109i	420	450	480	630	660	800	900			64	37/64/67
B6110i	583	395	530	590	590	670	720			131	15/66
B6111i	870	277 x 2	357 x 2	457 x 2							
B6113i	660	407	527	607	707	907 x 2					
B6114i											Import set
B6115i	NIL	458	713	758	893	923	948				85/62
B6117i	NIL	433	478	508	868	898	958			70	85/62
B6118i	NIL	433	478	508	868	898	958				85/62
B6119i	350	407	457	527 x 2	607	707				94	77/86/90
B6120i	730	520	620	720	703	903	1003			147/111	42/29/64/88
B6121i	NIL	293	513 x 2	843	943	993				70	85/62
B6122i											Import set
B6123i	NIL	800	920	1030						118	52/117
B6124i	NIL	749	889	909							52/117
B6126i	250	330	390	430	560	570					55/110
B6127i	390	320	515	550 x 2	630	660				119	49/100
B6152i	NIL	465	475	645	1097	1107	1187			123/119	16/36/64
B6154i	400	325	525	545	565	635	685			119	49/100
B6155i	NIL	375	485	685	637	897	997			123/119	16/36/64
B6158i	NIL	392 x 2	442	482	582	672				130	58/122
B6159i	360	424 x 2	544 x 3	724						150/266	13/14/64
B6160i	350	381	431 x 2	901	1001	1121				95	102/100
B6161i	NIL	868	938	1113							54/100
B6200i	268	885	950 x 2	1070	1085	1230					
B6201i	NIL	741	691	715	735	750	785				
B6202i											Import set
B6206i	560	527 x 2	707 x 2	907 x 2							
B6210i	870	401 x 2	571	601	781	811					46/64
B6215i	270	390	430	545	800	820	945			120	34/64
B6216i	460	307 x 3	387	467 x 2							Import set
B6223i	NIL	705	755	805	705	755	805				Import set
B6224i											Import set
B6225i											Import set
B6226i											Import set
B6227i											Import set
B6228i	NIL	750	760	770	790 x 2	805					83/95
B6229i											Import set
B6230i											Import set
B6231i											Import set
B6232i											Import set
B6233i	NIL	620 x 2	670 x 2	720 x 2							43/64
B6234i											Import set
B6235i	NIL	367	427	487	527	617 x 2				130	58/88/122
B6236i	NIL	290	390 x 2	840	1025 x 2						144/93
B6237i	NIL	470	620	700	780	850	1010				145/93
B6238i	NIL	290	390 x 2	695	845	920					144/93


Kit Structure - Lead Lengths

Lead lengths are measured in mm from terminal to terminal.

Pictures begin on page D11

See Picture References column for boot photograph reference number

For spark plug boot length measuring points, see diagram




Part No.	Coil Lead	Lead Lengths in Kit (From Shortest to Longest)									S/Plug Boot Length (mm)	Picture References refer to Page D11
B6239i	NIL	419	539	409	539 x 2	709					126	14/106
B6240i	NIL	170	320	390	610	660	850					146/122
B6241i	NIL	265	350	450 x 2	540	620						147/110/117
B6242i	NIL	327	397	427	497	567	597					58/88/122
B6243i	NIL	290	330	360	785	950	1020					144/93
B6244i	NIL	380	500	620	710	785	930					
B6245i	NIL	350	400	550 x 2	650	800						129/130
B6246i	NIL	395	465	515 x 2	665	720						
B8001i	250	637	687	717	747	757 x 2	797 x 2					
B8002i	400	617	667	692 x 2	717	742 x 2	807					
B8003i	250	666 x 2	786 x 2	1276 x 4								62/86
B8004i	285	417	477	597	657	507	592	662	737			
B8005i	870	577	627 x 3	807 x 2	877	917						
B8006i	560	467	537	587	637	697	747	797	817			
B8007i	360	662 x 2	712	762 x 2	812	912	1070					
B8008i	330	696 x 2	816 x 2	1276 x 4								62/86
B8009i	370	452 x 2	677	727	1062 x 2	1082 x 2						
B8010i	265	686	746	816 x 2	1156	1236 x 3						62/86
B8011i	502	622 x 2	667	712	872	912 x 2	952					62/86
B8012i	450	752 x 3	777 x 2	812 x 2	852							
B8013i	250	762 x 2	852 x 2	1042 x 2	1122 x 2							
B8015i	360	610	660 x 2	710	740	760 x 2	810					
B8018i	415	702 x 2	762 x 2	822 x 2	902 x 2							
B8020i	560	717 x 2	757	817 x 3	917	1072						
B8021i	343	523	633 x 2	733 x 4	763							
B8022i												Import set
B8024i	660	527	617	707	767	807	907 x 2	1007				
B8026i	690	486	536	566	606	686	706	746	826			84/64/88
B8027i	530	486	536	566	606	686	706	746	826			84/64/88
B8030i	775	901 x 3	1031	1051	1241 x 3							
B8031i	300	601	681 x 2	751	791	951	991	1071				62/86
B8032i	NIL	552	692 x 3	772	892 x 2	974						62/62
B8033i												Import set
B8034i	375	681	781	851	1126 x 2	1201	1311	1401				62/89
B8035i	355	661	771	841	1101	1131	1211	1311	1381			62/86
B8036i	560	840	865 x 2	970	1030	1140	1320					62/62
B8037i	NIL	683	738	763	783	803	893	963	1103			
B8038i	360	662	712	742	762	812 x 2	1072 x 2					
B8040i	243,323	205 x 2	565 x 2	830	850	910	935					123/110
B8041i	NIL	552	742	912 x 2	1002	1122	1172	1312				62/81/79/86
B8042i	NIL	672	782	852	1132 x 2	1202	1302	1382				62/79
B8045i	416	577 x 2	677 x 2	727	827 x 2	897						
B8048i	NIL	555	640	700	470	520	635	640	720			84/89/64
B8052i	256	587	617	647	727	737	847	867	877			
B8067i	362	482 x 2	552	652	682	772	792	832				84/62
B8088i	455	732 x 2	802	1142 x 2	1202	1422 x 2						
B8094i	227	577	617	637	727	732	852	877	887			76/85/64/59
B8098i	NIL	200 x 8										85/148
B8099i	NIL	200 x 8										85/148/149
B8100i	NIL	595	620	820	810	545	705	815	975			121/150/151
B8101i	NIL	394 x 2	529	544	614	644	684	714				84/64
B8102i	NIL	595	620	820	810	545	705	815	975			121/150/151
B8103i	NIL	225 x 8										153/148
B9001i	240	182	282 x 3	302	331	352	382 x 2	421	442	471		76/62/64
B9002i	240	250 x 2	260	267 x 3	297 x 2	357	397 x 2	416	476	477		
B9004i												Import set
B9006i												Import set
B9007i												Import set



Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths



1		2	
3		4	
5		6	
7		8	
9		10	
11		12	



Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths

Measuring point



13		14	
15		16	
17		18	
19		20	
21		22	
23		24	



Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths

Measuring point



25



26



27



28



29



30



31



32



33



34



35



36



mm

Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths

Measuring point



37		38	
39		40	
41		42	
43		44	
45		46	
47		48	



Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths

Measuring point



49



50



51



52



53



54



55



56




57



58



59




60



mm

Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths



61		62	
63		64	
65		66	
67		68	
69		70	
71		72	



Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths

Measuring point



73



74



75



76



77



78



79

Picture not available

80



81



82



83




84



mm

Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths



85		86	
87		88	
89		90	
91		92	
93		94	
95		96	



Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths

Measuring point



97



98



99



100



101



102



103



104



105



106



107



108



mm

Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths

Measuring point



109




110



111



112



113



114



115



116



117



118



119



120



Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths

Measuring point



121



122



123



124

Picture not available

125



126



127



128



129



130



131



132



mm

Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths

133		134	
135		136	
137	Picture not available	138	
139		140	
141		142	
143		144	

Product Identification Images

Please see KIT STRUCTURE section on page D2 for boot/tube measurements and lead lengths		Measuring point 	
145		146	
147		148	
149	Picture not available	150	
151			





Cross Reference



**For cross reference information to non-Bosch manufactured ignition leads,
please contact your Bosch sales representative.**

Bosch 10 digit	Bosch Order #	Bosch 10 digit	Bosch Order #	Bosch 10 digit	Bosch Order #	Bosch 10 digit	Bosch Order #
F005X03650	B100Hi	F005X03728	B4026i	F005X03795	B4116i	F005X03860	B4227i
F005X03651	B104Ri	F005X03729	B4028i	F005X03796	B4117i	F005X03861	B4229i
F005X03653	B106Si	F005X03730	B4030i	F005X03797	B4118i	F005X03862	B4231i
F005X03654	B107Hi	F005X03731	B4031i	F005X03798	B4120i	F005X03863	B4233i
F005X03656	B114Ri	F005X03732	B4032i	F005X03799	B4122i	F005X03865	B4237i
F005X03660	B122Hi	F005X03733	B4033i	F005X03800	B4123i	F005X03866	B4238i
F005X03662	B2001i	F005X03734	B4034i	F005X03801	B4124i	F005X03867	B4239i
F005X03663	B2002i	F005X03735	B4035i	F005X03802	B4126i	F005X03868	B4242i
F005X03664	B2004i	F005X03736	B4036i	F005X03803	B4127i	F005X03869	B4244i
F005X03665	B2006i	F005X03738	B4038i	F005X03804	B4129i	F005X03870	B4245i
F005X03666	B2007i	F005X03739	B4039i	F005X03805	B4137i	F005X03871	B4246i
F005X03667	B2008i	F005X03740	B4040i	F005X03806	B4138i	F005X03872	B4248i
F005X03669	B25CDi	F005X03741	B4042i	F005X03807	B4139i	F005X03873	B4249i
F005X03670	B25CHi	F005X03742	B4043i	F005X03808	B4140i	F005X03874	B4251i
F005X03671	B25CSi	F005X03743	B4044i	F005X03809	B4141i	F005X03875	B4252i
F005X03672	B25Si	F005X03744	B4045i	F005X03810	B4142i	F005X03876	B4260i
F005X03676	B28Ri	F005X03745	B4046i	F005X03811	B4144i	F005X03877	B4261i
F005X03677	B298GMi	F005X03747	B4049i	F005X03812	B4145i	F005X03878	B4262i
F005X03678	B30CRi	F005X03748	B4050i	F005X03813	B4146i	F005X03879	B4264i
F005X03679	B30Hi	F005X03749	B4051i	F005X03814	B4147i	F005X03880	B4265i
F005X03680	B30Si	F005X03750	B4052i	F005X03815	B4149i	F005X03881	B4268i
F005X03681	B3001i	F005X03751	B4053i	F005X03816	B4150i	F005X03882	B4269i
F005X03682	B3002i	F005X03752	B4055i	F005X03817	B4151i	F005X03884	B4272i
F005X03683	B3003i	F005X03753	B4056i	F005X03818	B4152i	F005X03885	B4273i
F005X03684	B3004i	F005X03754	B4057i	F005X03819	B4154i	F005X03886	B4278i
F005X03685	B3005i	F005X03755	B4058i	F005X03820	B4156i	F005X03887	B4280i
F005X03686	B3006i	F005X03756	B4059i	F005X03821	B4157i	F005X03888	B4284i
F005X03687	B3007i	F005X03757	B4060i	F005X03822	B4158i	F005X03889	B4289i
F005X03688	B3008i	F005X03758	B4061i	F005X03823	B4160i	F005X03890	B4291i
F005X03689	B3009i	F005X03759	B4063i	F005X03824	B4161i	F005X03891	B4293i
F005X03690	B3010i	F005X03760	B4064i	F005X03825	B4162i	F005X03892	B4295i
F005X03691	B3011i	F005X03761	B4065i	F005X03826	B4163i	F005X03893	B4296i
F005X03692	B3015i	F005X03762	B4066i	F005X03827	B4164i	F005X03894	B4297i
F005X03693	B3016i	F005X03763	B4067i	F005X03828	B4165i	F005X03896	B43CDi
F005X03694	B3017i	F005X03764	B4070i	F005X03829	B4166i	F005X03898	B4301i
F005X03696	B35CHi	F005X03765	B4072i	F005X03831	B4168i	F005X03899	B4302i
F005X03697	B35CSi	F005X03766	B4073i	F005X03832	B4169i	F005X03900	B4303i
F005X03698	B35Hi	F005X03767	B4074i	F005X03833	B4170i	F005X03901	B4305i
F005X03699	B35Ri	F005X03768	B4075i	F005X03834	B4171i	F005X03902	B4306i
F005X03700	B35Si	F005X03769	B4076i	F005X03835	B4172i	F005X03903	B4307i
F005X03703	B40CRi	F005X03770	B4078i	F005X03836	B4173i	F005X03904	B4308i
F005X03704	B40Si	F005X03771	B4079i	F005X03837	B4174i	F005X03905	B4310i
F005X03705	B4001i	F005X03772	B4080i	F005X03838	B4175i	F005X03906	B4311i
F005X03706	B4003i	F005X03773	B4081i	F005X03839	B4176i	F005X03907	B4312i
F005X03707	B4004i	F005X03774	B4082i	F005X03840	B4177i	F005X03908	B4314i
F005X03708	B4005i	F005X03775	B4083i	F005X03841	B4178i	F005X03909	B4315i
F005X03709	B4006i	F005X03776	B4084i	F005X03842	B4179i	F005X03910	B4316i
F005X03710	B4007i	F005X03777	B4086i	F005X03843	B4180i	F005X03911	B4317i
F005X03711	B4009i	F005X03778	B4088i	F005X03845	B4185i	F005X03913	B4319i
F005X03712	B4010i	F005X03779	B4089i	F005X03846	B4186i	F005X03914	B4321i
F005X03713	B4011i	F005X03780	B4091i	F005X03847	B4187i	F005X03915	B4322i
F005X03714	B4012i	F005X03781	B4092i	F005X03848	B4188i	F005X03916	B4323i
F005X03715	B4013i	F005X03782	B4094i	F005X03849	B4191i	F005X03917	B4326i
F005X03716	B4014i	F005X03783	B4098i	F005X03850	B4192i	F005X03918	B4330i
F005X03717	B4015i	F005X03784	B4099i	F005X03851	B4193i	F005X03919	B4342i
F005X03718	B4016i	F005X03786	B4100i	F005X03852	B4203i	F005X03920	B4343i
F005X03720	B4018i	F005X03787	B4103i	F005X03853	B4214i	F005X03921	B4345i
F005X03721	B4019i	F005X03789	B4105i	F005X03854	B4216i	F005X03922	B4355i
F005X03722	B4020i	F005X03790	B4106i	F005X03855	B4217i	F005X03923	B4358i
F005X03723	B4021i	F005X03791	B4107i	F005X03856	B4220i	F005X03924	B4365i
F005X03724	B4022i	F005X03792	B4109i	F005X03857	B4221i	F005X03925	B4412i
F005X03725	B4023i	F005X03793	B4111i	F005X03858	B4222i	F005X03926	B4435i
F005X03726	B4024i	F005X03794	B4112i	F005X03859	B4226i	F005X03927	B4482i

Bosch 10 digit	Bosch Order #	Bosch 10 digit	Bosch Order #	Bosch 10 digit	Bosch Order #	Bosch 10 digit	Bosch Order #
F005X03928	B4485i	F005X04002	B4730i	F005X04085	B6023i	F005X04152	B6201i
F005X03929	B4486i	F005X04003	B4731i	F005X04086	B6024i	F005X04153	B6210i
F005X03930	B4488i	F005X04004	B4732i	F005X04087	B6025i	F005X04154	B6215i
F005X03931	B4489i	F005X04005	B4733i	F005X04088	B6026i	F005X04156	B6223i
F005X03934	B4492i	F005X04006	B4734i	F005X04089	B6028i	F005X04157	B6224i
F005X03935	B4494i	F005X04007	B4735i	F005X04090	B6029i	F005X04158	B6225i
F005X03936	B4495i	F005X04008	B4736i	F005X04091	B6030i	F005X04160	B6227i
F005X03937	B4496i	F005X04009	B4737i	F005X04092	B6031i	F005X04161	B6228i
F005X03938	B45CSi	F005X04010	B4738i	F005X04093	B6033i	F005X04162	B6229i
F005X03939	B45Ri	F005X04011	B4739i	F005X04094	B6034i	F005X04163	B6230i
F005X03942	B4606i	F005X04012	B4740i	F005X04095	B6036i	F005X04164	B6231i
F005X03943	B4609i	F005X04014	B4742i	F005X04096	B6039i	F005X04165	B6232i
F005X03944	B4611i	F005X04015	B4743i	F005X04097	B6040i	F005X04166	B6233i
F005X03945	B4612i	F005X04016	B4744i	F005X04098	B6041i	F005X04167	B6234i
F005X03946	B4616i	F005X04017	B4745i	F005X04099	B6042i	F005X04168	B6235i
F005X03947	B4617i	F005X04018	B4746i	F005X04100	B6045i	F005X04169	B63Ri
F005X03948	B4621i	F005X04019	B4747i	F005X04101	B6051i	F005X04170	B63Si
F005X03949	B4622i	F005X04022	B4750i	F005X04102	B6053i	F005X04171	B66CRi
F005X03950	B4628i	F005X04023	B4751i	F005X04103	B6054i	F005X04172	B66CSi
F005X03951	B4630i	F005X04024	B4752i	F005X04105	B6064i	F005X04173	B66Hi
F005X03952	B4631i	F005X04025	B4753i	F005X04107	B6066i	F005X04176	B670Fi
F005X03953	B4632i	F005X04026	B4754i	F005X04108	B6067i	F005X04180	B71Si
F005X03954	B4633i	F005X04027	B4755i	F005X04109	B6068i	F005X04181	B72Ri
F005X03955	B4634i	F005X04028	B4756i	F005X04110	B6071i	F005X04183	B745Fi
F005X03956	B4635i	F005X04029	B4757i	F005X04111	B6072i	F005X04184	B76Hi
F005X03957	B4637i	F005X04030	B4758i	F005X04112	B6074i	F005X04185	B76Si
F005X03958	B4638i	F005X04031	B4759i	F005X04113	B6075i	F005X04186	B763GMi
F005X03959	B4639i	F005X04032	B4760i	F005X04114	B6076i	F005X04189	B8001i
F005X03960	B4640i	F005X04034	B4762i	F005X04115	B6077i	F005X04190	B8002i
F005X03961	B4645i	F005X04035	B4763i	F005X04116	B6080i	F005X04191	B8003i
F005X03962	B4647i	F005X04036	B50CRi	F005X04117	B6081i	F005X04192	B8004i
F005X03963	B4652i	F005X04038	B5006i	F005X04118	B6082i	F005X04193	B8005i
F005X03964	B4655i	F005X04039	B5007i	F005X04120	B6088i	F005X04194	B8006i
F005X03965	B4656i	F005X04042	B51Ri	F005X04121	B6098i	F005X04195	B8007i
F005X03966	B4657i	F005X04043	B51Si	F005X04122	B61CDi	F005X04196	B8008i
F005X03969	B4660i	F005X04044	B518GMi	F005X04123	B61CSi	F005X04197	B8009i
F005X03970	B4661i	F005X04047	B53CDi	F005X04124	B6101i	F005X04198	B8010i
F005X03971	B4663i	F005X04049	B55CSi	F005X04125	B6102i	F005X04199	B8011i
F005X03972	B4664i	F005X04057	B58Hi	F005X04126	B6103i	F005X04200	B8012i
F005X03973	B4665i	F005X04059	B58Ri	F005X04127	B6104i	F005X04201	B8013i
F005X03974	B4666i	F005X04060	B58Si	F005X04128	B6109i	F005X04202	B8018i
F005X03975	B4667i	F005X04062	B60CRi	F005X04129	B6110i	F005X04203	B8019i
F005X03976	B4669i	F005X04063	B6000i	F005X04130	B6111i	F005X04204	B8020i
F005X03977	B4670i	F005X04064	B6001i	F005X04131	B6113i	F005X04205	B8021i
F005X03978	B4671i	F005X04065	B6002i	F005X04133	B6115i	F005X04206	B8022i
F005X03979	B4672i	F005X04066	B6003i	F005X04134	B6117i	F005X04207	B8024i
F005X03980	B4681i	F005X04067	B6004i	F005X04135	B6118i	F005X04208	B8026i
F005X03981	B4682i	F005X04068	B6005i	F005X04136	B6119i	F005X04209	B8027i
F005X03982	B4686i	F005X04069	B6006i	F005X04137	B6120i	F005X04210	B8029i
F005X03984	B4690i	F005X04070	B6007i	F005X04138	B6121i	F005X04211	B8030i
F005X03985	B4693i	F005X04071	B6008i	F005X04139	B6122i	F005X04212	B8031i
F005X03987	B4696i	F005X04072	B6010i	F005X04140	B6123i	F005X04213	B8032i
F005X03988	B4697i	F005X04073	B6011i	F005X04141	B6124i	F005X04214	B8033i
F005X03992	B4701i	F005X04074	B6012i	F005X04142	B6126i	F005X04215	B8034i
F005X03993	B4703i	F005X04075	B6013i	F005X04143	B6127i	F005X04216	B8035i
F005X03994	B4705i	F005X04077	B6015i	F005X04144	B6152i	F005X04217	B8036i
F005X03995	B4708i	F005X04078	B6016i	F005X04145	B6154i	F005X04218	B8037i
F005X03996	B4711i	F005X04079	B6017i	F005X04146	B6155i	F005X04219	B8038i
F005X03997	B4713i	F005X04080	B6018i	F005X04147	B6158i	F005X04220	B8040i
F005X03998	B4714i	F005X04081	B6019i	F005X04148	B6159i	F005X04221	B8042i
F005X03999	B4715i	F005X04082	B6020i	F005X04149	B6160i	F005X04222	B8045i
F005X04000	B4721i	F005X04083	B6021i	F005X04150	B6161i	F005X04223	B8048i
F005X04001	B473GMi	F005X04084	B6022i	F005X04151	B6200i	F005X04224	B8052i



Bosch 10 digit	Bosch Order #	Bosch 10 digit	Bosch Order #	Bosch 10 digit	Bosch Order #	Bosch 10 digit	Bosch Order #
F005X04225	B8067i	F005X13032	B4790i				
F005X04227	B8088i	F005X13033	B4791i				
F005X04228	B8094i	F005X13034	B4792i				
F005X04230	B8098i	F005X13035	B4793i				
F005X04231	B8099i	F005X13036	B4794i				
F005X04232	B830Fi	F005X13037	B4795i				
F005X04233	B84Ri	F005X13038	B4796i				
F005X04234	B84Si	F005X13039	B4797i				
F005X04236	B86Hi	F005X13040	B6245i				
F005X04240	B863GMi	F005X13041	B6246i				
F005X04244	B893GMi	F005X13042	B8103i				
F005X04246	B9002i	F005X13043	B4668i				
F005X04247	B9004i	0986356373	B6114i				
F005X04248	B9006i	0986AM0400	B4065HP				
F005X04249	B9007i	0986AM0401	B4066HP				
F005X04250	B91Si	0986AM0402	B4120HP				
F005X04252	B94Ri	0986AM0403	B4147HP				
F005X04253	B953GMi	0986AM0404	B4170HP				
F005X04254	B96Si	0986AM0405	B4172HP				
F005X04256	B998GMi	0986AM0406	B4173HP				
F005X05459	B4136i	0986AM0407	B4314HP				
F005X10042	B4765i	0986AM0408	B4365HP				
F005X10043	B4766i	0986AM0409	B4635HP				
F005X10044	B4767i	0986AM0410	B6025HP				
F005X10045	B4764i	0986AM0411	B6067HP				
F005X10828	B4768i	0986AM0412	B6080HP				
F005X10829	B4769i	0986AM0413	B6098HP				
F005X10831	B8100i	0986AM0414	B6103HP				
F005X10832	B8101i	0986AM0415	B6121HP				
F005X10854	B6236i	0986AM0416	B6200HP				
F005X10855	B6237i	0986AM0417	B6201HP				
F005X10856	B4771i	0986AM0418	B6228HP				
F005X10857	B6238i	0986AM0419	B8001HP				
F005X10864	B6239i	0986AM0420	B8002HP				
F005X10865	B4772i	0986AM0421	B8067HP				
F005X10866	B4773i	0986AM0422	B8094HP				
F005X10867	B6240i	0986AM0423	B8099HP				
F005X10868	B4774i	0986AM0424	B6042HP				
F005X11000	B3018i	0986AM0425	B6118HP				
F005X11113	B4716i						
F005X11115	B4775i						
F005X11116	B4776i						
F005X11117	B4777i						
F005X11119	B4778i						
F005X11120	B6241i						
F005X11121	B6242i						
F005X11122	B6243i						
F005X11123	B4779i						
F005X11124	B4780i						
F005X11126	B4781i						
F005X11356	B4782i						
F005X11357	B4783i						
F005X11358	B4784i						
F005X11359	B4785i						
F005X11386	B5003i						
F005X11391	B2010i						
F005X11421	B8015i						
F005X11465	B6244i						
F005X12506	B8102i						
F005X13028	B4786i						
F005X13029	B4787i						
F005X13030	B4788i						
F005X13031	B4789i						

Special cases

ALZ	For engine with aluminum cylinder head
GGZ	For engine with grey cast iron cylinder head
WBL	With heat shield
WW	Optional



Reliable diagnosis. Time saving repairs.
Bosch diagnostics and service parts.

Everything from one single source.
Bosch has a complete program available
which increases efficiency and quality in
your workshop's daily activities.

Service parts from the global development
expert and leading manufacturer of
automotive system technology are supplied
in renowned Bosch OE quality.

Competence and quality:
Assuring your workshop's future success.

Bosch Diagnostics			
ESI[tronic] Software	Test Equipment	Service Training	Technical Hotline



BOSCH

☎ 1 987 AP 2116/200911

Robert Bosch (Australia)
Pty Ltd
Head Office Address
1555 Centre Road
Clayton Vic. 3168

Enquiries : Australia
Phone : 1300 307 040
Fax : 1300 307 041
www.bosch.com.au
customerservice.AA@au.bosch.com

Enquiries : New Zealand
Phone : 0800 452 896
www.bosch.co.nz

Invented for Life



From the very beginning, Bosch's history has been characterised by a drive for innovation and social commitment. Environmental and social responsibilities are core values at Bosch. Our slogan "Invented for life" conveys the ambitious standards we have set ourselves and the values that we have long stood for. "Invented for life" stands for reliable technology designed and built to last. At the same time it embodies innovations and technology that contribute to the conservation of resources, sustainable development, and helping people improve their quality of life.

The Robert Bosch Stiftung (Robert Bosch Foundation) was established in 1964 to keep alive the philanthropic and social endeavours of its founder Robert Bosch. Through its programs and institutes, the foundation has since issued 840 million euros in project funds. In 2007, it made available 58.9 million euros for non-profit projects. Education, international understanding, and public welfare are the top priorities stated in Robert Bosch's will and are the pillars of our work today.

Responsibility for the environment is a core value at Bosch and is firmly anchored in our principles for safety and environmental

protection. Our environmental focuses are on renewable energies, energy efficiency, and emissions reduction. At Bosch we believe we have an obligation to develop innovative and beneficial technology and in order to meet such demands, considerable amounts of money are spent each year on research and development. We employ more than 25,000 research and development associates worldwide, all working towards the creation of technology that is innovative, beneficial and environmentally friendly.

© COPYRIGHT 2009 – Robert Bosch (Australia) Pty Ltd

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or otherwise including, without limitation, photocopying or recording without permission in writing from the copyright owner. All details, illustrations and specifications contained in this publication are based on the latest information available at the time of printing. Whilst every precaution is taken to ensure the accuracy of the content, Robert Bosch (Australia) Pty Ltd accepts no responsibility for any errors or omissions.